



Optima® Sensor Faucet

EAF-200-HLT-PB-0.5GPM-AER-FCT

Product description

Hardwired Less Transformer Power Supply, Mixer Not Included, Polished Brass Finish, 0.5 gpm, Aerated Spray, Infrared Sensor, Optima® Hardwired-Powered Deck-Mounted Mid Body Faucet.

Compliances & Certifications



(ASME A112.18.1 Compliant, ASSE 1070, BREEAM Materials Credit, BREEAM Water Credit, CalGreen Compliant, CEC Compliant, EPD, Green Globes Credit, Green Globes Water, HPD, LEED Credit, LEED HPD, NSF-61/CAN-61, NYC604.4, Satisfies LEED Credits, TAS)

Code 33351316

Finish

 Polished Brass (PB)

Downloads

-  EAF 200_225_250_275 Installation Instructions.pdf
-  Optima Plus EAF 200 Repair and Maintenance Guide.pdf
-  Faucet Spray Heads Maintenance Guide.pdf
-  Faucet and Soap Dispenser Brochure.pdf
-  Additional Downloads

Videos

-  Sloan Connect App®

Product Information

Details

- Flow Rate: 0.5 gpm (1.9 Lpm) (0.5GPM)
 - Spray Type: Aerated (AER)
 - Sensor Type: Infrared
 - Mounting Type: Single Hole
 - Power Supply: Hardwired Less Transformer (HLT)
 - Temperature Mixer: Mixer Not Included
 - Finish: Polished Brass (PB)
 - Factory Default Timeout: 30s
 - Factory Default GPC: 0.25 gpc
-

Features

Commercial Grade, ADA Compliant, Electronic, Sensor-Activated, Die-Cast Metal Hand Washing Faucet with the following features:

- Double Infrared Sensors with Automatic Setting Feature and Microprocessor
- Automatic Self-adapting Sensor Technology
- Magnetic Solenoid Valve
- Water Supply Connection with Flexible High-pressure Hose and Strainer
- 6 Volt DC Plug-in Adapter (must be ordered separately for Less Adapter/Transformer (-LT) faucets)
- Appropriate Mounting Hardware included
- 3 year limited warranty
- PVD Polished Brass Finish
- 0.5GPM sprayhead with aerated flow pattern
- AC Powered faucet less transformer (-LT), includes daisy chain connector for connecting up to 6 faucets.

EAF-200-HLT-PB-0.5GPM-AER-FCT

Electrical specifications

- Sensor Range: 4" -5" (102-127 mm)
 - Self-Adjustment Range: 2"-14"
 - Timeout Adjustment Setting: 30 Seconds
-

Warranty

[View Warranty Information](#)

Notes


All information contained within this document subject to change without notice.

Looking for other variations of the EAF-200 product? [View the general spec sheet with all options.](#)



[Find a matching soap dispenser](#) for this faucet.

[Find a compatible sink](#) for this faucet

EAF-200
Faucets with Single Line Water Supply



EAF-200-ISM, EAF-200-ISM-IC AND
EAF-200-ISM-DPU-IC
Faucets with Hot and Cold Water Supply



Optional EAF-35-A Faucet
Extension Kit