



Act-O-Matic® Showerhead

AC-11-2.5GPM-BN

Product description

Brushed Nickel Finish, Act-O-Matic® Standard with Thumb Screw Volume Control Showerhead.

Code 4020115

Finish



Brushed Nickel (BN)

Downloads

- [Showerhead Parts and Accessories Repair and Maintenance Guide.pdf](#)
- [Programmed Water Technologies \(PWT\) Brochure.pdf](#)
- [Additional Downloads](#)

Videos

- [Sloan – Company Overview](#)

Details

- Finish: Brushed Nickel (BN)
- Flow Rate: 2.5 gpm (9.5Lpm) (2.5GPM)
- Self Cleaning: Yes

Features

- Commercial Style Shower Head
- Fingertip control on the AC-11 model allows users to adjust water flow to meet individual comfort needs
- Spring-loaded, self-cleaning spray disk prevents particle clogging and reduces maintenance
- “Cone within a cone” spray pattern for total body coverage
- All brass construction
- Various decorative finishes available
- Saves up to 20% or more water depending on length of shower
- Universal Ball Joint with Thumb Screw Volume Control
- 1/2” I.P.S. Inlet
- Fast drain feature to prevent residual slow dripping
- Shower Head shall be in conformance to all requirements of ANSI/ ASME Standard A112.18.1M, CSA B-125 and the United States Federal Energy Policy Act.
- Brushed Nickel Finish
- Pressure Compensating 2.5 gpm/9.4 Lpm Flow Control
-

Recommended specifications

Sloan Act-O-Matic Showerhead model no. AC-11 2.5 gpm. Brushed Nickel PVD Plated.

Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

