



PWT™ Accessory

MCR-176

Product description

Infrared Sensor-activated Electronic Shower Control.

Compliances & Certifications



(BAA Compliant, NOM Certified)

Code 3375013

Downloads

- [Programmed Water Technologies \(PWT\) Brochure.pdf](#)
- [Additional Downloads](#)

Videos

- [Sloan – Company Overview](#)

Features

- System includes five components: ETF-492-A EL-154, MCR-139-A, ETF-458-A and EL-462-A
- Infrared, sensor-activated shower control for single, pre-mixed shower
- Water run-times and sensor range are adjustable
- Control module may be located remotely as far as 35 feet from sensor using additional PWT extension cord kits
- Waterproof, NEMA 6-compliant sensor module
- Diagnostic LED indicators in control module
- May be paired with Sloan Act-O-Matic Standard or Institutional style showerheads
- Accessories:
 - ETF-1003-72 6' Single Wire Extension Cord Kit (order separately)
 - ETF-1003-108 9' Single Wire Extension Cord Kit (order separately)
 - ETF-1003-240 20' Single Wire Extension Cord Kit (order separately)
 - ETF-1003-600 50' Single Wire Extension Cord Kit (order separately)
- Visible LED target detection
- Infrared sensor module, controller, solenoid, 120 VAC/24 VAC transformer, 20' power cord kit and mounting hardware for sensor and controller
- Operates on 24 V AC
- Adjustable sensing range
- Adjustable run time
- 24 VAC brass body solenoid with integral "Y" strainer
- Control module may be located remotely as far as 35' from sensor using additional MICRO Plumb® extension cord kits
- RJ-11 modular connections from sensor and solenoid to controller

Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

