

SloanStone® Quartz Sink

QSA-82000 STAINLESS STEEL ENCLOSURE

Product description

SloanStone® Quartz 2-Station Wall-Mounted Arrowhead Sink.

Compliances & Certifications

IGC156

(ADA Compliant, cUPC Certified, GreenGuard Gold, IGC 156)

Code QSA-82000 Stainless Steel Enclosure

Downloads

- QSA-82000 Enclosure Installation Instructions.pdf
- QSA-82000 Enclosure Repair and Maintenance Guide.pdf
- Sinks - Full Line Brochure.pdf
- SloanStone® Molded Quartz Sell Sheet.pdf
- Additional Downloads

Videos

- Sloan – Company Overview

Details

- Material:
  - SloanStone Quartz
- Mounting: Wall-Mounted
- Width: 60” (1524mm)
- Height: 5” (127mm)


Features


Two Station Molded Quartz Lavatory System with the following features:


- Dimensions: 60” x 22” x 5”
- A Monolithic deck fabricated from Sloanstone® quartz
- Available in 3 colors
- Stainless Steel Enclosure mounting
- Pairs great with Sloan faucets and soap dispensers
- Please note that scratches on dark, high gloss finishes may be noticeable and require periodic refinishing to maintain the glossy appearance. Take care placing and sliding objects that may scratch the surface.

Performance Series sinks are a one-piece molded design with a slight angle outward at the side aprons to facilitate the fabrication process thus the overall length of the sink measured along the bottom edge may be up to ½” greater than noted length. Performance Series sinks are commonly available in one to four station lengths (most models) and cannot be seamed together to create a longer sink layout. Please note that scratches on dark, high gloss finishes may be noticeable and require periodic refinishing to maintain the glossy appearance. Take care placing and sliding objects that may scratch the surface.

Colors


Coast Carrara


Arctic Frost


Stone Gray

Recommended specifications

SloanStone Quartz Series Sink model no. QSA 82000 Arrowhead Style Sink. Product to be molded using SloanStone Quartz containing minimum of 85% quartz. Sloan sensor operated faucet. Sloan sensor operated foam soap dispenser. Sink design to be ADA compliant and IAPMO certified. Supplied with stainless steel enclosure.

Suggested Faucets

	Name	Description	
	EBF-415	Optima® Battery or Turbine-Powered Deck-Mounted Low Body Faucet	View

Suggested Soap Dispensers

	Name	Description	
	ESD-410	Sloan® Deck-Mounted Foam Soap Dispenser	View


Warranty

View Warranty Information

Notes

All information contained within this document subject to change without notice.

Find a compatible faucet for this sink.
Find a matching soap dispenser for this sink.



Note: Backing material should equal thickness of drywall, 1/2" min.