



Sloan® Sensor Flushometer

SLOAN 611-1.28 ESS TMO SWB-1.28-CP-TMO-HW

Product description

1.28 gpf, Polished Chrome Finish, Single Flush, True Mechanical Override, Hardwired, Sloan® Concealed Sensor Water Closet Flushometer.

Compliances & Certifications



(ADA Compliant*, BREEAM Water Credit, Green Globes Water, LEED Water, Satisfies LEED Credits, UL Certified (US), EPA WaterSense Listed)

Code 37781012

Finish

 Polished Chrome (CP)

Downloads

 [Additional Downloads](#)

Videos

 [Sloan – Company Overview](#)

Details

- Flush Volume: 1.28 gpf (4.8 lpf)
- Finish: Polished Chrome (CP)
- Power Type: Hardwired (HW)
- Valve: Diaphragm
- Valve Body Material: Semi-red Brass
- Fixture Type: Water Closet
- Override: True Mechanical (TMO)

Features

Electrical specifications

- Transformers (Specify Separately):
 - EL-154/0345154
 - EL-342/0345999

Warranty

[View Warranty Information](#)

Notes

All information contained within this document subject to change without notice.

*Compliant with ADA accessibility requirements when installed according to ADA standards.

WaterSense compliant when used with a 1.28 gpf (4.8 lpf) WaterSense fixture.

Looking for other variations of the SLOAN 611-1.28 ESS TMO SWB product? [View the general spec sheet with all options.](#)

[Find a compatible urinal](#) for this flushometer.

[Find a compatible water closet](#) for this flushometer.

