

Technical Data Sheet


Powertool Accessories

Professional SDS Plus Hammer Bit

Features

- A High performance drill bit with a superior carbide tip to give extended durability. German tested and PGM approved to ensure the bits drill with dimensional precision and performance when used in to concrete and masonry.
- Special nickel chromoly shank.
- High quality BC20 Tungsten Carbide Tip.
- Cold form blanks utilised up to 11mm diameter.
- Fully heat treated to eliminate bending.
- Twin flute design for increased drilling performance.
- Shot-peened for increased strength and durability.
- Large range of sizes to cover most drilling applications, including direct fix anchors.
- **USER CAUTION:** Rebar drilling will result in reduced tool life. All chisel tip SDS drills can shear if the tip snags the reinforcing whilst passing alongside.

Dimensional Data



Product Code	Size Ø (mm) (D)	Length (mm) (L)	Working Length (mm) (WL)
AP4110	4.0	110	45
AP4160	4.0	160	95
AP5110	4.0	110	45
AP5160	5.0	160	95
AP5210	5.0	210	140
AP55110	5.5	110	45
AP55160	5.5	160	95
AP55210	5.5	210	140
AP6110	6.0	110	45
AP6160	6.0	160	95
AP6210	6.0	210	140
AP6260	6.0	260	190
AP6350	6.0	350	280
AP65110	6.5	110	45
AP65160	6.5	160	95
AP65210	6.5	210	140
AP65260	6.5	260	190
AP7110	7.0	110	45
AP7160	7.0	160	95

Technical Data Sheet

Product Code	Size Ø (mm) (D)	Length (mm) (L)	Working Length (mm) (WL)
AP7210	7.0	210	140
AP7260	7.0	260	190
AP8110	8.0	110	45
AP8160	8.0	160	95
AP8210	8.0	210	140
AP8260	8.0	260	190
AP8310	8.0	310	240
AP8350	8.0	350	280
AP8450	8.0	450	380
AP9210	9.0	210	140
AP10160	10.0	160	95
AP10210	10.0	210	140
AP10260	10.0	260	190
AP10310	10.0	310	240
AP10450	10.0	450	380
AP10600	10.0	600	530
AP101000	10.0	1000	930
AP12160	12.0	160	80
AP12210	12.0	210	140
AP12260	12.0	260	180
AP12310	12.0	310	230
AP12450	12.0	450	370
AP12600	12.0	600	520
AP121000	12.0	1000	920
AP13260	13.0	260	180
AP14160	14.0	160	80
AP14210	14.0	210	140
AP14260	14.0	260	180
AP14310	14.0	310	230
AP14450	14.0	450	370
AP141000	14.0	1000	920
AP15260	15.0	260	180
AP16160	16.0	160	80
AP16210	16.0	210	140
AP16260	16.0	260	180
AP16310	16.0	310	230
AP16450	16.0	450	370
AP16600	16.0	600	520
AP161000	16.0	1000	920

All stated figures (mm) are approx and for reference only.

Technical Data Sheet

Product Code	Size Ø (mm) (D)	Length (mm) (L)	Working Length (mm) (WL)
AP18210	18.0	210	140
AP18260	18.0	260	180
AP18310	18.0	310	230
AP18450	18.0	450	370
AP20210	20.0	210	140
AP20310	20.0	310	230
AP20450	20.0	450	370
AP20600	20.0	600	520
AP201000	20.0	1000	920
AP22260	22.0	260	180
AP22450	22.0	450	370
AP22600	22.0	600	520
AP24260	24.0	260	180
AP24450	24.0	450	370
AP25260	25.0	260	180
AP25450	25.0	450	370
AP25600	25.0	600	520
AP251000	25.0	1000	920
AP28450	28.0	450	370
AP30450	30.0	450	370

All stated figures (mm) are approx and for reference only.