

DECLARATION OF PERFORMANCE

DoP ref. no: LDSSB1306038 Rev.0518



Name of manufacturer	Teco Building Products Wellington Road, Portslade, Brighton, BN41 1DN
Product type	Teco Light Duty Restraint Strap ST/ST Bent
Intended use	Light Duty Tension Strap for vertical connection of masonry walls to timber wall plates
System of AVCP	3
Harmonised standard	BS EN 845-1:2013+A1:2016

Teco is an ISO9001 registered firm audited by QMS International plc.
Structural Consultants C4Ci Ltd.
Factory Production Control assessed and audited by BM TRADA CE Scheme for Construction Products Notified Body No.1224
Where appropriate, tested by LUCIDEON Ltd Notification Body No.1289

Material: Grade 1.4301 Austenitic Stainless Steel to EN 10088-2

Product Code

LDSS (length) B (length of bend)

Length of strap and bend vary in accordance to size ordered



Tested on 3.5N/mm² AAC blocks

Use min 10No 3.75x30mm Annular Ring Nails or 6No 4mmx40mm screws (drilled and plugged) into the masonry

Use min 2No 3.75x30mm Annular Ring Shank Nails into wall plate

Failure mode = localised wallplate crushing

Declared Performance	Performance	Harmonised technical specification
Essential characteristics		
Tensile load capacity	Declared value = 5.4kN (Characteristic value = 4.8kN)	BS EN 845-1:2013+A1:2016
Displacement under load	1.7mm	
Durability	Material / Coating reference 3 acc. to EN 845-1 Table A.1 Austenitic stainless steel grade 1.4301	
Dangerous substances	Meets UK Building Regulation requirements	

The performance of the product identified is in conformity with the declared performance. This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Rhonda Backwell
Director

23/05/2018 Brighton