



60-6106 (7042-02) Series

BSPB Male 60 Deg Cone x NPT Fixed Female Bush



BRENNAN INDUSTRIES, EXTRAORDINARY FITTINGS

In business for over 60 years, Brennan supplies more than 50,000 types of hydraulic fittings and adaptors in sizes ranging from 1/16 to 3 inches.

Learn More at Brennan University:

[Fittings 101](#)

[Tube Fittings Resources](#)

[Literature and Certifications](#)

Tech Data Sheet: 71464

60-6106 (7042-02) SERIES



DESCRIPTION:

BSPP Male 60° Cone x NPT Fixed
Female Bush

UK SERIES:

60-6106

US SERIES:

7042

SHAPE:

STRAIGHT

THREAD B1 SIZE

1/8-27

THREAD B1 DRILL (MM)


8.5

BODY MATERIAL:

STEEL

PLATING:

CR3



| THREAD TYPE B1 | THREAD SIZE B2 | THREAD DRILL B2 (MM) | BODY HEX (MM) | OVERALL LENGTH L (MM) |
|----------------|----------------|----------------------|---------------|-----------------------|
| 60-6106-02-02 | 1/8-28 | 4.0 | 16.0 | 28.0 |



60-6106 (7042-04) Series

BSPB Male 60 Deg Cone x NPT Fixed Female Bush



BRENNAN INDUSTRIES, EXTRAORDINARY FITTINGS

In business for over 60 years, Brennan supplies more than 50,000 types of hydraulic fittings and adaptors in sizes ranging from 1/16 to 3 inches.

Learn More at Brennan University:

[Fittings 101](#)

[Tube Fittings Resources](#)

[Literature and Certifications](#)

Tech Data Sheet: 71464

60-6106 (7042-04) SERIES



DESCRIPTION:

BSPP Male 60° Cone x NPT Fixed
Female Bush

UK SERIES:

60-6106

US SERIES:

7042

SHAPE:

STRAIGHT

THREAD B1 SIZE

1/4-18

THREAD B1 DRILL (MM)


7.1

BODY MATERIAL:

STEEL

PLATING:

CR3



| THREAD TYPE B1 | THREAD SIZE B2 | THREAD DRILL B2 (MM) | BODY HEX (MM) | OVERALL LENGTH L (MM) |
|----------------|----------------|----------------------|---------------|-----------------------|
| 60-6106-04-02 | 1/8-28 | 4.0 | 19.0 | 34.0 |
| 60-6106-04-04 | 1/4-19 | 6.0 | 19.0 | 32.5 |
| 60-6106-04-06 | 3/8-19 | 9.5 | 24.0 | 35.5 |
| 60-6106-04-08 | 1/2-14 | 12.7 | 27.0 | 25.0 |



60-6106 (7042-06) Series

BSPM Male 60 Deg Cone x NPT Fixed Female Bush



BRENNAN INDUSTRIES, EXTRAORDINARY FITTINGS

In business for over 60 years, Brennan supplies more than 50,000 types of hydraulic fittings and adaptors in sizes ranging from 1/16 to 3 inches.

Learn More at Brennan University:

[Fittings 101](#)

[Tube Fittings Resources](#)

[Literature and Certifications](#)

Tech Data Sheet: 71464

60-6106 (7042-06) SERIES



DESCRIPTION:

BSPP Male 60° Cone x NPT Fixed
Female Bush

UK SERIES:

60-6106

US SERIES:

7042

SHAPE:

STRAIGHT

THREAD B1 SIZE

3/8-18

THREAD B1 DRILL (MM)


13.5

BODY MATERIAL:

STEEL

PLATING:

CR3



| THREAD TYPE B1 | THREAD SIZE B2 | THREAD DRILL B2 (MM) | BODY HEX (MM) | OVERALL LENGTH L (MM) |
|----------------|----------------|----------------------|---------------|-----------------------|
| 60-6106-06-04 | 1/4-19 | 6.0 | 24.0 | 34.0 |
| 60-6106-06-06 | 3/8-19 | 9.53 | 22.22 | 35.5 |



60-6106 (7042-08) Series

BSPB Male 60 Deg Cone x NPT Fixed Female Bush



BRENNAN INDUSTRIES, EXTRAORDINARY FITTINGS

In business for over 60 years, Brennan supplies more than 50,000 types of hydraulic fittings and adaptors in sizes ranging from 1/16 to 3 inches.

Learn More at Brennan University:

[Fittings 101](#)

[Tube Fittings Resources](#)

[Literature and Certifications](#)

Tech Data Sheet: 71464

60-6106 (7042-08) SERIES



DESCRIPTION:

BSPP Male 60° Cone x NPT Fixed
Female Bush

UK SERIES:

60-6106

US SERIES:

7042

SHAPE:

STRAIGHT

THREAD B1 SIZE

1/2-14

THREAD B1 DRILL (MM)


16.5

BODY MATERIAL:

STEEL

PLATING:

CR3



| THREAD TYPE B1 | THREAD SIZE B2 | THREAD DRILL B2 (MM) | BODY HEX (MM) | OVERALL LENGTH L (MM) |
|----------------|----------------|----------------------|---------------|-----------------------|
| 60-6106-08-02 | 1/8-28 | 4.0 | 28.0 | 36.0 |
| 60-6106-08-04 | 1/4-19 | 6.0 | 27.0 | 41.0 |
| 60-6106-08-06 | 3/8-19 | 9.5 | 30.0 | 39.5 |
| 60-6106-08-08 | 1/2-14 | 12.7 | 30.0 | 42.0 |
| 60-6106-08-10 | 5/8-14 | 12.0 | 30.0 | 43.5 |
| 60-6106-08-12 | 3/4-14 | 17.4 | 32.0 | 53.3 |



60-6106 (7042-12) Series

BSPB Male 60 Deg Cone x NPT Fixed Female Bush



BRENNAN INDUSTRIES, EXTRAORDINARY FITTINGS

In business for over 60 years, Brennan supplies more than 50,000 types of hydraulic fittings and adaptors in sizes ranging from 1/16 to 3 inches.

Learn More at Brennan University:

[Fittings 101](#)

[Tube Fittings Resources](#)

[Literature and Certifications](#)

Tech Data Sheet: 71464

60-6106 (7042-12) SERIES



DESCRIPTION:

BSPP Male 60° Cone x NPT Fixed
Female Bush

UK SERIES:

60-6106

US SERIES:

7042

SHAPE:

STRAIGHT

THREAD B1 SIZE

3/4-14

THREAD B1 DRILL (MM)


17.0

BODY MATERIAL:

STEEL

PLATING:

CR3



| THREAD TYPE B1 | THREAD SIZE B2 | THREAD DRILL B2 (MM) | BODY HEX (MM) | OVERALL LENGTH L (MM) |
|----------------|----------------|----------------------|---------------|-----------------------|
| 60-6016-12-12 | 3/4-14 | 17.0 | 34.92 | 45.5 |



60-6106 (7042-16) Series

BSPB Male 60 Deg Cone x NPT Fixed Female Bush



BRENNAN INDUSTRIES, EXTRAORDINARY FITTINGS

In business for over 60 years, Brennan supplies more than 50,000 types of hydraulic fittings and adaptors in sizes ranging from 1/16 to 3 inches.

Learn More at Brennan University:

[Fittings 101](#)

[Tube Fittings Resources](#)

[Literature and Certifications](#)

Tech Data Sheet: 71464

60-6106 (7042-16) SERIES



DESCRIPTION:

BSPP Male 60° Cone x NPT Fixed
Female Bush

UK SERIES:

60-6106

US SERIES:

7042

SHAPE:

STRAIGHT

THREAD B1 SIZE

1-11-1/2

THREAD B1 DRILL (MM)


27.4

BODY MATERIAL:

STEEL

PLATING:

CR3



| THREAD TYPE B1 | THREAD SIZE B2 | THREAD DRILL B2 (MM) | BODY HEX (MM) | OVERALL LENGTH L (MM) |
|----------------|----------------|----------------------|---------------|-----------------------|
| 60-6106-16-12 | 3/4-14 | 17.0 | 41.0 | 55.4 |
| 60-6106-16-16 | 1-11 | 21.5 | 41.0 | 56.0 |
| 60-6106-16-24 | 1-1/2-11 | 33.3 | 55.0 | 42.0 |



60-6106 (7042-20) Series

BSPM Male 60 Deg Cone x NPT Fixed Female Bush



BRENNAN INDUSTRIES, EXTRAORDINARY FITTINGS

In business for over 60 years, Brennan supplies more than 50,000 types of hydraulic fittings and adaptors in sizes ranging from 1/16 to 3 inches.

Learn More at Brennan University:

[Fittings 101](#)

[Tube Fittings Resources](#)

[Literature and Certifications](#)

Tech Data Sheet: 71464

60-6106 (7042-20) SERIES



DESCRIPTION:

BSPP Male 60° Cone x NPT Fixed
Female Bush

UK SERIES:

60-6106

US SERIES:

7042

SHAPE:

STRAIGHT

THREAD B1 SIZE

1-1/4-11-1/2

THREAD B1 DRILL (MM)


36.1

BODY MATERIAL:

STEEL

PLATING:

CR3



| THREAD TYPE B1 | THREAD SIZE B2 | THREAD DRILL B2 (MM) | BODY HEX (MM) | OVERALL LENGTH L (MM) |
|----------------|----------------|----------------------|---------------|-----------------------|
| 60-6106-20-16 | 1-11 | 23.0 | 50.8 | 57.0 |
| 60-6106-20-20 | 1-1/4-11 | 28.6 | 50.0 | 60.0 |



60-6106 (7042-24) Series

BSPB Male 60 Deg Cone x NPT Fixed Female Bush



BRENNAN INDUSTRIES, EXTRAORDINARY FITTINGS

In business for over 60 years, Brennan supplies more than 50,000 types of hydraulic fittings and adaptors in sizes ranging from 1/16 to 3 inches.

Learn More at Brennan University:

[Fittings 101](#)

[Tube Fittings Resources](#)

[Literature and Certifications](#)

Tech Data Sheet: 71464

60-6106 (7042-24) SERIES



DESCRIPTION:

BSPP Male 60° Cone x NPT Fixed
Female Bush

UK SERIES:

60-6106

US SERIES:

7042

SHAPE:

STRAIGHT

THREAD B1 SIZE

1-1/2-11-1/2

THREAD B1 DRILL (MM)


42.1

BODY MATERIAL:

STEEL

PLATING:

CR3



| THREAD TYPE B1 | THREAD SIZE B2 | THREAD DRILL B2 (MM) | BODY HEX (MM) | OVERALL LENGTH L (MM) |
|----------------|----------------|----------------------|---------------|-----------------------|
| 60-6016-24-16 | 1-11 | - | - | - |
| 60-6016-24-20 | 1-1/4-11 | 28.6 | 60.3 | 58.4 |
| 60-6016-24-24 | 1-1/2-11 | 33.3 | 57.0 | 62.0 |



60-6106 (7042-32) Series

BSPB Male 60 Deg Cone x NPT Fixed Female Bush



BRENNAN INDUSTRIES, EXTRAORDINARY FITTINGS

In business for over 60 years, Brennan supplies more than 50,000 types of hydraulic fittings and adaptors in sizes ranging from 1/16 to 3 inches.

Learn More at Brennan University:

[Fittings 101](#)

[Tube Fittings Resources](#)

[Literature and Certifications](#)

Tech Data Sheet: 71464

60-6106 (7042-32) SERIES



DESCRIPTION:

BSPB Male 60° Cone x NPT Fixed
Female Bush

UK SERIES:

60-6106

US SERIES:

7042

SHAPE:

STRAIGHT

THREAD B1 SIZE

2-11-1/2

THREAD B1 DRILL (MM)


56.3

BODY MATERIAL:

STEEL

PLATING:

CR3



| THREAD TYPE B1 | THREAD SIZE B2 | THREAD DRILL B2 (MM) | BODY HEX (MM) | OVERALL LENGTH L (MM) |
|----------------|----------------|----------------------|---------------|-----------------------|
| 60-6106-32-32 | 2-11 | 45.8 | 73.0 | 69.9 |



60-6107 (7042-40) Series

BSPB Male 60 Deg Cone x NPT Fixed Female Bush



BRENNAN INDUSTRIES, EXTRAORDINARY FITTINGS

In business for over 60 years, Brennan supplies more than 50,000 types of hydraulic fittings and adaptors in sizes ranging from 1/16 to 3 inches.

Learn More at Brennan University:

[Fittings 101](#)

[Tube Fittings Resources](#)

[Literature and Certifications](#)

Tech Data Sheet: 71464

60-6107 (7042-40) SERIES



DESCRIPTION:

BSPB Male 60° Cone x NPT Fixed
Female Bush

UK SERIES:

60-6107

US SERIES:

7042

SHAPE:

STRAIGHT

THREAD B1 SIZE


2-1/2-8

BODY MATERIAL:

STEEL

PLATING:

CR3



| THREAD TYPE B1 | THREAD SIZE B2 |
|----------------|----------------|
| 60-6107-40-40 | 2-1/2-11 |



60-6107 (7042-48) Series

BSPM Male 60 Deg Cone x NPT Fixed Female Bush



BRENNAN INDUSTRIES, EXTRAORDINARY FITTINGS

In business for over 60 years, Brennan supplies more than 50,000 types of hydraulic fittings and adaptors in sizes ranging from 1/16 to 3 inches.

Learn More at Brennan University:

[Fittings 101](#)

[Tube Fittings Resources](#)

[Literature and Certifications](#)

Tech Data Sheet: 71464

60-6107 (7042-48) SERIES



DESCRIPTION:

BSPP Male 60° Cone x NPT Fixed
Female Bush

UK SERIES:

60-6107

US SERIES:

7042

SHAPE:

STRAIGHT

THREAD B1 SIZE


3-8

BODY MATERIAL:

STEEL

PLATING:

CR3



| THREAD TYPE B1 | THREAD SIZE B2 | BODY MATERIAL | PLATING |
|----------------|----------------|---------------|---------|
| 60-6107-48-40 | 2-1/2-11 | STEEL | CR3 |
| 60-6107-48-48 | 3-11 | STEEL | CR3 |