BA40 Solvent

ambersi making the difference

Technical Data



BA40 is a powerful solvent for use in specialist aerospace applications. The low pressure spray provides even coverage and prevents splashback in use. BA40 Solvent contains **no CFCs or other chlorinated solvents**. An ideal alternative to 1,1,1 Trichloroethane.

APPLICATIONS

A highly effective cleaning solvent for the removal of numerous types of soiling, including:

* Uncured Polysulphides

* Adhesives * Inks

Resins

* Varnishes * Lacquers * Some Rubbers

Suitable for use in the Aviation, Printing and Engineering industries. Evaporates quickly to leave a clean, dry surface.

N.B. May affect certain plastics. Always test a small, inconspicuous area before general use. Ensure electrical equipment is switched off before cleaning.

PART NUMBER: 6130002800

SOLVENT

TECHNICAL DATA

Appearance : Clear, colourless liquid

Odour : Strong solvent odour

SG @ 25°C : 0.78

Pressure @ 25°C : 6 Bar

Discharge rate : 2 g/sec

Initial boiling point : 56°C

Evaporation rate : 7.7 (with respect to Butyl Acetate)

Soluble in solvents and water

Flammability : Classified as extremely flammable

under current EC Regulations

Flashpoint : Not applicable in sealed aerosol

STORAGE

The product may be stored at normal ambient temperatures and has a shelf life of not less than 72 months with correct storage. Aerosols should always be stored below 50° C, away from direct heat and naked flame.



HEALTH AND SAFETY

Health and Safety sheet available separately.

TECHNICAL SERVICE

CRC Industries UK Ltd provides a technical support service and maintains a constant programme of research and development. We are able to assist customers by specific product development to meet particular requirements.

MISREPRESENTATION ACT 1967 TRADE DESCRIPTIONS ACT 1968

The information given in this publication is based on our experience and reports from customers. There are many factors outside our control and knowledge which affect the use and performance of our products and for which reason no warranty is given, express or implied. Users should make their own tests to determine the applicability of such information or the suitability of any products for their own particular purposes. Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is to be assumed.