

FEATURES



Anti-Static



Foundry Boot Certified



Fibreglass Toecap



PS Rated Aramid Protective Midsole



Internal Metatarsal Guard



Ladder Grip



Flame Resistant Stitching



Flame Resistant Upper



Flame Resistant Velcro



Fuel Oil Resistant Outsole

INDUSTRIES



Construction



Engineering



Fabrication

Product Details

Colour: Black
Height: 5 inches
Weight: 896g



PRODUCT DESCRIPTION

RF5005 Fuse: Welder-tough boot engineered for maximum protection in demanding industrial environments. Features 100% non-metallic construction, fibreglass toe cap, para-aramid midsole, and IMPACTSHIELD™ Metatarsal Guard. Flame-resistant leather and R-TEN™ stitching resist molten sparks. Breathable mesh lining ensures comfort during long shifts.

MATERIAL BREAKDOWN

UPPER MATERIAL: Water Repellent Flame Retardant Full Grain Leather, LWG Certified

FOOTBED: Activ-Step® Bio-Based Footbed Made From 73% Natural Rubber, 27% Synthetic Rubber, 100% Post Consumer Recycled Top Mesh

LINING: 100% Post Consumer Recycled Polyester Mesh

OUTSOLE: FORCE10® Nitrile Rubber

PROTECTIVE TOECAP: Fibreglass

PROTECTIVE MIDSOLE: Activ-step® Aramid Fibre

TECHNOLOGIES & ACCREDITATIONS



Category	SB	S1	S2	S3/L/S	S4	S5/L/S	S6	S7/L/S
Class 1	✓	✓	✓	✓	✗	✗	✓	✓
Class 1	✗	✗	✗	✗	✓	✓	✗	✗
200 Joules Toecap	✓	✓	✓	✓	✓	✓	✓	✓
Closed heel Area	✗	✓	✓	✓	✓	✓	✓	✓
Energy Absorption Of Seat Region	✗	✓	✓	✓	✓	✓	✓	✓
Anti-Static	✗	✓	✓	✓	✓	✓	✓	✓
Water Penetration And Absorption	✗	✗	✓	✓	✗	✗	✓	✓
Perforation Resistance To The Type	✗	✗	✗	✓	✗	✓	✗	✓
Cleated Outside	✗	✗	✗	✓	✗	✓	✗	✓
Water Resistance Of The Entire Shoe	✗	✗	✗	✗	✗	✗	✓	✓

EN 2022 SPECIFICATION

Safety footwear is classified in the UK and EU by the EN 20345 standard using a categorisation of S1 through to S7 to quickly determine the level of incorporated safety components. This is further supported by letter codes for additional safety components or tests the footwear has undergone.

For further information contact the Rock Fall sales team.

Always check with your health and safety management if you are unsure of the appropriate specification required by your workplace.

Class 1 refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear
Class 2 Refers to all polymeric footwear including all rubber footwear.

S3, S5, S7 Specify metallic midsole tested at 1100N.

S3L, S5L, S7L specify non-metal midsole tested at 1100N with a 4.5mm nail.

S3S, S5S, S7S specify non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification does not necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more information on specifications and standards, get in touch with our team for complete guide.

WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footwear is providing the correct arch support, and that your footwear is the correct size for your feet.

FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.



Issued to:

Rock Fall UK Ltd
Major House
Unit 1/3 Wimsey Way
Alfreton
Derbyshire
DE55 4LS
United Kingdom

Notified Body: 2777

SATRA customer number: P1769

EU Type-Examination Certificate

Certificate number: 2777/26336-01/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

Product Ref:	Description:
RF5005 Metaweld	Ankle Boot (Design B)
	Upper: Black Barton Print Leather
	Tongue: Black Barton Print Leather(Bottom), Red PU(Top)
	Collar: Black PU
	Tongue Lining: Black Sandwich Mesh(Metatarsal Covering Lining), Black Elastic
	Collar Lining: Black Sandwich Mesh
	Vamp Lining: Black Sandwich Mesh
	Quarter Lining: Black Sandwich Mesh
	Counter Lining: Black Sandwich Mesh
	Perforation Resistance: Non-Metallic Perforation Resistance Insole Referenced PEP-Composite
	Toe Protection: Non-Metallic Top Cap Referenced PEP-Composite
	Last Reference: PEP-PL
	Soling Construction: Cemented
	Soling Material: Black Rubber
	Sole Reference: 2147#RB
	Insock/Footbed: Orange Mesh + PU/Latex Form Full Removable Insock
	Fastening System: Velcro
	Scuff Cap: N/A
Size Range:	EU 36-49

Classification:

EN ISO 20349-2:2017+A1:2020 S3 HI CI M HRO SRC WG
EN ISO 20345:2022 S3S HI CI HRO M FO SR

Standards/Technical specifications applied:

EN ISO 20345:2022; EN ISO 20349-2:2017+A1:2020

Technical reports/Approval documents:

SATRA: CHT0336968/2235/A, CHT0328713/2212, CHT0302306/2037/Issue 3, CHT0295327/2008, CHT8062V8W2/Issue 2, CHT1540T4J8, CHT2003810 2415 1, CHT2001907/A, CHT2007144 2424 1, CHT2001907/B, CHT2004240 2416 1, CHT2007036 2423 1; Intertek: GZHT91081749, GZHT91203111, GZHT91203103, GZHT91079689, GZHT91044940(S1), GZHT91203106, GZHT91203109, GZHT91008322, GZHT90927003, GZHT91255656; CTC: D221022388_2, D221022386_1

Signed on behalf of SATRA:

Geoff Graham

Date first issued: 31/10/2024

Date of issue: 31/10/2024

Expiry date: 31/10/2029

Certificate of Conformance (COC)

Certificate No. 2507105


Issued by CTC Dongguan Co., Ltd., to the following model of PPE footwear:

Company name: ROCK FALL UK LTD

Product Description: OUTSOLE: 2147#, TOECAP: PEP-COMPOSITE, MIDSOLE: PEP-COMPOSITE

Style name: RF5005

Gender: Unisex (Tested size US9)

Picture of footwear & outsole 	Picture of non-metal puncture resistance insert 
--	---

This product meets the performance requirements of ASTM Specification F2413-24 as tested in accordance with ASTM Test Methods F2412-24 for the following safety hazards:

Safety hazards	CTC testing report No.	Issued date of report
5.2 Impact Resistant (I)	D250725303_1	09 July, 2025
5.3 Compression Resistant (C)	D250725303_1	09 July, 2025
5.4 Metatarsal protection (Mt)	D250725303_1	09 July, 2025
5.8 Puncture Resistant (PR) 5.8.7 Determination of puncture force 5.8.8 Determination of the flex resistance of puncture-resistant insert	D241236354_1	30 December, 2024

Note :

1. This declaration applies to the particular sample tested and to the specific tests carried out as dated and detailed in the report(s) referenced above.
2. This certificate is valid only for the applicant's selected test items and must not be used without the attached test report(s).

Issue date of certificate:
July 11, 2025

Issued in Dongguan by:
Kevin LEE
PPE Manager of CTC Greater China



CTC Dongguan Co., Ltd.

1 Floor, No.14 building, Small and Medium sized Enterprises Pioneer Park,
SSL Industry Park, Dongguan - P.R. CHINA

Tél. : +86 769 23 03 77 70 Fax : +86 769 23 03 77 71

E-mail : ctcdongguan@ctcgroupe.com