

FEATURES



Anti-Static



Fiberglass Toecap



PS Rated Penetration Resistant Protective Midsole



Non Metallic



Fuel Oil Resistant Outsole



Water Repellent Upper



Fully Waterproof



Recycled Materials



SRC Slip Resistance



Fully Sustainable Packaging

INDUSTRIES



Automotive and Aerospace



Engineering



Facility Management



House builders



Warehousing and Logistics

Product Details

Colour: Black
Size Range: UK 3-15
Height: 5 in inches
Weight: 683 gg



PRODUCT DESCRIPTION

PM4008 Baltimore: Tough safety boot engineered for demanding work sites. Water-resistant leather upper, fibreglass toecap, and penetration-resistant midsole provide robust protection. Waterproof construction keeps feet dry whilst allowing breathability. Cushioned footbed and Activ-Step® dual-density PU outsole ensure all-day comfort and superior traction.

MATERIAL BREAKDOWN

UPPER MATERIAL: Water Repellent Coated Leather, LWG Certified
EYELETS: Plastic
LACES: 100% Polyester
FOOTBED: EVA Foam, 100% Polyester Top Mesh
LINING: 100% Polyester Mesh
MEMBRANE: Activ-Tex® Waterproof, Breathable Microporous Membrane
OUTSOLE: Dual Density PU
PROTECTIVE TOECAP: Fibreglass
PROTECTIVE MIDSOLE: Activ-step® Penetration Resistant

TECHNOLOGIES & ACCREDITATIONS



Category	SB	S1	S2	S3/L/S	S4	S5/L/S	S6	S7/L/S
Class 1	✓	✓	✓	✓	✗	✗	✓	✓
Class 1	✗	✗	✗	✗	✓	✓	✗	✗
200 Joules Toecap	✓	✓	✓	✓	✓	✓	✓	✓
Closed heel Area	✗	✓	✓	✓	✓	✓	✓	✓
Energy Absorption Of Seat Region	✗	✓	✓	✓	✓	✓	✓	✓
Anti-Static	✗	✓	✓	✓	✓	✓	✓	✓
Water Penetration And Absorption	✗	✗	✓	✓	✗	✗	✓	✓
Perforation Resistance To The Type	✗	✗	✗	✓	✗	✓	✗	✓
Cleated Outside	✗	✗	✗	✓	✗	✓	✗	✓
Water Resistance Of The Entire Shoe	✗	✗	✗	✗	✗	✗	✓	✓

EN 2022 SPECIFICATION

Safety footwear is classified in the UK and EU by the EN 20345 standard using a categorisation of S1 through to S7 to quickly determine the level of incorporated safety components. This is further supported by letter codes for additional safety components or tests the footwear has undergone.

For further information contact the Rock Fall sales team.

Always check with your health and safety management if you are unsure of the appropriate specification required by your workplace.

Class 1 refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear
Class 2 Refers to all polymeric footwear including all rubber footwear.

S3, S5, S7 Specify metallic midsole tested at 1100N.

S3L, S5L, S7L specify non-metal midsole tested at 1100N with a 4.5mm nail.

S3S, S5S, S7S specify non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification does not necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more information on specifications and standards, get in touch with our team for complete guide.

WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footbed is providing the correct arch support, and that your footwear is the correct size for your feet.

FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.

EU TYPE EXAMINATION CERTIFICATE



PRD N° 277B

Membro degli Accordi di Mutuo
Riconoscimento EA, IAF e ILAC

Signatory of EA, IAF and ILAC
Mutual Recognition Agreements

NOTIFIED BODY 2575

The PPE detailed herein
meets the criteria of an EU
Type Examination in
accordance with Annex V,
including the applicable
clauses of the Essential
Health and Safety
Requirements of the PPE
Regulation EU 2016/425.

Following an EU Declaration
of Product Conformity you
are hereby licensed to mark
the product(s) detailed in
accordance with Article 17 of
the PPE Regulation EU
2016/425.

VALIDITY OF CERTIFICATE

This certificate will cease its
validity at any time if needed,
in particular if changes in the
manufacturing process, in the
raw materials or in PPE
components will occur.

INTERTEK ITALIA SpA
Via Miglioli, 2/A
Cernusco sul Naviglio (MI),
Italy
T: +39 02 95383833
intertek.italia.notified.body
@pec.it

Manufacturer: Rock Fall UK Ltd

Address: Wimsey Way, Alfreton, Derbyshire DE55 4LS, UK

Authorised Representative: -

Address: -

Certificate No.: ITASLNB25002438

Category Product: II

Brand Name: -

Model: Baltimore

Article(s) code: Rock Fall PM4008

Product type: Safety Footwear

Reference(s) Standard: EN ISO 20345:2022+A1:2024

Description:

Lace up ankle boots in black. Construction: Injected; Last: 621PT; Mould: Thunder#2.0PU/PU; Upper
Material: smooth action leather, PU scuff cap; Toecap: fiberglass toecap 1701G; Outsole: PU/PU;
Perforation resistant insert: Kevlar - Anti-Static & Anti-Penetration Insole Flex Tough; Insock: Mesh + EVA;
Size Range: EU 35-51; Category: S7S SC FO SR.

This has been shown through satisfactory testing to: EN ISO 20345:2022+A1:2024

Examination of the Technical File Documentation, No: TF For Rock Fall PM4008 Baltimore Waterproof Safety Boot - Rev.04
11/08/2025

Test Report no. See Technical File

Remark:

Note:

Issued at: Lastra a Signa (FI)

Issue Date 02/09/2025

General Manager Elena Ruffino

Expiry Date 01/09/2030

For and on behalf of INTERTEK ITALIA SpA



This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.

Intertek Italia S.p.A. Via Miglioli, 2/A - 20063 Cernusco sul Naviglio, Milano - Italy



EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Declares that the PPE described hereafter;

ROCK FALL PM4008 Baltimore

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2022+A1:2024**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **Intertek Italia SpA, Via Miglioli, 2/A, Cernusco sul Naviglio (MI), Italy. Notified Body 2575.** who performed the Eu type examination (Module B) and issued the EU type -examination certificate: **ITASLNB25002438**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

Intertek Italia SpA, Via Miglioli, 2/A, Cernusco sul Naviglio (MI), Italy. Notified Body 2575.

Signature:

A handwritten signature in black ink, appearing to read "R. Wilson", written over a large, light gray, stylized mountain peak graphic that serves as a background for the signature area.

Position: Director

Date: 02/09/2025

UKCA TYPE EXAMINATION CERTIFICATE

intertek
Total Quality. Assured.



APPROVED BODY AB0362

The safety footwear detailed herein meets the criteria of a UKCA Type Examination in accordance with PPE Regulation (EU) 2016/425 as brought into UK law and amended Essential Health and Safety Requirements (Annex II of EU Regulation 2016/425) for category II products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

ITS Testing Services (UK) Ltd.
Centre Court
Meridian Business Park
Leicester, LE19 1WD
United Kingdom
Phone: +44 (0)116 263 0330

Manufacturer	: ROCK FALL UK WIMSEY WAY, ALFRETON, DERBYSHIRE DE55 4LS, UNITED KINGDOM
Issue Date	: 26 January 2022
Expiry Date	: 26 January 2027
Certificate No.	: LECFI00384879
Product Reference(s)	: PM4008 BALTIMORE
Description	: Construction : Injection Toecap : Fiber Glass Toecap Midsole : Composite Insole Last : 621PT Sole : PU/PU Mould : Thunder 2.0 Test Report(s) : See technical file Size Range : UK 3-16 Category : S3 SRC WR

Assessor: Adalton Date: 26/01/2022

Certification Manager: C Ball Date: 26/01/2022

For and on behalf of ITS Testing Services (UK) Limited

intertek.com Registered in England No. 1408264 Registered Office: Academy Place, 1-9 Brook Street, Brentwood, Essex CM14 5NQ

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.



UKCA DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM Declares that the
PPE described hereafter;

ROCK FALL PM4008 Baltimore

Is in conformity with the provisions of PPE Regulation EU 2016/425, as brought into UK Law and amended, for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2011**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **ITS Testing Services (UK) Ltd, Centre Court, Meridian Business Park, Leicester, LE19 1WD, United Kingdom. Approved Body AB0362.** who performed the UKCA type examination (Module B) and issued the UKCA type -examination certificate: **LECF100384879**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425, as brought into UK Law and amended, under the supervision of the notified body: **ITS Testing Services (UK) Ltd, Centre Court, Meridian Business Park, Leicester, LE19 1WD, United Kingdom. Approved Body AB0362.**

Signature:

A handwritten signature in black ink, appearing to read "R. K. Wilson", written over a large, light grey, stylized mountain peak graphic that serves as a background for the signature area.

Position: Director

Date: 26/01/2022

Certificate of Conformance

Issued To: ROCK FALL UK

Our Reference No.: GZHT91308474(S1)02

Certificate Issue Date: Apr 27, 2025

Buyer's Name: --
Ref. No.: PM4008
Brand: --
Manufacturer: --

We hereby declare that the product category (group) above has been tested by Intertek and meets the requirements of ASTM Specification ASTM F2413-24 as tested in accordance with ASTM Test Methods F2412-24 and list the safety hazard(s) tested below.

Protective Toe Impact Resistance (I)
Protective Toe Compression Resistance (C)
Puncture Resistance Footwear (PR)

The test results are given in our report
No.: GZHT91308474(S1) Dated: Apr 27, 2025

Note:

This declaration applies to the particular sample tested and to the specific tests carried out as dated and detailed in the report(s) referenced above.

Authorized By:
For Intertek Testing Services Shenzhen Ltd.
Guangzhou Branch



Guiliang Dong
Senior Lab Manager