

FEATURES



Anti-Static



Fiberglass Toecap



PS Rated Penetration Resistant Insert



Ladder Grip



Non Metallic



Cold Insulation



Fuel Oil Resistant Outsole



Heat Insulation



Heat Resistant Outsole to 300c



Water Repellent Upper

INDUSTRIES



Agricultural



Automotive and Aerospace



Construction



Emergency Services



Highways



House builders



Offshore



Quarry and Mining



Rail



Security

Product Details

Colour: Black
 Size Range: UK 3-14
 Height: 8.5 inches
 Weight: 993g



PRODUCT DESCRIPTION

RF4500 Titanium Engineered for ultimate protection and comfort, this safety boot boasts a fiberglass toe cap withstanding 200 joules of impact. Featuring water-proof construction, penetration-resistant Activ-Step® midsole, and FORCE10® outsole for superior traction. IMPACTSHIELD™ digging plate enhances underfoot protection, while the quick-release side zip ensures rapid deployment in critical situations.

MATERIAL BREAKDOWN

UPPER MATERIAL: Water Repellent Full Grain Leather, LWG Certified
EYELETS: Plastic
ZIPS: YKK® No.8
LACES: 100% Polyester
FOOTBED: Activ-Step® PU Foam, 100% Post Consumer Recycled Polyester Top Mesh
LINING: Waterproof Construction, 40% Nylon, 60% Post Consumer Recycled Polyester
SCUFF CAP: FORCE10® TPU
OUTSOLE: FORCE10® Nitrile Rubber
DIGGING PLATE: Impact Shield™ Polypropylene
PROTECTIVE TOECAP: Fibreglass
PROTECTIVE MIDSOLE: Activ-step® PS Rated Penetration Resistant Insert

TECHNOLOGIES & ACCREDITATIONS



Category	SB	S1	S2	S3/L/S	S4	S5/L/S	S6	S7/L/S
Class 1	✓	✓	✓	✓	✗	✗	✓	✓
Class 2	✗	✗	✗	✗	✓	✓	✗	✗
200 Joules Toecap	✓	✓	✓	✓	✓	✓	✓	✓
Closed heel Area	✗	✓	✓	✓	✓	✓	✓	✓
Energy Absorption Of Seat Region	✗	✓	✓	✓	✓	✓	✓	✓
Anti-Static	✗	✓	✓	✓	✓	✓	✓	✓
Water Penetration And Absorption	✗	✗	✓	✓	✗	✗	✓	✓
Perforation Resistance To The Type	✗	✗	✗	✓	✗	✓	✗	✓
Cleated Outside	✗	✗	✗	✓	✗	✓	✗	✓
Water Resistance Of The Entire Shoe	✗	✗	✗	✗	✗	✗	✓	✓

EN 2022 SPECIFICATION

Safety footwear is classified in the UK and EU by the EN 20345 standard using a categorisation of S1 through to S7 to quickly determine the level of incorporated safety components. This is further supported by letter codes for additional safety components or tests the footwear has undergone.

For further information contact the Rock Fall sales team.

Always check with your health and safety management if you are unsure of the appropriate specification required by your workplace.

Class 1 refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear
Class 2 Refers to all polymeric footwear including all rubber footwear.

S3, S5, S7 Specify metallic midsole tested at 1100N.

S3L, S5L, S7L specify non-metal midsole tested at 1100N with a 4.5mm nail.

S3S, S5S, S7S specify non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification does not necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more information on specifications and standards, get in touch with our team for complete guide.

WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footwear is providing the correct arch support, and that your footwear is the correct size for your feet.

FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.



Issued to:

Rock Fall UK Ltd
Major House
Unit 1/3 Wimsey Way
Alfreton
Derbyshire
DE55 4LS
UK

Notified Body: 2777

SATRA customer number: P1769

EU Type-Examination Certificate

Certificate number: 2777/16292-02/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

Product reference:

Description:

Rock Fall RF4500 Titanium
Waterproof Safety Boot (1)

Height of upper: High ankle boot (1)/ Ankle boot (2)
Upper: Full Grain Leather
Tongue: PU (1)

Rock Fall RF70 Texas Waterproof
Rigger Safety Boot (2)

Collar: PU (1)
Lining: Synthetic Mesh
Fastening: 7 eyelets (1) / Slip on (2)
Toecap: PEP-Composite
Perforation resistance insert: PEP-Composite
Construction: Cemented
Sole: Rubber
Sole Pattern: 2147#RB

Available colour: Black (1) / Brown (2)

Size Range: UK 3 - 14

Classification:

EN ISO 20345:2022 S7S HI CI HRO FO SC SR

Standards/Technical specifications applied:
EN ISO 20345:2022

Technical reports/Approval documents:

Intertek: GZHT90434808, GZHT90524114, GZHT90567198, GZHT90573543, GZHT90576773, GZHT90577845, GZHT90577875, GZHT90582935, GZHT90593754, GZHT90607597, GZHT90615699, GZHT90619917, GZHT90624044, GZHT90631007, GZHT90639535, GZHT90670616, GZHT90671862, GZHT90676988, GZHT90680581, GZHT90712745, GZHT90876015, GZHT91148023, GZHT91148018

CTC: D221022386_1, D221022388_1, D221022388_2

LCTECH: LCZC16110542-E

SATRA: CHT0336968/2235/A

Geoff Graham

Date first issued: 11/04/2021

Date of issue: 29/08/2023

Expiry date: 29/08/2028

Signed on behalf of SATRA:

EU DECLARATION OF CONFORMITY

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Declares that the PPE described hereafter;

ROCK FALL RF4500 Titanium

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2022**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777** who performed the Eu type examination (Module B) and issued the EU type -examination certificate: **2777/16292-02/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777

Signature:

A handwritten signature in black ink, appearing to read "R. K. Wilson".

Position: Director

Date: 29/08/2023



Issued to:

Rock Fall UK Ltd
Major House
Unit 1/3 Wimsey Way
Alfreton
Derbyshire
DE55 4LS
UK

Approved Body: 0321

SATRA customer number: P1769

UKCA Type-Examination Certificate

Certificate number: AB0321/16915-01/E00-00

This UKCA Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:

Following the UKCA Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of the PPE Regulation (2016/425) as brought into UK law and amended as a Category II product.

Product reference:

Rock Fall RF4500 Titanium
Waterproof Safety Boot

Description:

High ankles boot comprising full grain leather upper and synthetic mesh linings. 3 eyelets and 3 ski hooks comprise the laced fastening system. PEP-Composite toe cap, PEP-Composite perforation resistant insert and a cemented outsole referenced 2147#RB.

Rock Fall RF70 Texas
Waterproof Rigger Safety Boot

Slip on high ankle safety boot comprising brown full grain leather upper and synthetic mesh linings. PEP-Composite toe cap, PEP-Composite perforation resistant insert and a cemented outsole referenced 2147#RB.

Classification:

EN ISO 20345:2011 S3 HI CI WR HRO SRC

Size Range: 3 – 14 UK

Standards/Technical specifications applied:
EN ISO 20345: 2011

Technical reports/Approval documents:

Intertek: GZHT90573543, GZHT90607597, GZHT90577845, GZHT90582935, GZHT90671862, GZHT90680581, GZHT90687988, GZHT90577875, GZHT90576773, GZHT90593754, GZHT90623658, GZHT90670616, GZHT90631007, GZHT90619917, GZHT90615699, GZHT90657776, GZHT90624044, GZHT90639535, GZHT90876015, GZHT90712745, GZHT91015003, GZHT91008322, GZHT90835408, GZHT90776075, GZHT90771873, GZHT90680581, GZHT90992189, GZHT90993832, GZHT91001705

CTC: D180814971_1, D200403963_1, D190304114_1, D181123122_1


LCTECH: LCZC16110542-E

Date first issued: 10/06/2021

Date of issue: 10/06/2021

Expiry date: 10/06/2026

Signed on behalf of SATRA:


Pete Doughty



UKCA DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM Declares that the PPE described hereafter;

ROCK FALL RF4500 Titanium

Is in conformity with the provisions of PPE Regulation EU 2016/425, as brought into UK Law and amended, for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2011**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SATRA Technology Centre Limited, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD United Kingdom. Approved Body 0321.** who performed the UKCA type examination (Module B) and issued the UKCA type -examination certificate: **AB0321/16915-01/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425, as brought into UK Law and amended, under the supervision of the notified body: **SATRA Technology Centre Limited, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD United Kingdom. Approved Body 0321**

Signature:

Position: Director

Date: 10/06/2021

Certificate of Conformance (COC)

Certificate No. 2504054

Issued by CTC Dongguan Co., Ltd., to the following model of PPE footwear:

Company name: ROCK FALL UK LTD

Product Description: OUTSOLE: 2147#, TOECAP: PEP-COMPOSITE, MIDSOLE: PEP-COMPOSITE

Style name: RF4500

Gender: Unisex (Tested size US9)



This product meets the performance requirements of ASTM Specification F2413-24 as tested in accordance with ASTM Test Methods F2412-24 for the following safety hazards:

Safety hazards	CTC testing report No.	Issued date of report
5.2 Impact Resistant (I)	D250306968_1	27 March, 2025
5.3 Compression Resistant (C)	D250306968_1	27 March, 2025
5.8 Puncture Resistant (PR) 5.8.7 Determination of puncture force 5.8.8 Determination of the flex resistance of puncture-resistant insert	D241236354_1	30 December, 2024

Note :

1. This declaration applies to the particular sample tested and to the specific tests carried out as dated and detailed in the report(s) referenced above.
2. This certificate is valid only for the applicant's selected test items and must not be used without the attached test report(s).

Issue date of certificate:
April 02, 2025

Issued in Dongguan by:
Kevin LEE
PPE Manager of CTC Greater China



CTC Dongguan Co., Ltd.

1 Floor, No.14 building, Small and Medium sized Enterprises Pioneer Park,
SSL Industry Park, Dongguan - P.R. CHINA

Tél. : +86 769 23 03 77 70 Fax : +86 769 23 03 77 71

E-mail : ctcdongguan@ctcgroup.com