

FEATURES



ESD Certified



Enhanced Chemical Resistance



Fibreglass Toecap



PS Rated Penetration Resistant Insert



Non Metallic



Fuel Oil Resistant Outsole



Water Repellent Upper



Fully Waterproof



Scuff Cap



SRC Slip Resistance

INDUSTRIES



Agricultural



Chemical



Engineering



Electronics

Product Details

Colour: Black
Size Range: UK 3-13
Height: 5 inches
Weight: 625g



PRODUCT DESCRIPTION

RF250 Rhodium: Premium safety boot engineered for demanding professionals. Chemical-resistant microfibre upper repels water and withstands splashes. 100% metal-free construction with composite toe cap and midsole offers superior impact and puncture protection. Waterproof yet breathable design ensures dry comfort. Activ-Step bio-based insole provides excellent cushioning for all-day wear.

MATERIAL BREAKDOWN

UPPER MATERIAL: Chemical Splash-Resistant Microfibre

EYELETS: Plastic

LACES: 100% Polyester

FOOTBED: Activ-Step® Bio-Based Footbed Made From 73% Natural Rubber, 27% Synthetic Rubber, 100% Post Consumer Recycled Top Mesh

LINING: Waterproof Construction, 100% Polyester Mesh

SCUFF CAP: PU (Integrated within Outsole)

OUTSOLE: BASF Chemical Resistant PU

PROTECTIVE TOECAP: Fibreglass

PROTECTIVE MIDSOLE: Activ-step® PS Rated Penetration Resistant Insert

TECHNOLOGIES & ACCREDITATIONS



Category	SB	S1	S2	S3/L/S	S4	S5/L/S	S6	S7/L/S
Class 1	✓	✓	✓	✓	✗	✗	✓	✓
Class 2	✗	✗	✗	✗	✓	✓	✗	✗
200 Joules Toecap	✓	✓	✓	✓	✓	✓	✓	✓
Closed heel Area	✗	✓	✓	✓	✓	✓	✓	✓
Energy Absorption Of Seat Region	✗	✓	✓	✓	✓	✓	✓	✓
Anti-Static	✗	✓	✓	✓	✓	✓	✓	✓
Water Penetration And Absorption	✗	✗	✓	✓	✗	✗	✓	✓
Perforation Resistance To The Type	✗	✗	✗	✓	✗	✓	✗	✓
Cleated Outside	✗	✗	✗	✓	✗	✓	✗	✓
Water Resistance Of The Entire Shoe	✗	✗	✗	✗	✗	✗	✓	✓

EN 2022 SPECIFICATION

Safety footwear is classified in the UK and EU by the EN 20345 standard using a categorisation of S1 through to S7 to quickly determine the level of incorporated safety components. This is further supported by letter codes for additional safety components or tests the footwear has undergone.

For further information contact the Rock Fall sales team.

Always check with your health and safety management if you are unsure of the appropriate specification required by your workplace.

Class 1 refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear
Class 2 Refers to all polymeric footwear including all rubber footwear.

S3, S5, S7 Specify metallic midsole tested at 1100N.

S3L, S5L, S7L specify non-metal midsole tested at 1100N with a 4.5mm nail.

S3S, S5S, S7S specify non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification does not necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more information on specifications and standards, get in touch with our team for complete guide.

WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footwear is providing the correct arch support, and that your footwear is the correct size for your feet.

FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.



Danmark

EU-Type Examination Certificate

No. DK-PPE001432 i02

Holder of Certificate: **ROCK FALL UK LTD**
Major House, Wimsey Way, Alfreton Trading Estate
Alfreton, Derbyshire DE55 4LS
UNITED KINGDOM

Product: **Footwear protecting against chemicals -
Limited contact with chemicals
Safety footwear**

Model(s): **RF250 Rhodium**
Tested according to: EN 13832-2:2018
EN ISO 20345:2022+A1:2024

The Certification Body of TÜV SÜD DANMARK ApS confirms that the listed product fulfils the applicable essential health and safety requirements with Annex V (Module B) of Regulation (EU) 2016/425 on personal protective equipment according to Article 19 (PPE of category III). The validity of this certificate based on an ongoing surveillance in accordance with Module C2 or D of Regulation(EU) 2016/425 by a Notified Body. For details see: www.tuvsud.com/ps-cert

Evaluation report no.: DK-PPE001432 TRF i02

Valid until: 2030-07-28

Date, 2025-11-07

(Jamie Zhang)

Page 1 of 2

This certificate has been issued in accordance with the TÜV SÜD Testing, Certification, Validation and Verification Regulations and constitutes the main page(s) of the combined Certificate and Annex. The Conditions for the validity of this certificate are listed in the Annex. For further details, related to this certification please contact babt@tuvsud.com

TÜV SÜD DANMARK ApS is Notified Body according to Regulation (EU) 2016/425 on personal protective equipment with the identification number 2443.

TÜV SÜD DANMARK ApS • Johanne Møllers Passage 1, 3. sal • 1799 Copenhagen V • Denmark

TUV®



EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Declares that the PPE described hereafter;

ROCK FALL RF250 Rhodium

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category III** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2022+A1:2024 + EN 13832-2:2018**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **TUV SUD DANMARK ApS, Johanne Mollers Passage 1, 3, 1799 Copenhagen V Danmark. Notified Body 2443** who performed the Eu type examination (Module B) and issued the EU type examination certificate: **DK-PPE001432 i02**

The PPE is subject to the procedure set out in **Module C2** of the PPE Regulation EU 2016/425 under the supervision of the notified body: **TUV SUD DANMARK ApS, Johanne Mollers Passage 1, 3, 1799 Copenhagen V Danmark. Notified Body 2443.**

Signature:

Position: Director

Date: 7/11/2025



Issued to:

Rock Fall UK Ltd
Major House
Unit 1/3 Wimsey Way
Alfreton
Derbyshire
DE55 4LS
UK

Approved Body: 0321

SATRA customer number: P1769

UKCA Type-Examination Certificate

Certificate number: AB0321/16501-02/E00-00

This UKCA Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued under Module B of Regulation 2016/425 on personal protective equipment, as amended to apply in GB. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category III product.

Product reference:

Rock Fall RF250 Rhodium

Description:

Ankle safety boot comprising coated microfibre upper with synthetic linings and a 5 plastic D-ring laced fastening system. Composite toe cap referenced 1701G, a composite perforation resistant insert and an injected dual density Pu/Pu outsole

Size Range: 36 - 51 EUR
3 - 16 UK

Classification:

EN ISO 20345:2011 S3 WR SRC

EN ISO 13832-2:2018 Type U [K-L] 200J A E WW PY

Standards/Technical specifications applied:
EN ISO 20345: 2011; EN 13832-2:2018

Technical reports/Approval documents:

SATRA: CHM0319740/2138/LC/Issue 2

CTC: D190712550, D200506846

INTERTEK: GZHT91096752, GZHT91094461, GZHT91084640, GZHT90808030, GZHT90721421, GZHT90927950
GZHT90985248, GZHT90985299, GZHT90985321, GZHT90994018

Signed on behalf of SATRA:

Pete Doughty

Date first issued: 29/04/2021

Date of issue: 23/05/2022

Expiry date: 29/04/2026



UKCA DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: sales@rockfall.com
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM Declares that the

PPE described hereafter;

ROCK FALL RF250 Rhodium

Is in conformity with the provisions of PPE Regulation EU 2016/425, as brought into UK Law and amended, for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2011**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SATRA Technology Centre Limited, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD United Kingdom. Approved Body 0321.** who performed the UKCA type examination (Module B) and issued the UKCA type -examination certificate: **AB0321/16501-02/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425, as brought into UK Law and amended, under the supervision of the notified body: **SATRA Technology Centre Limited, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD United Kingdom. Approved Body 0321**

Signature:

Position: Director

Date: 23/05/2022

CERTIFICATE OF CONFORMANCE



No.: 6643026111401
Dated 2026-03-24

We hereby declare that

Articles: Safety Ankle boot
Colour: Black
Style No.: RF250 Rhodium
Size: 9

Submitted by

Name: Rock Fall UK
Address: Wimsey Way, Alfreton, Derbyshire D53 4LS, United Kingdom

Complies with the performance requirements of
ASTM F2413-24 as tested in accordance with ASTM F2412-24 and list the safety hazard(s) tested below.

Impact Resistant Footwear (I)
Compression Resistant Footwear (C)
Static Dissipative Footwear (SD 35)
Puncture Resistant Footwear (PR)

The full details of the test(s) and the result(s) is(are) given in below test report

Test report No.: 66.430.26.1114.01
Date of test report: 2026-03-24

Note:

- 1) The TÜV SÜD Certification and Testing (China) Co., Ltd. "General Terms & Conditions" applied. For full version, please visit: <https://www.tuvsud.cn/zh-cn/resource/terms-and-conditions--en>
- 2) This document is a part of full test report and should be read in conjunction with it.
- 3) This document does not imply a product certification. This does not imply any monitoring or control activity on this product done by TÜV SÜD.
- 4) The sample(s) mentioned in this document is(are) submitted/supplied/manufactured by the applicant.
- 5) The results relate only to the items tested.

TÜV SÜD Certification and Testing (China) Co., Ltd. Xiamen Branch

Approved by:

Damon Zheng
Softlines Department





The Vegan Society
CERTIFICATE OF REGISTRATION

This is to certify that

Rock Fall UK

has registered products or services meeting the Vegan Trademark criteria

Account Number

028015

Valid From

07/01/2025

Expiry Date

07/01/2028

Signature

Charlotte Adcroft

Position

TRADEMARK



The Vegan Society Trading International Ltd.
Company Reg. No. 12377572
VAT Reg. No. 361 7274 92

Trademark Department
Donald Watson House,
21 Hylton Street,
Birmingham, B18 6HJ

+44(0)121 523 1730 (option 4)
trademark@vegansociety.com
vegansociety.com/trademark