


FEATURES



INDUSTRIES



Product Details

Colour: Stone
Size Range: UK 2-9
Height: 6 inches
Weight: 700g



PRODUCT DESCRIPTION

RF720 Hurricane: Cutting-edge women's safety boot engineered for unparalleled protection and comfort. Featuring a fibreglass toecap, waterproof construction, and Activ-Step® penetration-resistant midsole. BOA® Fit system ensures precision fit, while the heavy-duty outsole delivers superior traction. Anatomically designed for women's feet, providing exceptional support and stability.

MATERIAL BREAKDOWN

UPPER MATERIAL: Water Repellent Nubuck Leather, LWG Certified
EYELETS: BOA® Eyestay Guard
LACES: BOA® Fit System
FOOTBED: Activ-Step® Bio-Based Footbed Made From 73% Natural Rubber, 27% Synthetic Rubber, 100% Post Consumer Recycled Top Mesh
LINING: Waterproof Construction, 40% Nylon, 60% Post Consumer Recycled Polyester
SCUFF CAP: TPU
MEMBRANE: Activ-Tex® Waterproof, Breathable Microporous Membrane
OUTSOLE: Nitrile Rubber
DIGGING PLATE: Impact Shield™ Polypropylene
PROTECTIVE TOECAP: Fibreglass
PROTECTIVE MIDSOLE: Activ-step® Penetration Resistant

Style Ref. **RF720** Style Name. **Hurricane**

Specification: EN ISO 20345:2022 S7S HRO FO SR + BS EN 61340-4-3:2018 ESD

TECHNOLOGIES & ACCREDITATIONS

activ-step | COMFORT FOOTBEDS



More info on this style at:

WWW.ROCKFALL.COM/PRODUCTS/HURRICANE

Tel. +44 (0) 1773 608616
Email. sales@rockfall.com

Rock Fall UK
Wimsey Way, Somercoates
Alfreton DE55 4LS
United Kingdom

Category	SB	S1	S2	S3/L/S	S4	S5/L/S	S6	S7/L/S
Class 1	✓	✓	✓	✓	✗	✗	✓	✓
Class 1	✗	✗	✗	✗	✓	✓	✗	✗
200 Joules Toecap	✓	✓	✓	✓	✓	✓	✓	✓
Closed heel Area	✗	✓	✓	✓	✓	✓	✓	✓
Energy Absorption Of Seat Region	✗	✓	✓	✓	✓	✓	✓	✓
Anti-Static	✗	✓	✓	✓	✓	✓	✓	✓
Water Penetration And Absorption	✗	✗	✓	✓	✗	✗	✓	✓
Perforation Resistance To The Type	✗	✗	✗	✓	✗	✓	✗	✓
Cleated Outside	✗	✗	✗	✓	✗	✓	✗	✓
Water Resistance Of The Entire Shoe	✗	✗	✗	✗	✗	✗	✓	✓

Class 1 refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear
Class 2 Refers to all polymeric footwear including all rubber footwear.

S3, S5, S7 Specify metallic midsole tested at 1100N.
S3L, S5L, S7L specify non-metal midsole tested at 1100N with a 4.5mm nail.
S3S, S5S, S7S specify non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification does not necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more information on specifications and standards, get in touch with our team for complete guide.

WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footbed is providing the correct arch support, and that your footwear is the correct size for your feet.

FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.

More info on this style at:

WWW.ROCKFALL.COM/PRODUCTS/HURRICANE

Tel. +44 (0) 1773 608616
Email. sales@rockfall.com

Rock Fall UK
Wimsey Way, Somercoates
Alfreton DE55 4LS
United Kingdom



Issued to:

Rock Fall UK Ltd
Major House
Unit 1/3 Wimsey Way
Alfreton
Derbyshire
DE55 4LS
United Kingdom

Notified Body: 2777

SATRA customer number: P1769

EU Type-Examination Certificate

Certificate number: 2777/25725-01/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

Product reference:	Description:
RF720 Hurricane	Height of upper: Ankle boot Upper 1: 1.8-2.0mm grey(beige) nubuck (RF720)
RF725 Carbon	Upper 2: 1.8-2.0mm black waxy leather (RF725) Vamp/quarter/counter lining: Black/white flat lunar backed HBR membrane Collar/tongue lining: Sandwich mesh (RF720: Grey / RF725: Black) Collar: PU (RF720: Grey / RF725: Black) Tongue 1: 1.4-1.6mm grey suede (RF720) Tongue 2: Black PU (RF725) Fastening: BOA® fastening system (RF720) / 5 pairs of plastic loops and a piece of zipper on the waist of medial side(RF725) Toe-cap: PEP-composite toecap Perforation resistance insert / insole: White PEP-Composite plate Construction: Cemented Insock: Orange mesh with beige PU foam full removable Sole: Rubber outsole (RF720: Grey / RF725: Black) Sole Pattern: 2061#

Footwear found to meet
BS EN 61340-4-3:2018

Size range: EUR 35-42

Category of Protection:
EN ISO 20345:2022 S7S HRO FO SR

Standards/Technical specifications applied:
EN ISO 20345:2022

Technical reports/Approval documents:

SATRA: CHT3429K7L7/Issue 2, CHT5412X3F5, CHT0332727/2224 Issue 2, CHT0302306/2037, CHT2000884, CHT11064R3H2, CHT1540T4J8, CHT8062V8W2/Issue 2, CHT8607Y8P9, CHT2002898 2413 1
Intertek: GZHT91072914, GZHT91168397, GZHT91157797, GZHT90947687, GZHT91025000, GZHT91079689, GZHT91044940(S1), GZHT91009577, GZHT91203106, GZHT91203109, GZHT91090204, GZHT91203111, GZHT91203103, GZHT91023071, GZHT91096862, GZHT91249009 CTC: D230202748_1, D190102078_2, TUV: 66.430.23.0619.01, 66.430.23.0698.01

Signed on behalf of SATRA:

Geoff Graham

Date first issued: 22/05/2024
Date of issue: 22/05/2024
Expiry date: 22/05/2029



EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: 01773 608616
Email: sales@rockfall.com
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Declares that the PPE described hereafter;

ROCK FALL RF720 Hurricane

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2022**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777.** who performed the Eu type examination (Module B) and issued the EU type -examination certificate: **2777/25725-01/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777.

Signature:

Position: Director

Date: 22/05/2024