Rock Fall®
INDUSTRY DEFINING SAFETY FOOTWEAR

Style Ref. **RF440A** Style Name. **Flint Black**

**Specification:** EN ISO 20345:2022 S3S HRO FO SR

## FEATURES

- Anti-Static
- Fibreglass Toecap
- PS Rated Penetration Resistant Insert
- Non Metallic
- Fuel Oil Resistant Outsole
- Heat Resistant Outsole to 300c
- Water Repellent Upper
- Scuff Cap
- SR Slip Resistance

## INDUSTRIES

- Agricultural
- Construction
- Emergency Services
- Facility Management
- Highways
- House builders
- Security
- Utilities

## Product Details

Colour: Black
Size Range: UK 6 - 13 (INC 6.5 and 10.5)
Height: 5 inches
Weight: 725g

## PRODUCT DESCRIPTION

RF440A Flint Black combines ergonomic collar construction with 100% non-metallic lightweight build, ideal for drivers requiring unrestricted Achilles comfort. Activ-Step® ProGrip EVA nitrile rubber outsole delivers certified slip resistance across glycerine and SLS contaminants on quarry and steel tiles, while the fibreglass toecap and penetration resistant insert provide uncompromising, fatigue-free protection all shift long.

## MATERIAL BREAKDOWN

**UPPER MATERIAL:** Water Repellent Waxy Leather, LWG Certified
**EYELETS:** Plastic
**LACES:** 100% Polyester
**FOOTBED:** Activ-Step® PU Foam, 100% Post Consumer Recycled Polyester Top Mesh
**LINING:** 100% Polyester Mesh
**OUTSOLE:** Activ-Step® ProGrip™ Outsole, EVA Midsole, Nitrile Rubber Skin
**PROTECTIVE TOECAP:** Fibreglass
**PROTECTIVE MIDSOLE:** Activ-Step® PS Rated Penetration Resistant Insert

## TECHNOLOGIES & ACCREDITATIONS

activ step COMFORT FOOTBEDS

activ step PRO GRIP OUTSOLES

**More info on this style at:**

**WWW.ROCKFALL.COM/PRODUCTS/FLINT BLACK**

Tel. +44 (0) 1773 608616
Email. sales@rockfall.com

Rock Fall UK
Wimsey Way, Somercoates
Alfreton DE55 4LS
United Kingdom

Rock Fall®
INDUSTRY DEFINING SAFETY FOOTWEAR

# OVERVIEW OF SAFETY STANDARDS

| Category | SB | S1 | S2 | S3/L/S | S4 | S5/L/S | S6 | S7/L/S |
|---|---|---|---|---|---|---|---|---|
| Class 1 | ✔ | ✔ | ✔ | ✔ | ✕ | ✕ | ✔ | ✔ |
| Class 1 | ✕ | ✕ | ✕ | ✕ | ✔ | ✔ | ✕ | ✕ |
| 200 Joules Toecap | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ |
| Closed heel Area | ✕ | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ |
| Energy Absorption Of Seat Region | ✕ | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ |
| Anti-Static | ✕ | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ | ✔ |
| Water Penetration And Absorption | ✕ | ✕ | ✔ | ✔ | ✕ | ✕ | ✔ | ✔ |
| Perforation Reistance To The Type | ✕ | ✕ | ✕ | ✔ | ✕ | ✔ | ✕ | ✔ |
| Cleated Outside | ✕ | ✕ | ✕ | ✔ | ✕ | ✔ | ✕ | ✔ |
| Water Resistance Of The Entire Shoe | ✕ | ✕ | ✕ | ✕ | ✕ | ✕ | ✔ | ✔ |

## EN 2022 SPECIFICATION

Safety footwear is classified in the UK and EU by the EN 20345 standard using a categorisation of S1 through to S7 to quickly determine the level of incorporated safety components. This is further supported by letter codes for additional safety components or tests the footwear has undercone.

For further infomation contact the Rock Fall sales team.

Always check with your health and safety managment if you are unsure of the appropriate specification required by your workplace.

**Class 1** refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear
**Class 2** Refers to all polymetric footwear including all rubber footwear.

**S3, S5, S7** Specify metallic midsole tessted at 1100N.
**S3L, S5L, S7L** specifiy non-metal midsole tested at 1100N with a 4.5mm nail.
**S3S, S55, S75** specifiy non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification does not necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more infomation on specifications and standards, get in touch with our team for complete guide.

## WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footbed is providing the correct arch support, and that your footwear is the correct size for your feet.

## FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.



Tel. +44 (0) 1773 608616
Email. sales@rockfall.com

Rock Fall UK
Wimsey Way, Somercoates
Alfreton DE55 4LS
United Kingdom

intertek
Total Quality. Assured.

# EU TYPE EXAMINATION CERTIFICATE

ACCREDIA
L'ENTE ITALIANO DI ACCREDITAMENTO

PRD N° 277B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC

Signatory of EA, IAF and ILAC Mutual Recognition Agreements

**NOTIFIED BODY 2575**

The PPE detailed herein meets the criteria of an EU Type Examination in accordance with Annex V, including the applicable clauses of the Essential Health and Safety Requirements of the PPE Regulation EU 2016/425.

Following an EU Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 17 of the PPE Regulation EU 2016/425.

**VALIDITY OF CERTIFICATE**

This certificate will cease its validity at any time if needed, in particular if changes in the manufacturing process, in the raw materials or in PPE components will occur.

INTERTEK ITALIA SpA
Via Miglioli, 2/A
Cernusco sul Naviglio (MI), Italy
T: +39 02 95383833
intertek.italia.notified.body@pec.it

**Manufacturer:** Rock Fall UK Ltd
**Address:** Major House Unit 1/3, Wimsey Way, Alfreton, Derbyshire, DE55 4LS, UK
**Authorised Representative:** -
**Address:** -
**Certificate No.:** ITASLNB24004287
**Category Product:** II **Brand Name:** -
**Model:** Rock Fall RF440A Flint Black Lightweight Safety Boot, Rock Fall RF440C Flint Honey Lightweight Safety Boot
**Article(s) code:** -
**Product type:** Safety Footwear
**Reference(s) Standard:** EN ISO 20345:2022
**Description:**
Construction: Cemented; Last: 702; Mould: JS5024; Upper Material: Black Leather (model RF440A), Honey Leather (model RF440C); Toecap: MR522J Composite toecap; Outsole: EVA + Rubber; Perforation resistant insert: 2Z Non-metallic penetration insole; Insock: Mesh + EVA; Size Range: EU 36-48; Category: S3S SR FO HRO.

This has been shown through satisfactory testing to: EN ISO 20345:2022
Examination of the Technical File Documentation, No: TF-ITASLNB24004287 - Rev.3 26/03/2024
Test Report no. See Technical File

**Remark:**

**Note:**

**Issued at:** Lastra a Signa (FI) **Issue Date** 03/04/2024
**General Manager** Elena Ruffino **Expiry Date** 02/04/2029

For and on behalf of INTERTEK ITALIA Spa

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.
Intertek Italia S.p.A. Via Miglioli, 2/A - 20063 Cernusco sul Naviglio, Milano – Italy

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
**rockfall.com**

**EU DECLARATION OF CONFORMITY**

The manufacturer or his nominated representative established in the community;

**ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM**

Declares that the PPE described hereafter;

**ROCK FALL RF440A Flint Black**
Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2022**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

**ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM**

Is identical to the PPE submitted to:**Intertek Italia SpA, Via Miglioli, 2/A, Cernusco sul Naviglio (MI), Italy. Approved Body Notified 2575.** who performed the Eu type examination (Module B) and issued the EU type -examination certificate:
**ITASLNB24004287**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body: **Intertek Italia SpA, Via Miglioli, 2/A, Cernusco sul Naviglio (MI), Italy. Approved Body Notified 2575.**

Signature: Position: Director Date: 08/04/2024