

FEATURES



ESD Certified



Fiberglass Toecap



PS Rated Penetration Resistant Insert



Fuel Oil Resistant Outsole



Heat Resistant Outsole to 300C



Fully Waterproof



Recycled Materials



Scuff Cap



SR Slip Resistance



Zip Fastening

INDUSTRIES



Agricultural



Construction



Engineering



Highways



House builders



Offshore



Quarry and Mining



Rail



Utilities

Product Details

Colour: Brown
Size Range: UK 6-14
(INC 6.5 and 10.5)
Height: 8 inches
Weight: 1066g



PRODUCT DESCRIPTION

RF860 Terrain is a heavy duty safety boot engineered for extreme industrial environments. Featuring a dual cemented and stitched nitrile rubber outsole, waterproof breathable construction, lightweight fiberglass toecap rated to 200 joules, ESD specification and a penetration resistant Activ-Step® insert delivering uncompromising protection and long lasting performance.

MATERIAL BREAKDOWN

UPPER MATERIAL: Leather Working Group Certified, Water Repellent Waxy Leather
EYELETS: Metal Closed Loop, Metal Hook
ZIPS: YBS® No.10
LACES: 100% Post Consumer Recycled Polyester
FOOTBED: Activ-Step® Bio-Based Footbed Made From 73% Natural Rubber, 27% Synthetic Rubber, 100% Post Consumer Recycled Top Mesh
LINING: Waterproof Construction, 40% Nylon, 60% Post Consumer Recycled Polyester
SCUFF CAP: Nitrile Rubber (Integrated within Outsole)
OUTSOLE: Nitrile Rubber
PROTECTIVE TOECAP: Fibreglass
PROTECTIVE MIDSOLE: Activ-Step® PS Rated Penetration Resistant Insert

TECHNOLOGIES & ACCREDITATIONS



Category	SB	S1	S2	S3/L/S	S4	S5/L/S	S6	S7/L/S
Class 1	✓	✓	✓	✓	✗	✗	✓	✓
Class 2	✗	✗	✗	✗	✓	✓	✗	✗
200 Joules Toecap	✓	✓	✓	✓	✓	✓	✓	✓
Closed heel Area	✗	✓	✓	✓	✓	✓	✓	✓
Energy Absorption Of Seat Region	✗	✓	✓	✓	✓	✓	✓	✓
Anti-Static	✗	✓	✓	✓	✓	✓	✓	✓
Water Penetration And Absorption	✗	✗	✓	✓	✗	✗	✓	✓
Perforation Resistance To The Type	✗	✗	✗	✓	✗	✓	✗	✓
Cleated Outside	✗	✗	✗	✓	✗	✓	✗	✓
Water Resistance Of The Entire Shoe	✗	✗	✗	✗	✗	✗	✓	✓

EN 2022 SPECIFICATION

Safety footwear is classified in the UK and EU by the EN 20345 standard using a categorisation of S1 through to S7 to quickly determine the level of incorporated safety components. This is further supported by letter codes for additional safety components or tests the footwear has undergone.

For further information contact the Rock Fall sales team.

Always check with your health and safety management if you are unsure of the appropriate specification required by your workplace.

Class 1 refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear
Class 2 Refers to all polymeric footwear including all rubber footwear.

S3, S5, S7 Specify metallic midsole tested at 1100N.

S3L, S5L, S7L specify non-metal midsole tested at 1100N with a 4.5mm nail.

S3S, S5S, S7S specify non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification does not necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more information on specifications and standards, get in touch with our team for complete guide.

WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footwear is providing the correct arch support, and that your footwear is the correct size for your feet.

FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.



Issued to:

Rock Fall UK Ltd
Major House
Unit 1/3 Wimsey Way
Alfreton
Derbyshire
DE55 4LS
United Kingdom

Notified Body: 2777

SATRA customer number: P1769

EU Type-Examination Certificate

Certificate number: 2777/27320-02/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

Product Ref:

Ankle boot:
ROCK FALL RF840
ATLANTIC

Half knee boot:
ROCK FALL RF860
TERRAIN

ROCK FALL RF880
EXPLORATION

Description:

Design Type:	Ankle boot (Design B), Half knee boot (Design C)
Upper:	Brown nubuck, Tan waxy leather
Tongue:	Black PU
Collar:	Black PU
Top Tongue Lining:	Black/yellow sandwich mesh
Collar Lining:	Black/yellow sandwich mesh
Vamp Lining:	Black/White flat lunar backed waterproof membrane
Quarter Lining:	Black/White flat lunar backed waterproof membrane
Counter Lining:	Black/White flat lunar backed waterproof membrane
Insole:	PEP-COMPOSITE 777#
Perforation Resistance:	Non-metallic perforation resistance insert referenced PEP-COMPOSITE 777#
Toe Protection:	Non-metallic top cap referenced PEP-COMPOSITE
Last Reference:	#PEP-PL
Soling Construction:	Injection
Midsole Material:	Black PU+Grey/brown/yellow EVA
Outsole Material:	Black/brown/yellow rubber
Sole Reference:	2211#PU+EVA+RB
Insock/Footbed:	Orange mesh with white PU full removable insock
Fastening System:	ROCK FALL RF840 ATLANTIC: 5 metal D-rings(below) and 2 ski hooks(top) ROCK FALL RF860 TERRAIN: 5 metal D-rings(below) and 3 ski hooks(top), with inner quarter zipper ROCK FALL RF880 EXPLORATION: Slip-on
Scuff Cap:	Black rubber
Heel Cap:	Black TPU
Size Range:	EU 39-50

Classification:

EN ISO 20345:2022+A1:2024 S7S CI HRO SC FO SR

Standards/Technical specifications applied:
EN ISO 20345:2022+A1:2024

Technical reports/Approval documents:
List of test reports in the approved technical file

Signed on behalf of SATRA:

Kayleigh Aylward

Date first issued: 15/10/2025
Date of issue: 09/04/2026
Expiry date: 15/10/2030



EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Declares that the PPE described hereafter;

ROCK FALL RF860 Terrain

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2022+A1:2024**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SATRA Technology Europe Limited, Bracetown Business Park, Clonee. D15YN2P. Notified Body 2777.** who performed the Eu type examination (Module B) and issued the EU type -examination certificate: **2777/27320-02/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body: **SATRA Technology Europe Limited, Bracetown Business Park, Clonee. D15YN2P. Notified Body 2777.**

Signature:

Position: Director

Date: 09/04/2026

Certificate of Conformance (COC)

Certificate No. 2508124

Issued by CTC Dongguan Co., Ltd., to the following model of PPE footwear:

Company name: ROCK FALL UK LTD

Product Description: Safety footwear

Style name: RF840, RF860, RF880 / Gender: Unisex (Tested size US9)



This product meets the performance requirements of ASTM Specification F2413-24 as tested in accordance with ASTM Test Methods F2412-24 for the following safety hazards:

Safety hazards	CTC testing report No.	Issued date of report
5.2 Impact Resistant (I)	D250726162_1	15 August, 2025
5.3 Compression Resistant (C)	D250726162_1	15 August, 2025
5.7 Static dissipative footwear (SD) - SD 35	D250726162_1	15 August, 2025
5.8 Puncture Resistant (PR) 5.8.7 Determination of puncture force 5.8.8 Determination of the flex resistance of puncture-resistant insert	D241236354_1	30 December, 2024

Note :

1. This declaration applies to the particular sample tested and to the specific tests carried out as dated and detailed in the report(s) referenced above.
2. This certificate is valid only for the applicant's selected test items and must not be used without the attached test report(s).

Issue date of certificate:
August 19, 2025

Issued in Dongguan by:
Kevin LEE
PPE Manager of CTC Greater China



CTC Dongguan Co., Ltd.

1 Floor, No.14 building, Small and Medium sized Enterprises Pioneer Park,
SSL Industry Park, Dongguan - P.R. CHINA
Tél. : +86 769 23 03 77 70 Fax : +86 769 23 03 77 71
E-mail : ctcdongguan@ctcgroupe.com