

Style Ref.

Style Name.

RF505 Talos

Specification: EN ISO 20345:2022, S7S HRO SC FO SR + BS EN 61340 4-3:2018 ESD

FEATURES



















INDUSTRIES













Colour: Black

Product Details

Height: 6 inches Weight: 1230g





PRODUCT DESCRIPTION

RF505 Talos. Built for heavy-duty work environments. Crafted with LWG certified water-repellent full-grain leather and Activ-Tex® membrane for superior waterproofing. Fibreglass toecap and para-aramid midsole provide robust protection. Durable nitrile rubber outsole ensures excellent grip. Available in sizes 17-18 for individuals requiring larger sizes.

MATERIAL BREAKDOWN

UPPER MATERIAL: Water Repellent Full Grain

Leather, LWG Certified **EYELETS:** Plastic

LACES: 100% Post Consumer Recycled Polyester FOOTBED: Activ-Step® PU Foam, 100% Post Con-

sumer Recycled Polyester Top Mesh

LINING: 60% Post Consumer Recycled Polyester,

40% Nylon

SCUFF CAP: FORCE10® TPU

MEMBRANE: Activ-Tex® Waterproof, Breathable

Microporous Membrane **OUTSOLE:** Nitrile Rubber

DIGGING PLATE: Impact Shield™ Polypropylene

PROTECTIVE TOECAP: Fibreglass

PROTECTIVE MIDSOLE: Activ-step® Aramid Fibre

TECHNOLOGIES & ACCREDITATIONS









OVERVIEW OF SAFETY STANDARDS



| Category | SB | S1 | S2 | S3/L/S | S4 | S5/L/S | S6 | S7/L/S |
|--|----|----|----|--------|----|--------|----|--------|
| Class 1 | ~ | ~ | ~ | ~ | × | × | ~ | ~ |
| Class 1 | × | × | × | × | ~ | ~ | × | × |
| 200 Joules Toecap | ~ | ~ | ~ | ~ | ~ | ~ | V | ~ |
| Closed heel Area | × | V | ~ | ~ | ~ | ~ | ~ | ~ |
| Energy Absorption Of Seat Region | × | V | ~ | ~ | ~ | ~ | V | ~ |
| Anti-Static | × | V | ~ | ~ | ~ | ~ | V | ~ |
| Water Penetration And Absorption | × | × | ~ | ~ | × | × | V | ~ |
| Perforation Reistance To The Type | × | × | × | ~ | × | ~ | × | ~ |
| Cleated Outside | × | × | × | ~ | × | ~ | × | ~ |
| Water Resistance Of The Entire Shoe | × | × | × | × | × | × | V | ~ |

EN 2022 SPECIFICATION

Safety footwear is classified in the UK and EU by the EN 20345 standard using a categorisation of S1 through to S7 to quickly determine the level of incorporated safety components. This is further supported by letter codes for additional safety components or tests the footwear has undercone.

For further infomation contact the Rock Fall sales team

Always check with your health and safety managment if you are unsure of the appropriate specification required by your workplace.

Class 1 refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear Class 2 Refers to all polymetric footwear including all rubber footwear.

S3, S5, S7 Specify metallic midsole tessted at 1100N.

S3L, S5L, S7L specifiy non-metal midsole tested at 1100N with a 4.5mm nail.

S3S, **S55**, **S75** specifiy non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification does not necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more infomation on specifications and standards, get in touch with our team for complete guide.

WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footbed is providing the correct arch support, and that your footwear is the correct size for your feet.

FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.



Issued to:



Rock Fall UK Ltd Major House Unit 1/3 Wimsey Way Alfreton Derbyshire DE55 4LS United Kingdom

Notified Body: 2777

SATRA customer number: P1769

EU Type-Examination Certificate

Certificate number: 2777/26053-01/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

Product reference:

Description:

RF505 Talos

Height of upper: Ankle boot

Upper: 1.8-2.0mm black waxy leather

Scuff cap: Black TPU Heel guard: Black rubber

Vamp/quarter/counter lining: Black/white flat lunar backed HBR membrane

Collar/tongue lining: Black sandwich mesh

Collar/tongue: Black PU

Fastening: 6 pairs of plastic loops Toe-cap: PEP-Composite toe cap

Perforation resistance insert / insole: PEP-Composite plate

Construction: Injected

Insock: Green mesh with green PU foam full removeable insock

Sole: Black PU midsole and Black rubber outsole

Sole Pattern: 2192#

Footwear found to meet BS EN 61340-4-3:2018

Size range: EUR 40-53

Category of Protection:

EN ISO 20345:2022 S7S HRO SC FO SR

Standards/Technical specifications applied: EN ISO 20345:2022

Technical reports/Approval documents:

SATRA: CHT0336968/2235/A, CHT3429K7L7/Issue2, CHT5412X3F5, CHT0348196/2315, CHT2137P7K4, CHT1540T4J8, CHT8062V8W2/Issue 2, CHT10846L1N8/Issue 2, CHT10848D4X8, CHT2004241 2416 1, CHT10991J9Z2, CHT10989J8D0/Issue 2, CHT2006314 2422 1 Intertek: GZHT91025000, GZHT91079689, GZHT91044940(S1), GZHT91148018, GZHT91023071, GZHT91241821, GZHT91072914 CTC: D230613021_1, D230406764_1 CTT: CTT2008011140EN, CTT2205010856EN, CTT2408011480EN

Signed on behalf of SATRA:

agahan

Geoff Graham

Date first issued: 20/08/2024 Date of issue: 20/08/2024 Expiry date: 20/08/2029



EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House, Unit 1/3, Wimsey Way, Alfreton, Derbyshire, DE55 4LS United Kingdom

Tel: 01773 608616 Email: sales@rockfall.com rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Declares that the PPE described hereafter;

ROCK FALL RF505 Talos

Is in conformity with the provisions of PPE Regulation EU 2016/425 for Category II and, where such is the case, with the national standard transposing the union harmonised standard no. EN ISO 20345:2022

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777 who performed the Eu type examination (Module B) and issued the EU type -examination certificate: 2777/26053-01/E00-00

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777

Signature:

Position: Director

Date: 28/08/2024

RUNGON