

FEATURES



Anti-Static



Fibreglass Toecap



PS Rated Aramid Protective Midsole



Non Metallic



Fuel Oil Resistant Outsole



Water Repellent Upper



Recycled Materials



Scuff Cap



SRC Slip Resistance



Fully Sustainable Packaging

INDUSTRIES



Automotive and Aerospace



Emergency Services



Facility Management



House builders



Security



Warehousing and Logistics

Product Details

Colour: Black
 Height: 5 inches
 Weight: 633g



PRODUCT DESCRIPTION

PM600 Trenton high-performance safety boot delivers unparalleled protection and comfort. Featuring fibre-glass toe cap, para-aramid anti-perforation midsole, and durable leather upper. Advanced shock-absorbing technology ensures all-day resilience. Slip-resistant PU outsole provides superior grip in tough environments. Ultimate choice for professionals demanding reliability and durability.

MATERIAL BREAKDOWN

UPPER MATERIAL: Water Repellent Coated Leather, LWG Certified
EYELETS: Plastic
LACES: 100% Polyester
FOOTBED: EVA Foam, 100% Polyester Top Mesh
LINING: 100% Polyester Mesh
SCUFF CAP: PU
OUTSOLE: Dual Density PU
PROTECTIVE TOECAP: Fibreglass
PROTECTIVE MIDSOLE: Activ-step® Aramid Fibre

TECHNOLOGIES & ACCREDITATIONS



Category	SB	S1	S2	S3/L/S	S4	S5/L/S	S6	S7/L/S
Class 1	✓	✓	✓	✓	✗	✗	✓	✓
Class 1	✗	✗	✗	✗	✓	✓	✗	✗
200 Joules Toecap	✓	✓	✓	✓	✓	✓	✓	✓
Closed heel Area	✗	✓	✓	✓	✓	✓	✓	✓
Energy Absorption Of Seat Region	✗	✓	✓	✓	✓	✓	✓	✓
Anti-Static	✗	✓	✓	✓	✓	✓	✓	✓
Water Penetration And Absorption	✗	✗	✓	✓	✗	✗	✓	✓
Perforation Resistance To The Type	✗	✗	✗	✓	✗	✓	✗	✓
Cleated Outside	✗	✗	✗	✓	✗	✓	✗	✓
Water Resistance Of The Entire Shoe	✗	✗	✗	✗	✗	✗	✓	✓

EN 2022 SPECIFICATION

Safety footwear is classified in the UK and EU by the EN 20345 standard using a categorisation of S1 through to S7 to quickly determine the level of incorporated safety components. This is further supported by letter codes for additional safety components or tests the footwear has undergone.

For further information contact the Rock Fall sales team.

Always check with your health and safety management if you are unsure of the appropriate specification required by your workplace.

Class 1 refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear
Class 2 Refers to all polymeric footwear including all rubber footwear.

S3, S5, S7 Specify metallic midsole tested at 1100N.

S3L, S5L, S7L specify non-metal midsole tested at 1100N with a 4.5mm nail.

S3S, S5S, S7S specify non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification does not necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more information on specifications and standards, get in touch with our team for complete guide.

WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footbed is providing the correct arch support, and that your footwear is the correct size for your feet.

FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.

EU TYPE EXAMINATION CERTIFICATE



APPROVED BODY 2575

The PPE detailed herein the criteria of an EU Type Examination in accordance with Annex V, including the applicable clauses of the Essential Health and Safety Requirements of the PPE Regulation EU 2016/425, for the category II followed by conformity to type based on internal production control (module C) set out in Annex VI.

Following an EU Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 17 of the PPE Regulation EU 2016/425.

VALIDITY OF CERTIFICATE

This certificate will cease its validity at any time if needed, in particular if changes in the manufacturing process, in the raw materials or in PPE components will occur.

INTERTEK ITALIA SpA
Via Miglioli, 2/A
Cernusco sul Naviglio (MI), Italy
T: +39 02 95383833
F: +39 02 95383832



PRD N° 277B

Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC

Signatory of EA, IAF and ILAC Mutual Recognition Agreements

Manufacturer: ROCK FALL UK

Address: WIMSEY WAY, ALFRETON, DERBYSHIRE DE55 4LS, UNITED KINGDOM

Authorised Representative: -

Address: -

Certificate No.: ITASLNB21002593

Category Product: II

Trade Name (Model/Product Reference): TRENTON, AUSTIN

Article: PM600, PM4004

Product type: SAFETY FOOTWEAR

Reference(s) Standard: EN ISO 20345:2011

Description:

Proman - Safety Boot; Proman - Safety Shoes. Construction: Injection; Toecap: Fibreglass toecap; Midsole: Composite insole; Last: 621PT; Sole: PU/PU; Mould: 1762 #PU/PU; Size Range: UK 3-16; Category: S3 SRC.

This has been shown through satisfactory testing to: EN ISO 20345:2011

Examination of the Technical File Documentation, No: PM600 TRENTON SAFETY BOOT, PM4004 AUSTIN SAFETY SHOES
- Rev.02 26/03/2021

Test Report no. See Technical File

Remark:

Note:

Issue Date 27/04/2021

Issued at: Lastra a Signa (FI)

Expiry Date 26/04/2026

General Manager Elena Ruffino

For and on behalf of INTERTEK ITALIA SpA

This certificate shall be issued on the following conditions:

1. This certificate refers only to the samples tested and submitted to the tests and assessments by the Body
2. The issue of the certificate does not imply that the Notified Body has carried out any surveillance or control of the manufacture.
3. The applicant shall ascertain that the manufacturing process ensures the products conformity with the approved samples as required by Regulation (EU) 2016/425



This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.

Intertek Italia S.p.A. Via Miglioli, 2/A - 20063 Cernusco sul Naviglio, Milano - Italy



EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Declares that the PPE described hereafter;

ROCK FALL PM600 Trenton

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2011**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **INTERTEK ITALIA SpA, Via Miglioli, 2/A, Cernusco sul Naviglio (MI), Italy. Notified Body 2575.** who performed the Eu type examination (Module B) and issued the EU type -examination certificate: **ITASLNB21002593**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

INTERTEK ITALIA SpA, Via Miglioli, 2/A, Cernusco sul Naviglio (MI), Italy. Notified Body 2575.

Signature:

A handwritten signature in black ink, appearing to read "R. K. Wilson", written over a large, faint, grey stylized mountain peak graphic that serves as a background for the signature area.

Position: Director

Date: 27/04/2021

UKCA TYPE EXAMINATION CERTIFICATE

intertek
Total Quality. Assured.



APPROVED BODY AB0362

The safety footwear detailed herein meets the criteria of a UKCA Type Examination in accordance with Regulation 2016/425 on personal protective equipment, as amended to apply in GB Essential Health and Safety Requirements (Annex II of EU Regulation 2016/425) for category II products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

ITS Testing Services (UK) Ltd.
Centre Court
Meridian Business Park
Leicester, LE19 1WD
United Kingdom
Phone: +44 (0)116 263 0330

Manufacturer : ROCK FALL UK
WIMSEY WAY, ALFRETON, DERBYSHIRE
DE55 4LS, UNITED KINGDOM

Issue Date : 04 April 2022

Expiry Date : 04 April 2027

Certificate No. : LECFI00386005

Product Reference(s) : PM600 Trenton Safety Boot
PM4004 Austin Safety Shoe

Description	: Construction	: Injection
	Toecap	: Fibre Glass Toecap
	Midsole	: Composite
	Last	: 621PT
	Sole	: PU/PU
	Test Report(s)	: See Technical File
	Size Range	: 3-16
Category	: S3 SRC	

Assessor:  Date: 04/04/2022

Certification Manager:  Date: 04/04/2022

For and on behalf of ITS Testing Services (UK) Limited

intertek.com Registered in England No. 1408264 Registered Office: Academy Place, 1-9 Brook Street, Brentwood, Essex CM14 5NQ

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.



UKCA DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM Declares that the
PPE described hereafter;

ROCK FALL PM600 Trenton

Is in conformity with the provisions of PPE Regulation EU 2016/425, as brought into UK Law and amended, for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2011**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **ITS Testing Services (UK) Ltd, Centre Court, Meridian Business Park, Leicester, LE19 1WD, United Kingdom. Approved Body AB0362.** who performed the UKCA type examination (Module B) and issued the UKCA type -examination certificate: **LECF100386005**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425, as brought into UK Law and amended, under the supervision of the notified body: **ITS Testing Services (UK) Ltd, Centre Court, Meridian Business Park, Leicester, LE19 1WD, United Kingdom. Approved Body AB0362.**

Signature:

A handwritten signature in black ink, appearing to read "R. K. Wilson", written over a large, faint, grey Rock Fall logo watermark.

Position: Director

Date: 06/04/2022