

FEATURES



Anti-Static



Fibreglass Toecap



PS Rated Penetration Resistant Protective Midsole



Ladder Grip



Non Metallic



Cold Insulation



Fuel Oil Resistant Outsole



Heat Insulation



Heat Resistant Outsole to 300c



Water Repellent Upper

INDUSTRIES



Automotive and Aerospace



Construction



Emergency Services



Facility Management



Highways



House builders



Rail



Security



Utilities



Warehousing and Logistics

Product Details

Colour: Black
Size Range: UK 3-15
Height: 6 inches
Weight: 840g



PRODUCT DESCRIPTION

RF460 Slate: Premium safety boot crafted with water-resistant full-grain leather from LWG-certified tannery. Featuring composite toecap, anti-penetration midsole, and Activ-Tex® waterproof membrane for superior protection. Activ-Step® comfort footbed reduces fatigue, while durable rubber outsole ensures excellent traction. Ideal for demanding industries requiring top-tier performance and comfort.

MATERIAL BREAKDOWN

UPPER MATERIAL: Water Repellent Full Grain Leather, LWG Certified
EYELETS: Plastic
LACES: 100% Post Consumer Recycled Polyester
FOOTBED: Activ-Step® PU Foam, 100% Polyester Top Mesh
LINING: 60% Post Consumer Recycled Polyester, 40% Nylon
SCUFF CAP: FORCE10® TPU
KICK PROTECTOR: TPU
MEMBRANE: Activ-Tex® Waterproof, Breathable Microporous Membrane
OUTSOLE: FORCE10® Nitrile Rubber
PROTECTIVE TOECAP: Fibreglass
PROTECTIVE MIDSOLE: Activ-step® Aramid Fibre

TECHNOLOGIES & ACCREDITATIONS



Category	SB	S1	S2	S3/L/S	S4	S5/L/S	S6	S7/L/S
Class 1	✓	✓	✓	✓	✗	✗	✓	✓
Class 1	✗	✗	✗	✗	✓	✓	✗	✗
200 Joules Toecap	✓	✓	✓	✓	✓	✓	✓	✓
Closed heel Area	✗	✓	✓	✓	✓	✓	✓	✓
Energy Absorption Of Seat Region	✗	✓	✓	✓	✓	✓	✓	✓
Anti-Static	✗	✓	✓	✓	✓	✓	✓	✓
Water Penetration And Absorption	✗	✗	✓	✓	✗	✗	✓	✓
Perforation Resistance To The Type	✗	✗	✗	✓	✗	✓	✗	✓
Cleated Outside	✗	✗	✗	✓	✗	✓	✗	✓
Water Resistance Of The Entire Shoe	✗	✗	✗	✗	✗	✗	✓	✓

EN 2022 SPECIFICATION

Safety footwear is classified in the UK and EU by the EN 20345 standard using a categorisation of S1 through to S7 to quickly determine the level of incorporated safety components. This is further supported by letter codes for additional safety components or tests the footwear has undergone.

For further information contact the Rock Fall sales team.

Always check with your health and safety management if you are unsure of the appropriate specification required by your workplace.

Class 1 refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear
Class 2 Refers to all polymeric footwear including all rubber footwear.

S3, S5, S7 Specify metallic midsole tested at 1100N.

S3L, S5L, S7L specify non-metal midsole tested at 1100N with a 4.5mm nail.

S3S, S5S, S7S specify non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification does not necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more information on specifications and standards, get in touch with our team for complete guide.

WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footwear is providing the correct arch support, and that your footwear is the correct size for your feet.

FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.



Issued to:

Rock Fall UK Ltd
Major House
Unit 1/3 Wimsey Way
Alfreton
Derbyshire
DE55 4LS
United Kingdom

Notified Body: 2777

SATRA customer number: P1769

EU Type-Examination Certificate

Certificate number: 2777/13724-03/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

Product reference:

Rock Fall RF460 Slate
Rock Fall RF470 Clay
Rock Fall RF222 Jet
Rock Fall RF333 Melanite

Description:

Height of upper: Ankle boot (RF460/RF222), Half knee boot (RF470/RF333)
Upper /Tongue: Black full grain leather
Collar: Black PU
Quarter/Vamp/Seat region/Tongue lining: Grey polyester mesh with membrane
Collar lining: Black sandwich mesh
Fastening:
6 eyelets plus one extra eyelet on a reinforced T-plate surrounding outside the ankle(RF460)
4 eyelets and 3 D-rings(RF470)
4 eyelets with 2 D-rings with side zipper(RF222)
5 eyelets with 3 D-rings with side zipper(RF333)
Toecap: Non-metallic referenced FJ1604
Perforation resistance insole: Non-metallic insole referenced QY17800
Construction: Injection
Insock: Black polyester BK mesh + PU full removable insock
Sole: Black PU & Rubber
Sole Pattern: FORCE10

Available colour: Black

Sizes: EUR 36-50

Classification:

RF222/RF333: EN ISO 20345: 2022 S7S HI CI HRO FO SR LG

RF460/RF470: EN ISO 20345: 2022 S7S HI CI HRO FO SR SC LG

Standards/Technical specifications applied:
EN ISO 20345:2022

Technical reports/Approval documents:

SATRA: CHT0288456/1932 Issue 2, CHT0288842/1934 Issue 3, CHT0287486/1928 Issue 3, FWT0300279/2029 Issue 1,
CHT1513M7F5, CHT2288F4M9, CHT2001983
Intertek: GZHT91189629(S1)
SGS: SL92119302020301FW-1, SL92209241306801FW
CTC: D230715588_1, D230715391_1, D230715784_1

Signed on behalf of SATRA:

Geoff Graham

Date first issued: 25/11/2019
Date of issue: 17/09/2024
Expiry date: 17/09/2029



EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Declares that the PPE described hereafter;

ROCK FALL RF460 Slate

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II** and, where such is the case, with the national standard transposing the Union harmonised standard no. **EN ISO20345:2022**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SATRA technology Europe Ltd, Bracetown Business Park, Clonee, D15Y N2P, Republic of Ireland. Notified Body 2777** who performed the Eu type examination (Module B) and issued the EU type -examination certificate: **2777/13724-03/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

SATRA technology Europe Ltd, Bracetown Business Park, Clonee, D15Y N2P, Republic of Ireland. Notified Body 2777.

Signature:

A handwritten signature in black ink, appearing to read "R. Wilson", written over a large, light grey, stylized mountain peak graphic that serves as a background for the signature area.

Position: Director

Date: 17/09/2024



Issued to:

Rock Fall UK Ltd
Major House
Unit 1/3 Wimsey Way
Alfreton
Derbyshire
DE55 4LS
UK

Approved Body: 0321

SATRA customer number: P1769

UKCA Type-Examination Certificate

Certificate number: AB0321/16473-01/E00-00

This UKCA Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:

Following the UKCA Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of the PPE Regulation (2016/425) as brought into UK law and amended as a Category II product.

Product reference:

Description:

Rock Fall RF460 Slate

Injection construction, ankle boot with black upper leather and synthetic lining and fastened by 6 eyelets plus one extra eyelet on a reinforced T-plate surrounding outside the ankle, FJ1604 non-metallic toe cap and non-metallic perforation resistant insert and black rubber sole referenced as FORCE10 with scuff-resistant covering for the toe region.

Rock Fall RF470 Clay

Injection construction, half knee boot with black upper leather and synthetic lining and fastened with 4 eyelets and 3 D-rings, FJ1604 non-metallic toe cap and non-metallic perforation resistant insert and black rubber sole referenced as FORCE10 with scuff-resistant covering for the toe region.

Rock Fall RF222 Jet

Injection construction, ankle boot with black upper leather and synthetic lining with side zipper and 4 eyelets with 2 D-rings, FJ1604 non-metallic toe cap and non-metallic perforation resistant insert and black rubber sole referenced as FORCE10.

Rock Fall RF333 Melanite

Injection construction, half-knee with black upper leather and synthetic lining with side zipper and 4 eyelets with 2 D-rings, FJ1604 non-metallic toe cap and non-metallic perforation resistant insert and black rubber sole referenced as FORCE10.

Classification:

EN ISO 20345:2011 S3 HRO WR HI CI SRC

Size Range: 36 – 50

Standards/Technical specifications applied:
EN ISO 20345: 2011

Technical reports/Approval documents:

SATRA: CHT0288456/1932 Issue 2, CHT0288842/1934 Issue 3, CHT0287486/1928 Issue 3, FWT0300279/2029 Issue 1

Signed on behalf of SATRA:

Pete Doughty

Date first issued: 29/04/2021
Date of issue: 29/04/2021
Expiry date: 29/04/2026



UKCA DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM Declares that the
PPE described hereafter;

ROCK FALL RF460 Slate

Is in conformity with the provisions of PPE Regulation EU 2016/425, as brought into UK Law and amended, for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2011**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SATRA Technology Centre Limited, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD United Kingdom. Approved Body 0321.** who performed the UKCA type examination (Module B) and issued the UKCA type -examination certificate: **AB0321/16473-01/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425, as brought into UK Law and amended, under the supervision of the notified body: **SATRA Technology Centre Limited, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD United Kingdom. Approved Body 0321**

Signature:

A handwritten signature in black ink, appearing to read "R. K. Wilson", written over a large, light grey, stylized mountain peak graphic that serves as a background for the signature area.

Position: Director

Date: 29/04/2021