

FEATURES



Fibreglass Toecap



PS Rated Penetration
Resistant Protective Midsole



Non Metallic



Fuel Oil Resistant
Outsole



Heat Resistant
Outsole to 300c



Water Repellent
Upper



Partially Conductive



Recycled Materials



SRC Slip Resistance



Fully Sustainable
Packaging

INDUSTRIES



Nuclear Defence
and Explosives

Product Details

Colour: Black

Size Range: UK 2-16
(INC 6.5 and 10.5)

Height: 3 inches

Weight: 648g



PRODUCT DESCRIPTION

RF002 Zinc delivers unmatched conductive safety footwear. Certified for near-zero electrical resistance, it meets EN ISO 20344:2011 C and ASTM F2412-18 Cd standards. Featuring conductive lining, fibreglass toecap, and penetration-resistant midsole, it offers supreme protection and comfort. LWG-certified leather upper ensures durability, while dual-density outsole provides superior shock absorption.

MATERIAL BREAKDOWN

UPPER MATERIAL: Water Repellent Full Grain Leather, LWG Certified

EYELETS: Punched

LACES: 100% Post Consumer Recycled Polyester

FOOTBED: Activ-Step® Carbonised Conductive Foam, 100% Polyester Top Mesh

LINING: 100% Conductive Polyester Mesh

SCUFF CAP: TPU

OUTSOLE: Activ-Step® Traction Lite™, EPR Midsole, Nitrile Rubber Skin

PROTECTIVE TOECAP: Fibreglass

PROTECTIVE MIDSOLE: Activ-step® Penetration Resistant

TECHNOLOGIES & ACCREDITATIONS



activ-
step | COMFORT
FOOTBEDS



FSC®

www.fsc.org

FSC® C162556



More info on this style at:

WWW.ROCKFALL.COM/PRODUCTS/ZINC

Tel. +44 (0) 1773 608616
Email. sales@rockfall.com

Rock Fall UK
Wimsey Way, Somercoates
Alfreton DE55 4LS
United Kingdom

Category	SB	S1	S2	S3/L/S	S4	S5/L/S	S6	S7/L/S
Class 1	✓	✓	✓	✓	✗	✗	✓	✓
Class 1	✗	✗	✗	✗	✓	✓	✗	✗
200 Joules Toecap	✓	✓	✓	✓	✓	✓	✓	✓
Closed heel Area	✗	✓	✓	✓	✓	✓	✓	✓
Energy Absorption Of Seat Region	✗	✓	✓	✓	✓	✓	✓	✓
Anti-Static	✗	✓	✓	✓	✓	✓	✓	✓
Water Penetration And Absorption	✗	✗	✓	✓	✗	✗	✓	✓
Perforation Resistance To The Type	✗	✗	✗	✓	✗	✓	✗	✓
Cleated Outside	✗	✗	✗	✓	✗	✓	✗	✓
Water Resistance Of The Entire Shoe	✗	✗	✗	✗	✗	✗	✓	✓

Class 1 refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear
Class 2 Refers to all polymeric footwear including all rubber footwear.

S3, S5, S7 Specify metallic midsole tested at 1100N.
S3L, S5L, S7L specify non-metal midsole tested at 1100N with a 4.5mm nail.
S3S, S5S, S7S specify non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification does not necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more information on specifications and standards, get in touch with our team for complete guide.

WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footbed is providing the correct arch support, and that your footwear is the correct size for your feet.

FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.

More info on this style at:

WWW.ROCKFALL.COM/PRODUCTS/ZINC

Tel. +44 (0) 1773 608616
Email. sales@rockfall.com

Rock Fall UK
Wimsey Way, Somercoates
Alfreton DE55 4LS
United Kingdom



SATRA

Issued to:

Rock Fall UK Ltd
Major House
Unit 1/3 Wimsey Way
Alfreton
Derbyshire
DE55 4LS
United Kingdom

Notified Body: 2777

SATRA customer number: P1769

EU Type-Examination Certificate

Certificate number: 2777/14252-05/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

Product reference: **Description:**

RF002 Rock Fall Zinc	Design Type:	Low Shoe (Design A)
	Upper:	Black full grain leather
	Tongue:	Black PU
	Collar:	Black PU
	Vamp Lining:	Black sandwich mesh
	Tongue Lining:	Black sandwich mesh
	Quarter Lining:	Black sandwich mesh
	Counter Lining:	Grey non-woven fabric
	Perforation Resistance:	White composite insert plate
	Toe Protection:	PEP-Composite toecap
	Last Reference:	#PEP-PL
	Soling Construction:	Cemented
	Soling Material:	Black EVA/Black rubber
	Soling Reference:	2201#
	Insole:	White composite insert plate
	Insock/Footbed:	Black mesh with black PU foam removable full footbed
	Fastening System:	5 pairs of punched eyelets
	Scuff Cap:	Black TPU
	Size range:	UK 2-16

Classification:

EN ISO 20345:2022 SB PS E C WPA FO HRO SC SR

Standards/Technical specifications applied:
EN ISO 20345:2022

Technical reports/Approval documents:

SATRA: CHT0288579, CHT0289394, CHT0293351, FWT0293053 1950 1, FWT0300523/2030, FWT0304647/2046.
CHT0336968/2235/A, CHT8058P9D4, CHT1540T4J8, CHT8244D6W1, CHT2030357 2540 1
CTC:D171223899_1, D230406764_1 Intertek: GZHT91148023, GZHT91212711, GZHT91292212CTT: CTT2205010856EN

Signed on behalf of SATRA:

Kayleigh Aylward

Date first issued: 17/03/2020
Date of issue: 10/10/2025
Expiry date: 10/10/2030



EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: 01773 608616
Email: sales@rockfall.com
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Declares that the PPE described hereafter;

ROCK FALL RF002 Zinc

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2022**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777**. who performed the Eu type examination (Module B) and issued the EU type -examination certificate: **2777/14252-05/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

Satra Technology Europe limited, Bracetown Business Park, Clonee, D15YN2P United Kingdom. Notified Body 2777

Signature:

Position: Director

Date: 10/10/2025



Issued to:

Rock Fall UK Ltd
Major House
Unit 1/3 Wimsey Way
Alfreton
Derbyshire
DE55 4LS
UK

Approved Body: 0321

SATRA customer number: P1769

UKCA Type-Examination Certificate

Certificate number: AB0321/16485-01/E00-00

This UKCA Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:

Following the UKCA Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of the PPE Regulation (2016/425) as brought into UK law and amended as a Category II product.

Product reference:

Rock Fall RF002 Zinc

Description:

Cemented construction, low shoes with black leather upper and synthetic lining, black full removable insole, fastened by 5 eyelets, non-metallic toecap and non-metallic insert plate black #2201MD+RB outsole.

Rock Fall RF003 Cobalt

Variant of RF002 ankle boot fastened by 3 eyelets and 1 D rings.

Size Range: UK 2-16

Classification:

EN ISO 20345:2011 SB P E FO C WRU HRO SRC

ASTM F2413-18 M/I/C Cd PR

Standards/Technical specifications applied:
EN ISO 20345: 2011

Technical reports/Approval documents:

SATRA: CHT0288579, CHT0289394, CHT0293351, FWT0293053 1950 1, FWT0300523/2030, FWT0304647/2046.
CTC:D171223899

Signed on behalf of SATRA:

Pete Doughty

Date first issued: 29/04/2021

Date of issue: 29/04/2021

Expiry date: 29/04/2026



UKCA DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: 01773 608616
Email: sales@rockfall.com
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM Declares that the PPE described hereafter;

ROCK FALL RF002 Zinc

Is in conformity with the provisions of PPE Regulation EU 2016/425, as brought into UK Law and amended, for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2011**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SATRA Technology Centre Limited, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD United Kingdom. Approved Body 0321**. who performed the UKCA type examination (Module B) and issued the UKCA type -examination certificate: **AB0321/16485-01/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425, as brought into UK Law and amended, under the supervision of the notified body: **SATRA Technology Centre Limited, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD United Kingdom. Approved Body 0321**

Signature:

Position: Director

Date: 29/04/2021

Certificate of Conformance (COC)

Certificate No. 2412005


Issued by CTC Dongguan Co., Ltd., to the following model of PPE footwear:

Company name: ROCK FALL UK LTD

Product Description: OUTSOLE:2201#, TOECAP: PEP-COMPOSITE, INSERT: PEP-COMPOSITE

Style name: RF002

Gender: Male



This product meets the performance requirements of ASTM Specification F2413-24 as tested in accordance with ASTM Test Methods F2412-24 for the following safety hazards:

Safety hazards	CTC testing report No.	Issued date of report
5.2 Impact Resistant (I)	D241233894_1	09 December, 2024
5.3 Compression Resistant (C)	D241233894_1	09 December, 2024
5.5 Conductive footwear (Cd)	D241233894_1	09 December, 2024
5.8 Puncture Resistant (PR) 5.8.7 Determination of puncture force 5.8.8 Determination of the flex resistance of puncture-resistant insert	D241236354_1	30 December, 2024

Note :

1. This declaration applies to the particular sample tested and to the specific tests carried out as dated and detailed in the report(s) referenced above.
2. This certificate is valid only for the applicant's selected test items and must not be used without the attached test report(s).

Issue date of certificate:
December 31, 2024

Issued in Dongguan by:
Kevin LEE
PPE Manager of CTC Greater China



Kevin

CTC Dongguan Co., Ltd.

1 Floor, No.14 building, Small and Medium sized Enterprises Pioneer Park,
SSL Industry Park, Dongguan - P.R. CHINA
Tél. : +86 769 23 03 77 70 Fax : +86 769 23 03 77 71
E-mail : ctcdongguan@ctcgroupe.com