

## FEATURES



Anti-Static



Steel Toecap



PS Rated Penetration Resistant Insert



Cold Insulation



Fuel Oil Resistant Outsole



Heat Insulation



Heat Resistant Outsole to 300c



Water Repellent Upper



Internal Digging Plate



Recycled Materials

## INDUSTRIES



Construction



Engineering



Highways



Quarry and Mining



Rail



Utilities

## Product Details

Colour: Black  
Size Range: UK 5-14  
Height: 6 inches  
Weight: 913g



## PRODUCT DESCRIPTION

RF10 Ebonite. Full grain leather upper, certified to Leather Working Group Gold standard, delivers long lasting durability and moisture repellence. Steel toe-cap provides 200 joule impact protection, whilst the FORCE10® solid nitrile rubber outsole delivers exceptional abrasion resistance across concrete and uneven terrain. Built uncompromisingly tough.

## MATERIAL BREAKDOWN

**UPPER MATERIAL:** Leather Working Group Certified, Water Repellent Full Grain Leather  
**LACES:** 100% Polyester  
**FOOTBED:** Activ-Step® PU Foam, 100% Post Consumer Recycled Polyester Top Mesh  
**LINING:** 100% Polyester Mesh  
**SCUFF CAP:** FORCE10® Nitrile Rubber  
**KICK PROTECTOR:** TPU  
**OUTSOLE:** FORCE10® Nitrile Rubber  
**DIGGING PLATE:** Impact Shield™ Polypropylene  
**PROTECTIVE TOECAP:** Steel  
**PROTECTIVE MIDSOLE:** Activ-Step® PS Rated Penetration Resistant Insert

## TECHNOLOGIES & ACCREDITATIONS

**FORCE10®**

**FORCE10®**

**IMPACT SHIELD**  
INTERNAL DIGGING PLATE

**PRINTED WITH SOY INK®**



Category	SB	S1	S2	S3/L/S	S4	S5/L/S	S6	S7/L/S
Class 1	✓	✓	✓	✓	✗	✗	✓	✓
Class 2	✗	✗	✗	✗	✓	✓	✗	✗
200 Joules Toecap	✓	✓	✓	✓	✓	✓	✓	✓
Closed heel Area	✗	✓	✓	✓	✓	✓	✓	✓
Energy Absorption Of Seat Region	✗	✓	✓	✓	✓	✓	✓	✓
Anti-Static	✗	✓	✓	✓	✓	✓	✓	✓
Water Penetration And Absorption	✗	✗	✓	✓	✗	✗	✓	✓
Perforation Resistance To The Type	✗	✗	✗	✓	✗	✓	✗	✓
Cleated Outside	✗	✗	✗	✓	✗	✓	✗	✓
Water Resistance Of The Entire Shoe	✗	✗	✗	✗	✗	✗	✓	✓

### EN 2022 SPECIFICATION

Safety footwear is classified in the UK and EU by the EN 20345 standard using a categorisation of S1 through to S7 to quickly determine the level of incorporated safety components. This is further supported by letter codes for additional safety components or tests the footwear has undergone.

For further information contact the Rock Fall sales team.

Always check with your health and safety management if you are unsure of the appropriate specification required by your workplace.

**Class 1** refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear  
**Class 2** Refers to all polymeric footwear including all rubber footwear.

**S3, S5, S7** Specify metallic midsole tested at 1100N.

**S3L, S5L, S7L** specify non-metal midsole tested at 1100N with a 4.5mm nail.

**S3S, S5S, S7S** specify non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification does not necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more information on specifications and standards, get in touch with our team for complete guide.

## WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footwear is providing the correct arch support, and that your footwear is the correct size for your feet.

## FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.



Issued to:

Rock Fall UK Ltd  
Major House  
Unit 1/3 Wmsey Way  
Alfreton  
Derbyshire  
DE55 4LS  
United Kingdom

Notified Body: 2777

SATRA customer number: P1769

## EU Type-Examination Certificate

**Certificate number: 2777/15487-02/E00-00**

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

**Product Ref:**

Rock Fall RF10 Ebonite<sup>1</sup>  
Rock Fall RF15 Shale<sup>2</sup>  
Rock Fall RF170 Granite<sup>3</sup>

**Description:**

Design Type:	Ankle Boot (Design B)
Upper:	Black Full Grain Leather 1.8-2.0mm
Collar:	Black PU
Tongue:	Black PU
Vamp Lining:	Black Sandwich Mesh
Quarter Lining:	Black Sandwich Mesh
Counter Lining:	Black Sandwich Mesh
Collar Lining:	Black Sandwich Mesh
Tongue Lining:	Black Sandwich Mesh
Perforation Resistance:	PEP Composite
Toe Protection:	PEP-Steel Metallic
Last Reference:	#PEP-PL
Soling Construction:	Cemented
Soling Material:	Black Rubber
Sole Reference:	2147#
Insole Board:	PEP Composite
Insock/Footbed:	Black Mesh+ Black EVA Foam Full Removable Insock
Fastening System:	6 Eyelets Comprise the Laced Fastening System <sup>1</sup> 3 Eyelets and 3 Ski Hooks Comprise the Laced Fastening System <sup>2</sup> 5 Eyelets Comprise the Laced Fastening System <sup>3</sup>
Scuff Cap:	Black TPU
Size Range:	UK: 3-16#
Available colour:	Black

**Classification:**

EN ISO 20345:2022 S3S HI CI SC HRO FO SR

Standards/Technical specifications applied:  
EN ISO 20345:2022

Technical reports/Approval documents:

SATRA:CHT0336968/2235/A

Intertek: GZHT90885557, GZHT90680581, GZHT90876015, GZHT90593754, GZHT90615203, GZHT90818722, GZHT90657776, GZHT90577875, GZHT90577845, GZHT90615699, GZHT90573543, GZHT90676988, GZHT90670616, GZHT90623658, GZHT90576773, GZHT90607597, GZHT90671862, GZHT90619917, GZHT90631007, GZHT90567198, GZHT90680581, GZHT90947643, GZHT90850733, GZHT91148023

CTC: D191123960\_1, D200403963\_1, D180814971\_1, D230201712\_2, D221022388\_2, D221022386\_1, D220406764\_2  
LCTECH: LCZC16110542-E

Date first issued: 17/12/2020

Date of issue: 10/04/2023

Expiry date: 10/04/2030

Signed on behalf of SATRA:

Geoff Graham



## EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House,  
Unit 1/3, Wimsey Way,  
Alfreton, Derbyshire, DE55 4LS  
United Kingdom  
Tel: **01773 608616**  
Email: [sales@rockfall.com](mailto:sales@rockfall.com)  
[rockfall.com](http://rockfall.com)

The manufacturer or his nominated representative established in the community;

**ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM**

Declares that the PPE described hereafter;

### **ROCK FALL RF10 Ebonite**

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2022**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

**ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM**

Is identical to the PPE submitted to: **SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777.** who performed the Eu type examination (Module B) and issued the EU type -examination certificate: **2777/15487-02/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

**SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777**

Signature:

Position: Director

Date: 10/04/2025