

## FEATURES



Anti-Static



Aluminium Toecap



PS Rated Penetration Resistant Protective Midsole



Fuel Oil Resistant Outsole



Heat Resistant Outsole to 300c



Water Repellent Upper



Fully Waterproof



Recycled Materials



SR Slip Resistance



Fully Sustainable Packaging

## INDUSTRIES



Agricultural



Automotive and Aerospace



Construction



House builders



Utilities



Warehousing and Logistics

## Product Details

Colour: Stone

Size Range: UK 6-13

Height: 5 inches

Weight: 720g

Style Ref.

**RF380**

Style Name.

**Dallas**

Specification: EN ISO 20345: 2022 S7S HRO FO SR



## PRODUCT DESCRIPTION

RF380 Dallas offers superior protection and comfort for demanding work environments. Featuring an ergonomic collar design, lightweight aluminium toecap, and Activ-Step penetration resistant midsole. Waterproof construction keeps feet dry, whilst the EVA cushioned midsole absorbs impact, ensuring all-day comfort on any terrain.

## MATERIAL BREAKDOWN

**UPPER MATERIAL:** Water Repellent Nubuck Leather, LWG Certified

**EYELETS:** Metal

**LACES:** 100% Post Consumer Recycled Polyester

**FOOTBED:** Activ-Step® Bio-Based Footbed Made From 73% Natural Rubber, 27% Synthetic Rubber, 100% Post Consumer Recycled Top Mesh

**LINING:** Waterproof Construction, 40% Nylon, 60% Post Consumer Recycled Polyester

**MEMBRANE:** Activ-Tex® Waterproof, Breathable Microporous Membrane

**OUTSOLE:** TPU, EVA Midsole, Nitrile Rubber

**PROTECTIVE TOECAP:** Aluminium

**PROTECTIVE MIDSOLE:** Activ-step® Penetration Resistant

## TECHNOLOGIES & ACCREDITATIONS

COMFORT FOOTBEDS

**ACTIV-TEX**



More info on this style at:

[WWW.ROCKFALL.COM/PRODUCTS/DALLAS](http://WWW.ROCKFALL.COM/PRODUCTS/DALLAS)

Tel. +44 (0) 1773 608616

Email. [sales@rockfall.com](mailto:sales@rockfall.com)

Rock Fall UK  
Wimsey Way, Somercoates  
Alfreton DE55 4LS  
United Kingdom

Category	SB	S1	S2	S3/L/S	S4	S5/L/S	S6	S7/L/S
Class 1	✓	✓	✓	✓	✗	✗	✓	✓
Class 1	✗	✗	✗	✗	✓	✓	✗	✗
200 Joules Toecap	✓	✓	✓	✓	✓	✓	✓	✓
Closed heel Area	✗	✓	✓	✓	✓	✓	✓	✓
Energy Absorption Of Seat Region	✗	✓	✓	✓	✓	✓	✓	✓
Anti-Static	✗	✓	✓	✓	✓	✓	✓	✓
Water Penetration And Absorption	✗	✗	✓	✓	✗	✗	✓	✓
Perforation Resistance To The Type	✗	✗	✗	✓	✗	✓	✗	✓
Cleated Outside	✗	✗	✗	✓	✗	✓	✗	✓
Water Resistance Of The Entire Shoe	✗	✗	✗	✗	✗	✗	✓	✓

**Class 1** refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear  
**Class 2** Refers to all polymeric footwear including all rubber footwear.

**S3, S5, S7** Specify metallic midsole tested at 1100N.  
**S3L, S5L, S7L** specify non-metal midsole tested at 1100N with a 4.5mm nail.  
**S3S, S5S, S7S** specify non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification does not necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more information on specifications and standards, get in touch with our team for complete guide.

## WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footbed is providing the correct arch support, and that your footwear is the correct size for your feet.

## FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.



Issued to:

Rock Fall UK Ltd  
Major House  
Unit 1/3 Wimsey Way  
Alfreton  
Derbyshire  
DE55 4LS  
United Kingdom

Notified Body: 2777

SATRA customer number: P1769

## EU Type-Examination Certificate

### Certificate number: 2777/25247-01/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

**Product reference:** **Description:**

RF350 Carson Height of upper: Ankle Boot  
RF360 Pacer Upper 1: 1.8-2.0mm black waxy leather (RF350)  
RF370 Sable Upper 2: 1.8-2.0mm brown crazy horse leather (RF360)  
RF380 Dallas Upper 3: 1.8-2.0mm nubuck - RF370: Honey / RF380: Stone / RF390: Navy  
RF390 Kyanite Vamp/quarter/counter lining: Black/white flat lunar backed HBR membrane  
Collar/tongue lining: 009 sandwich mesh - RF350/RF360/RF370/RF390: Black / RF380: Grey  
Collar/tongue 1: 0.8mm PU - RF350/RF360/RF370(collar)/RF390: Black / RF380(collar): Grey  
Tongue 2: 1.0-1.2mm suede - RF370: Honey / RF380: Grey  
Fastening: 5 pairs of metal loops  
Toe-cap: PEP-Aluminium toecap  
Perforation resistance insert / insole: White PEP-composite referenced 777#  
Construction: Cemented  
Insock: Orange mesh with bio-natural latex footbed  
Sole: MD EVA with rubber outsole – RF350/RF360/RF390: Black/black / RF370: Honey/black / RF380: Stone/gum  
Sole Pattern: 2046#

Size range: EUR 39-48

**Category of Protection:**  
EN ISO 20345: 2022 S7S FO HRO SR

Standards/Technical specifications applied:  
EN ISO 20345:2022

Technical reports/Approval documents:

SATRA: CHT3429K7L7/Issue2, CHT4482B5C6, CHT3363C5R5, CHT5412X3F5, CHT3362J8H0, CHT1540T4J8, CHT8670Y8P9  
Intertek: GZHT91126141, GZHT91103979, GZHT91025000, GZHT91024399, GZHT90947687, GZHT91200188, GZHT91079689,  
GZHT91044940(S1), GZHT90835408, GZHT91009577, GZHT91078879, GZHT91203106, GZHT91203109,  
GZHT91203111, GZHT91203103, GZHT91023071, GZHT91096862, GZHT90891082  
TUV: 66.430.23.0619.01, 66.430.23.0698.01

Signed on behalf of SATRA:

Geoff Graham

Date first issued: 12/01/2024  
Date of issue: 12/01/2024  
Expiry date: 12/01/2029



#### EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House,  
Unit 1/3, Wimsey Way,  
Alfreton, Derbyshire, DE55 4LS  
United Kingdom  
Tel: 01773 608616  
Email: [sales@rockfall.com](mailto:sales@rockfall.com)  
[rockfall.com](http://rockfall.com)

The manufacturer or his nominated representative established in the community;

**ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM**

Declares that the PPE described hereafter;

#### **ROCK FALL RF380 Dallas**

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II**  
and, where such is the case, with the national standard transposing the  
union harmonised standard no. **EN ISO 20345:2022**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

**ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM**

Is identical to the PPE submitted to: **SATRA technology Europe Ltd, Bracetown Business Park, Clonee, D15Y N2P, Republic of Ireland . Notified Body 2777** who performed the Eu type examination (Module B) and issued the EU type -examination certificate:  
**2777/25247-01/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

**SATRA technology Europe Ltd, Bracetown Business Park, Clonee, D15Y N2P, Republic of Ireland. Notified Body 2777**

Signature:

Position: Director

Date: 16/01/2024