

FEATURES



Electrical Hazard



Fibreglass Toecap



PS Rated Penetration Resistant Protective Midsole



Non Metallic



Cold Insulation



Fuel Oil Resistant Outsole



Heat Resistant Outsole to 300c



Water Repellent Upper



Fully Waterproof



Recycled Materials

Product Details

Colour: Black

Size Range: UK 3-16
(INC 6.5 and 10.5)

Height: 5 inches

Weight: 753g



PRODUCT DESCRIPTION

RF910 Surge boasts premium full-grain leather, waterproof construction, and fibreglass toe protection. Advanced penetration-resistant midsole safeguards against sharp objects. Nitrile rubber outsole delivers superior traction. Engineered for ultimate durability and comfort, these boots excel in demanding work environments, ensuring unparalleled safety and performance.

TECHNOLOGIES & ACCREDITATIONS



activ-step

COMFORT FOOTBEDS



INDUSTRIES



Automotive and Aerospace



Construction



Electric Vehicle



Engineering



Highways



Offshore



Rail



Security



Utilities



Warehousing and Logistics

MATERIAL BREAKDOWN

UPPER MATERIAL: Water Repellent Waxy Leather, LWG Certified

EYELETS: Plastic

LACES: 100% Post Consumer Recycled Polyester

FOOTBED: Activ-Step® PU Foam, 100% Post Consumer Recycled Polyester Top Mesh

LINING: Waterproof Construction, 40% Nylon, 60% Post Consumer Recycled Polyester

SCUFF CAP: PU

KICK PROTECTOR: TPU

MEMBRANE: Activ-Tex® Waterproof, Breathable Microporous Membrane

OUTSOLE: Dual Density PU, Nitrile Rubber

PROTECTIVE TOECAP: Fibreglass

PROTECTIVE MIDSOLE: Activ-step® Penetration Resistant

More info on this style at:

WWW.ROCKFALL.COM/PRODUCTS/SURGE

Tel. +44 (0) 1773 608616

Email. sales@rockfall.com

Rock Fall UK
Wimsey Way, Somercoates
Alfreton DE55 4LS
United Kingdom

Category	SB	S1	S2	S3/L/S	S4	S5/L/S	S6	S7/L/S
Class 1	✓	✓	✓	✓	✗	✗	✓	✓
Class 1	✗	✗	✗	✗	✓	✓	✗	✗
200 Joules Toecap	✓	✓	✓	✓	✓	✓	✓	✓
Closed heel Area	✗	✓	✓	✓	✓	✓	✓	✓
Energy Absorption Of Seat Region	✗	✓	✓	✓	✓	✓	✓	✓
Anti-Static	✗	✓	✓	✓	✓	✓	✓	✓
Water Penetration And Absorption	✗	✗	✓	✓	✗	✗	✓	✓
Perforation Resistance To The Type	✗	✗	✗	✓	✗	✓	✗	✓
Cleated Outside	✗	✗	✗	✓	✗	✓	✗	✓
Water Resistance Of The Entire Shoe	✗	✗	✗	✗	✗	✗	✓	✓

Class 1 refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear
Class 2 Refers to all polymeric footwear including all rubber footwear.

S3, S5, S7 Specify metallic midsole tested at 1100N.
S3L, S5L, S7L specify non-metal midsole tested at 1100N with a 4.5mm nail.
S3S, S5S, S7S specify non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification does not necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more information on specifications and standards, get in touch with our team for complete guide.

WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footbed is providing the correct arch support, and that your footwear is the correct size for your feet.

FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.

PRODUCT DISCLAIMER

This footwear is Electrical Hazard and tested in accordance with the test method as set out within ASTM F2412-24. This protection deteriorates rapidly in humid, damp and wet environments and with wear. Electrical Hazard (EH) Safety footwear is intended as secondary source protection equipment and not for live working. This boot has been independently tested in accordance to the IEC 61482-1-1:2019 arc test methods. The results achieved are not an official rating or standard and the conclusions are not covered by the ENAC accreditation scope. The project ATPV rating for the material is 126 Cal/cm² and project rating for whole footwear was No Burns observed at 109.4 Cal/cm². Laces to the same specification from the manufacturer should be used as replacements.

More info on this style at:

WWW.ROCKFALL.COM/PRODUCTS/SURGE

Tel. +44 (0) 1773 608616
 Email. sales@rockfall.com

Rock Fall UK
 Wimsey Way, Somercoates
 Alfreton DE55 4LS
 United Kingdom

EU TYPE EXAMINATION CERTIFICATE



00151

NOTIFIED BODY 2575
The PPE detailed herein meets the criteria of an EU Type Examination in accordance with Annex V, including the applicable clauses of the Essential Health and Safety Requirements of the PPE Regulation EU 2016/425.

Following an EU Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 17 of the PPE Regulation EU 2016/425.

VALIDITY OF CERTIFICATE

This certificate will cease its validity at any time if needed, in particular if changes in the manufacturing process, in the raw materials or in PPE components will occur.

INTERTEK ITALIA SpA
Via Miglioli, 2/A
Cernusco sul Naviglio (MI), Italy
T: +39 02 95383833
intertek.italia.notified.body@pec.it

Manufacturer: Rock Fall UK Ltd
Address: Wimsey Way, Alfreton, Derbyshire DE55 4LS, UK

Authorised Representative: -

Address: -

Certificate No.: ITASLNB25013042

Brand Name: -

Model: Surge

Article(s) code: RF910

Product type: Safety Footwear

Reference(s) Standard: EN ISO 20345:2022+A1:2024

Description:

Lace up ankle boots in black. Construction: Injected; Last: 620PT; Mould: TY-02; Upper Material: full grain leather, PU scuff cap, TPU heel guard; Toecap: fiberglass toecap 522X; Outsole: PU/Rubber; Perforation resistant insert: Anti-Static & Anti-Penetration Insole Flex Tough; Insock: Mesh + foam; Size Range: EU 35-51; Category: SB E CI HRO PS SC WPA WR FO SR.

This has been shown through satisfactory testing to: EN ISO 20345:2022+A1:2024

Examination of the Technical File Documentation, No: TF for RF910 - Rev.4 12/11/2025

Test Report no. See Technical File

Remark: This certificate annuls and replaces the certificate ITASLNB21014675.

Note:

Issued at: Lastra a Signa (FI)
General Manager Elena Ruffino

Issue Date 02/12/2025
Expiry Date 01/12/2030

For and on behalf of INTERTEK ITALIA SpA



This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.

Intertek Italia S.p.A. Via Miglioli, 2/A - 20063 Cernusco sul Naviglio, Milano – Italy



EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: 01773 608616
Email: sales@rockfall.com
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Declares that the PPE described hereafter;

ROCK FALL RF910 Surge

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2022+A1:2024**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **Intertek Italia SpA, Via Miglioli, 2/A, Cernusco sul Naviglio (MI), Italy. Notified Body 2575.** who performed the Eu type examination (Module B) and issued the EU type -examination certificate: **ITASLN25013042**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

Intertek Italia SpA, Via Miglioli, 2/A, Cernusco sul Naviglio (MI), Italy. Notified Body 2575.

Signature:

Position: Director

Date: 02/12/2025

UKCA TYPE EXAMINATION CERTIFICATE

intertek
Total Quality. Assured.



APPROVED BODY AB0362

The safety footwear detailed herein meets the criteria of a UKCA Type Examination in accordance with PPE Regulation (EU) 2016/425 as brought into UK law and amended Essential Health and Safety Requirements (Annex II of EU Regulation 2016/425) for category II products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

ITS Testing Services (UK) Ltd.
Centre Court
Meridian Business Park
Leicester, LE19 1WD
United Kingdom
Phone: +44 (0)116 263 0330

Manufacturer	: ROCK FALL UK WIMSEY WAY, ALFRETON, DERBYSHIRE DE55 4LS, UNITED KINGDOM																												
Issue Date	: 05 May 2022																												
Expiry Date	: 05 May 2027																												
Certificate No.	: LECFI00386198																												
Product Reference(s)	: Rock Fall RF910 Surge																												
Description	<table><tr><td>: Construction</td><td>:</td><td>Injection</td></tr><tr><td>Toecap</td><td>:</td><td>Fiber glass toecap</td></tr><tr><td>Midsole</td><td>:</td><td>Composite</td></tr><tr><td>Last</td><td>:</td><td>620PT</td></tr><tr><td>Sole</td><td>:</td><td>PU/Rubber</td></tr><tr><td>Mould</td><td>:</td><td>TY-02#</td></tr><tr><td>Test Report(s)</td><td>:</td><td>See technical File</td></tr><tr><td>Size Range</td><td>:</td><td>UK 3-16</td></tr><tr><td>Category</td><td>:</td><td>SB P E WRU FO CI HRO WR SRC ASTM F2413-18 M/I/C EH PR</td></tr></table>		: Construction	:	Injection	Toecap	:	Fiber glass toecap	Midsole	:	Composite	Last	:	620PT	Sole	:	PU/Rubber	Mould	:	TY-02#	Test Report(s)	:	See technical File	Size Range	:	UK 3-16	Category	:	SB P E WRU FO CI HRO WR SRC ASTM F2413-18 M/I/C EH PR
: Construction	:	Injection																											
Toecap	:	Fiber glass toecap																											
Midsole	:	Composite																											
Last	:	620PT																											
Sole	:	PU/Rubber																											
Mould	:	TY-02#																											
Test Report(s)	:	See technical File																											
Size Range	:	UK 3-16																											
Category	:	SB P E WRU FO CI HRO WR SRC ASTM F2413-18 M/I/C EH PR																											

Assessor:  Date: 05/05/2022

Certification Manager:  Date: 05/05/2022

For and on behalf of ITS Testing Services (UK) Limited

intertek.com Registered in England No. 1408264 Registered Office: Academy Place, 1-9 Brook Street, Brentwood, Essex CM14 5NQ
This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.



UKCA DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: 01773 608616
Email: sales@rockfall.com
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM Declares that the PPE described hereafter;

ROCK FALL RF910 Surge

Is in conformity with the provisions of PPE Regulation EU 2016/425, as brought into UK Law and amended, for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2011**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **ITS Testing Services (UK) Ltd, Centre Court, Meridian Business Park, Leicester, LE19 1WD, United Kingdom. Approved Body AB0362.** who performed the UKCA type examination (Module B) and issued the UKCA type -examination certificate: **LECF100386198**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425, as brought into UK Law and amended, under the supervision of the notified body: **ITS Testing Services (UK) Ltd, Centre Court, Meridian Business Park, Leicester, LE19 1WD, United Kingdom. Approved Body AB0362.**

Signature:

Position: Director

Date: 06/05/2022

Certificate of Conformance

Issued To: ROCK FALL UK

Our Reference No.: GZHT9130348102

Certificate Issue Date: Nov 29, 2024

Buyer's Name: --

Ref. No.: RF910 SURGE

Brand: --

Manufacturer: --

We hereby declare that the product category (group) above has been tested by Intertek and meets the requirements of ASTM Specification ASTM F2413-24 as tested in accordance with ASTM Test Methods F2412-24 and list the safety hazard(s) tested below.

Protective Toe Impact Resistance (I)

Protective Toe Compression Resistance (C)

Electric Hazard Resistant Footwear (EH)

Puncture Resistance Footwear (PR)

The test results are given in our report

No.: GZHT91303481 Dated: Nov 29, 2024

Note :

This declaration applies to the particular sample tested and to the specific tests carried out as dated and detailed in the report(s) referenced above.

Authorized By:
For Intertek Testing Services Shenzhen Ltd.
Guangzhou Branch

Guiliang Dong
Senior Lab Manager

Intertek Testing Services Shenzhen Ltd. Guangzhou Branch

深圳天祥质量技术服务有限公司广州分公司

Room 401/501/601/801/901/1003, No. 8, East BaoYing Road, Huangpu District, Guangzhou 510730
广州市黄埔区保盈东路 8 号 401 房、501 房、601 房、801 房、901 房、1003 房

Tel: +86 020-28209114 Postcode:510730

www.intertek.com

BRANCH (9) INTERTE
检验检测专用章