Rock Fall®
INDUSTRY DEFINING SAFETY FOOTWEAR

Style Ref. **RF920**

Style Name. **Kage**

Specification: EN ISO 20345:2022 + A1:2024 S7S CI HI HRO SC FO SR

FEATURES

- Anti-Static
- Fibreglass Toecap
- PS Rated Penetration Resistant Insert
- Bio Based Materials
- Blood Borne Pathogen Resistant
- Fuel Oil Resistant Outsole
- Heat Resistant Outsole to 300c
- Water Repellent Upper
- Fully Waterproof
- Recycled Materials

INDUSTRIES

- Agricultural
- Airside
- Automotive and Aerospace
- Cargo and Cruise Liners
- Construction
- Emergency Services
- Engineering
- Facility Management
- Highways
- House builders

Product Details

Colour: Black
Size Range: UK 3 - 13
Height: 6 inches
Weight: 688g







PRODUCT DESCRIPTION

RF920 Kage redefines workwear performance through recycled polyester textile construction reinforced with a PU cage, zip access, waterproof barrier, blood-borne pathogen resistance, fibreglass 200J toe cap, penetration resistant insert, EVA mid-sole, Activ-Step bio-based footbed and nitrile rubber outsole engineered for uncompromising grip and all day fatigue reduction.

MATERIAL BREAKDOWN

UPPER MATERIAL: 100% Water Repellent Post Consumer Recycled Polyester Mesh, Heat Laminated KPU Cage
EYELETS: Plastic Lace Loop
ZIPS: YBS® No.8
LACES: 100% Post Consumer Recycled Polyester
FOOTBED: 100% Post Consumer Recycled Polyester Top Mesh, 27% Synthetic Rubber, Activ-Step® Bio-Based Footbed Made From 73% Natural Rubber
LINING: 40% Nylon, 60% Post Consumer Recycled Polyester, Blood Borne Pathogen Resistant
OUTSOLE: Nitrile Rubber
PROTECTIVE TOECAP: Fibreglass
PROTECTIVE MIDSOLE: Activ-Step® PS Rated Penetration Resistant Insert

TECHNOLOGIES & ACCREDITATIONS

activ step COMFORT FOOTBEDS

Tel. +44 (0) 1773 608616
Email. sales@rockfall.com

Rock Fall UK
Wimsey Way, Somercoates
Alfreton DE55 4LS
United Kingdom

Rock Fall®
INDUSTRY DEFINING SAFETY FOOTWEAR

OVERVIEW OF SAFETY STANDARDS

Category	SB	S1	S2	S3/L/S	S4	S5/L/S	S6	S7/L/S
Class 1	✔	✔	✔	✔	✕	✕	✔	✔
Class 1	✕	✕	✕	✕	✔	✔	✕	✕
200 Joules Toecap	✔	✔	✔	✔	✔	✔	✔	✔
Closed heel Area	✕	✔	✔	✔	✔	✔	✔	✔
Energy Absorption Of Seat Region	✕	✔	✔	✔	✔	✔	✔	✔
Anti-Static	✕	✔	✔	✔	✔	✔	✔	✔
Water Penetration And Absorption	✕	✕	✔	✔	✕	✕	✔	✔
Perforation Reistance To The Type	✕	✕	✕	✔	✕	✔	✕	✔
Cleated Outside	✕	✕	✕	✔	✕	✔	✕	✔
Water Resistance Of The Entire Shoe	✕	✕	✕	✕	✕	✕	✔	✔

EN 2022 SPECIFICATION

Safety footwear is classified in the UK and EU by the EN 20345 standard using a categorisation of S1 through to S7 to quickly determine the level of incorporated safety components. This is further supported by letter codes for additional safety components or tests the footwear has undercone.

For further infomation contact the Rock Fall sales team.

Always check with your health and safety managment if you are unsure of the appropriate specification required by your workplace.

Class 1 refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear
Class 2 Refers to all polymetric footwear including all rubber footwear.

S3, S5, S7 Specify metallic midsole tessted at 1100N.
S3L, S5L, S7L specifiy non-metal midsole tested at 1100N with a 4.5mm nail.
S3S, S55, S75 specifiy non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification does not necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more infomation on specifications and standards, get in touch with our team for complete guide.

WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footbed is providing the correct arch support, and that your footwear is the correct size for your feet.

FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.

More info on this style at:

WWW.ROCKFALL.COM/PRODUCTS/KAGE

Tel. +44 (0) 1773 608616
Email. sales@rockfall.com

Rock Fall UK
Wimsey Way, Somercoates
Alfreton DE55 4LS
United Kingdom

EU TYPE-EXAMINATION CERTIFICATE
Regulation (EU) 2016/425, MODULE B
0598/PPE/25/2845 Issue 2

Product	Safety footwear
Model	Rock Fall RF940 Shadow waterproof Safety boot, Rock Fall RF920 Kage waterproof Safety boot.
Trademark	Rock Fall
Certificate Holder / Manufacturer	Rock Fall UK Ltd Major House, Wimsey Way, Alfreton Trading Estate, Derbyshire, DE55 4LS, United Kingdom
	Product complies with the applicable essential health and safety requirements of Regulation (EU) 2016/425 and standard(s) mentioned below
Standard(s)	EN ISO 20345:2022 + A1:2024 (Personal protective equipment - Safety Footwear), Class I footwear, with a performance category of S7S, with additional applications: CI, HI, HRO, SC, FO & SR.
Validity	This certificate is valid until 2030-03-26.
Date of issue	2026-09-25
	SGS Fimko Oy
Signature	

SGS Fimko Oy is a Notified Body (0598) according to the Personal Protective Equipment Regulation (EU)

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Certificate issued by

SGS Fimko Oy
Takomotie 8
FI-00380 Helsinki, Finland
t. +358 9 696 361 www.sgs.com
Business ID 0634247-4 Member of the SGS Group (SGS SA)

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
rockfall.com

EU DECLARATION OF CONFORMITY

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Declares that the PPE described hereafter;

ROCK FALL RF920 Kage

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2022+A1:2024**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SGS Fimko Oy, Takomotie 8, FL-00380 Helsinki, Finland. Notified Body 0598,** who performed the Eu type examination (Module B) and issued the EU type -examination certificate: **0598/PPE/25/2845**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body: **SGS Fimko Oy, Takomotie 8, FL-00380 Helsinki, Finland. Notified Body 0598**

Signature: Position: Director Date:25.09.2026