



Product Details

Colour: Black
Size Range: UK 3-16
Height: 6 inches
Weight: 963g



PRODUCT DESCRIPTION

RF611 Dolomite Cutting-edge safety boot featuring BOA® Fit System for precision adjustment, fibreglass toecap withstanding 200 joules, and waterproof construction. Activ-Step® penetration-resistant midsole and FORCE10® outsole ensure unparalleled protection. IMPACTSHIELD™ digging plate enhances underfoot defence, empowering wearers to conquer demanding work environments with confidence and comfort.

MATERIAL BREAKDOWN

UPPER MATERIAL: Water Repellent Full Grain Leather, LWG Certified
EYELETS: BOA® Eyestay Guard
LACES: BOA® Fit System
FOOTBED: Activ-Step® PU Foam, 100% Post Consumer Recycled Polyester Top Mesh
LINING: Waterproof Construction, 40% Nylon, 60% Post Consumer Recycled Polyester
SCUFF CAP: FORCE10® TPU
MEMBRANE: Activ-Tex® Waterproof, Breathable Microporous Membrane
OUTSOLE: FORCE10® Nitrile Rubber
DIGGING PLATE: Impact Shield™ Polypropylene
PROTECTIVE TOECAP: Fibreglass
PROTECTIVE MIDSOLE: Activ-step® Penetration Resistant

TECHNOLOGIES & ACCREDITATIONS



Category	SB	S1	S2	S3/L/S	S4	S5/L/S	S6	S7/L/S
Class 1	✓	✓	✓	✓	✗	✗	✓	✓
Class 1	✗	✗	✗	✗	✓	✓	✗	✗
200 Joules Toecap	✓	✓	✓	✓	✓	✓	✓	✓
Closed heel Area	✗	✓	✓	✓	✓	✓	✓	✓
Energy Absorption Of Seat Region	✗	✓	✓	✓	✓	✓	✓	✓
Anti-Static	✗	✓	✓	✓	✓	✓	✓	✓
Water Penetration And Absorption	✗	✗	✓	✓	✗	✗	✓	✓
Perforation Resistance To The Type	✗	✗	✗	✓	✗	✓	✗	✓
Cleated Outside	✗	✗	✗	✓	✗	✓	✗	✓
Water Resistance Of The Entire Shoe	✗	✗	✗	✗	✗	✗	✓	✓

Class 1 refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear
Class 2 Refers to all polymeric footwear including all rubber footwear.

S3, S5, S7 Specify metallic midsole tested at 1100N.
S3L, S5L, S7L specify non-metal midsole tested at 1100N with a 4.5mm nail.
S3S, S5S, S7S specify non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification does not necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more information on specifications and standards, get in touch with our team for complete guide.

WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footbed is providing the correct arch support, and that your footwear is the correct size for your feet.

FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.

More info on this style at:

WWW.ROCKFALL.COM/PRODUCTS/DOLOMITE

Tel. +44 (0) 1773 608616
Email. sales@rockfall.com

Rock Fall UK
Wimsey Way, Somercoates
Alfreton DE55 4LS
United Kingdom



Issued to:

Rock Fall UK Ltd
Major House
Unit 1/3 Wimsey Way
Alfreton
Derbyshire
DE55 4LS
United Kingdom

Notified Body: 2777

SATRA customer number: P1769

EU Type-Examination Certificate

Certificate number: 2777/15567-02/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

Product Ref:	Description:
Rock Fall RF610 HONEYSTONE ¹	Design Type: Ankle Boot (Design B) Upper: 2.0-2.2mm Honey Nubuck ¹ , 1.8-2.0mm Black Full Grain Leather ² Tongue: Black PU Collar: Black PU
Rock Fall RF611 DOLOMITE ²	Tongue Lining: Yellow Sandwich Mesh ¹ , Black Sandwich Mesh ² Collar Lining: Yellow Sandwich Mesh ¹ , Black Sandwich Mesh ² Vamp Lining: Grey Sympatex Quarter Lining: Grey Sympatex Counter Lining: Grey Sympatex Perforation Resistance: Non-Metallic White Composite insert Referenced PEP-Composite Toe Protection: Non-Metallic PEP-Composite Top Cap Last Reference: PEP-PL Soling Construction: Cemented Sole Material: Brown Rubber ¹ , Black Rubber ² Sole Reference: 2147#RB Insock/Footbed: Green Mesh + Green PU Form Full Removable Insock Fastening System: BOA® Scuff Cap: Black TPU
	Size Range: UK 3-16

Classification:

EN ISO 20345:2022 S7S HI SC HRO FO SR

Standards/Technical specifications applied:
EN ISO 20345:2022

Technical reports/Approval documents:

SATRA: CHT0288579/1932, CHT0289394/1936, CHT0293351/1951, CHT0295327/2008, CHT0302306/2037/Issue 3, CHT0336968/2235/A, CHT1540T4J8, CHT0348196/2315, CHT2137P7K4
CTC: D171223899_1, D200403963_1, D221022388_2, D221022386_1
Intertek: GZHT90737593, GZHT90989386, GZHT91008322, GZHT91148023
CTT: CTT2403014737EN

Signed on behalf of SATRA:

Geoff Graham

Date first issued: 08/01/2021

Date of issue: 31/10/2024

Expiry date: 31/10/2029



EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: 01773 608616
Email: sales@rockfall.com
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Declares that the PPE described hereafter;

ROCK FALL RF611 Dolomite

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II**
and, where such is the case, with the national standard transposing the
union harmonised standard no. **EN ISO20345:2022**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SATRA technology Europe Ltd, Bracetown Business Park, Clonee, D15Y N2P, Republic of Ireland. Notified Body 2777** who performed the EU type examination (Module B) and issued the EU type -examination certificate:
2777/15567-02/E00-00

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

SATRA technology Europe Ltd, Bracetown Business Park, Clonee, D15Y N2P, republic of Ireland. Notified Body 2777

Signature:

Position: Director

Date: **31/10/2024**



Issued to:

Rock Fall UK Ltd
Major House
Unit 1/3 Wimsey Way
Alfreton
Derbyshire
DE55 4LS
UK

Approved Body: 0321

SATRA customer number: P1769

UKCA Type-Examination Certificate

Certificate number: AB0321/16499-01/E00-00

This UKCA Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:

Following the UKCA Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of the PPE Regulation (2016/425) as brought into UK law and amended as a Category II product.

Product reference:

Rock Fall RF610
HONEYSTONE

Description:

Cemented construction, ankle boots with yellow honey Nubuck and synthetic lining, orange mesh + green PU full removable insole, fastened by BOA® fastening system, non-metallic white composite insert plate and non-metallic PEP-composite toecap and 2147#rubber outsole.

Rock Fall RF611
DOLOMITE

Cemented construction, ankle boots with black full grain and synthetic lining, orange mesh + green PU full removable insole, fastened by BOA® fastening system, non-metallic white composite insert plate and non-metallic PEP-composite toecap and 2147#rubber outsole.

Classification:

EN ISO 20345:2011 S3 WR HI HRO SRC

Size Range: 3 – 16 UK

Standards/Technical specifications applied:
EN ISO 20345: 2011

Technical reports/Approval documents:

SATRA: CHT0288579/1932, CHT0289394/1936, CHT0293351/1951, CHT0295327/2008, CHT0302306/2037/Issue 3
CTC: D171223899_1, D200403963_1
Intertek: GZHT90737593, GZHT90989386, GZHT91008322

Signed on behalf of SATRA:

Pete Doughty

Date first issued: 29/04/2021

Date of issue: 29/04/2021

Expiry date: 29/04/2026



UKCA DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: 01773 608616
Email: sales@rockfall.com
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM Declares that the PPE described hereafter;

ROCK FALL RF611 Dolomite

Is in conformity with the provisions of PPE Regulation EU 2016/425, as brought into UK Law and amended, for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2011**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SATRA Technology Centre Limited, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD United Kingdom. Approved Body 0321**. who performed the UKCA type examination (Module B) and issued the UKCA type -examination certificate: **AB0321/16499-01/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425, as brought into UK Law and amended, under the supervision of the notified body: **SATRA Technology Centre Limited, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD United Kingdom. Approved Body 0321**

Signature:

Position: Director

Date: 29/04/2021

Certificate of Conformance (COC)

Certificate No. 2503027

Issued by CTC Dongguan Co., Ltd., to the following model of PPE footwear:

Company name: ROCK FALL UK LTD

Product Description: OUTSOLE: 2147#, TOECAP: PEP-COMPOSITE, MIDSOLE: PEP-COMPOSITE

Style name: RF611, RF610

Gender: Male (Tested size US9)



This product meets the performance requirements of ASTM Specification F2413-24 as tested in accordance with ASTM Test Methods F2412-24 for the following safety hazards:

Safety hazards	CTC testing report No.	Issued date of report
5.2 Impact Resistant (I)	D250204052_1	05 March, 2025
5.3 Compression Resistant (C)	D250204052_1	05 March, 2025
5.7 Static dissipative footwear (SD) - SD 100	D250204052_1	05 March, 2025
5.8 Puncture Resistant (PR) 5.8.7 Determination of puncture force 5.8.8 Determination of the flex resistance of puncture-resistant insert	D241236354_1	30 December, 2024

Note :

1. This declaration applies to the particular sample tested and to the specific tests carried out as dated and detailed in the report(s) referenced above.
2. This certificate is valid only for the applicant's selected test items and must not be used without the attached test report(s).

Issue date of certificate:
March 10, 2025

Issued in Dongguan by:
Kevin LEE
PPE Manager of CTC Greater China

