

FEATURES



Anti-Static



Fibreglass Toecap



PS Rated Penetration Resistant Insert



Ladder Grip



Non Metallic



Fuel Oil Resistant Outsole



Heat Insulation



Heat Resistant Outsole to 300C



Water Repellent Upper



Fully Waterproof

INDUSTRIES



Automotive and Aerospace



Construction



Engineering



Foundry



Highways



Quarry and Mining



Rail



Utilities



Warehousing and Logistics

Product Details

Colour: Black
 Size Range: UK 6-13
 Height: 5 inches
 Weight: 893g



PRODUCT DESCRIPTION

TC1070 Denver Engineered for ultimate protection and comfort. Featuring fibreglass toecap, waterproof construction, and Activ-Step® penetration-resistant midsole. FORCE10® outsole ensures superior traction. IMPACTSHIELD™ digging plate offers enhanced underfoot protection. LWG GOLD rated leather delivers unparalleled durability and performance in demanding work environments.

MATERIAL BREAKDOWN

UPPER MATERIAL: Water Repellent Full Grain Leather, LWG Certified
EYELETS: Plastic
LACES: 100% Polyester
FOOTBED: Activ-Step® PU Foam, 100% Post Consumer Recycled Polyester Top Mesh
LINING: Waterproof Construction, 40% Nylon, 60% Post Consumer Recycled Polyester
SCUFF CAP: FORCE10® TPU
OUTSOLE: FORCE10® Nitrile Rubber
DIGGING PLATE: Impact Shield™ Polypropylene
PROTECTIVE TOECAP: Fibreglass
PROTECTIVE MIDSOLE: Activ-step® PS Rated Penetration Resistant Insert

TECHNOLOGIES & ACCREDITATIONS



| Category | SB | S1 | S2 | S3/L/S | S4 | S5/L/S | S6 | S7/L/S |
|-------------------------------------|----|----|----|--------|----|--------|----|--------|
| Class 1 | ✓ | ✓ | ✓ | ✓ | ✗ | ✗ | ✓ | ✓ |
| Class 2 | ✗ | ✗ | ✗ | ✗ | ✓ | ✓ | ✗ | ✗ |
| 200 Joules Toecap | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Closed heel Area | ✗ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Energy Absorption Of Seat Region | ✗ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Anti-Static | ✗ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Water Penetration And Absorption | ✗ | ✗ | ✓ | ✓ | ✗ | ✗ | ✓ | ✓ |
| Perforation Resistance To The Type | ✗ | ✗ | ✗ | ✓ | ✗ | ✓ | ✗ | ✓ |
| Cleated Outside | ✗ | ✗ | ✗ | ✓ | ✗ | ✓ | ✗ | ✓ |
| Water Resistance Of The Entire Shoe | ✗ | ✗ | ✗ | ✗ | ✗ | ✗ | ✓ | ✓ |

EN 2022 SPECIFICATION

Safety footwear is classified in the UK and EU by the EN 20345 standard using a categorisation of S1 through to S7 to quickly determine the level of incorporated safety components. This is further supported by letter codes for additional safety components or tests the footwear has undergone.

For further information contact the Rock Fall sales team.

Always check with your health and safety management if you are unsure of the appropriate specification required by your workplace.

Class 1 refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear
Class 2 Refers to all polymeric footwear including all rubber footwear.

S3, S5, S7 Specify metallic midsole tested at 1100N.

S3L, S5L, S7L specify non-metal midsole tested at 1100N with a 4.5mm nail.

S3S, S5S, S7S specify non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification does not necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more information on specifications and standards, get in touch with our team for complete guide.

WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footwear is providing the correct arch support, and that your footwear is the correct size for your feet.

FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.



Issued to:

Rock Fall UK Ltd
Major House
Unit 1/3 Wimsey Way
Alfreton
Derbyshire
DE55 4LS
United Kingdom

Notified Body: 2777

SATRA customer number: P1769

EU Type-Examination Certificate

Certificate number: 2777/15489-02/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

Product reference:

Rock Fall TC1070 Denver

Description:

Ankle safety boot comprising black full grain leather upper with synthetic linings. 4 eyelets and 2 ski hooks comprise the laced fastening system. PEP-Composite toecap, PEP-Composite perforation resistant insert and a cemented outsole referenced 2147#RB.

Classification:

EN ISO 20345:2022 S7S HI SC HRO FO SR

Size Range: 3 – 14 UK

Standards/Technical specifications applied:
EN ISO 20345:2022

Technical reports/Approval documents:

Intertek: GZHT90573543, GZHT90607597, GZHT90577845, GZHT90848188, GZHT90876015, GZHT90671862, GZHT90680581, GZHT90687988, GZHT90577875, GZHT90567198, GZHT90576773, GZHT90593754, GZHT90623658, GZHT90670616, GZHT90615699, GZHT90657776, GZHT90562569, GZHT90624044, GZHT90639535, GZHT90885557, GZHT90676988, GZHT90631007, GZHT90619917, GZHT90947643, GZHT90850733, GZHT91148023
CTC: D180814971_1, D221022388_2, D221022386_1, D230406764_2
SATRA: CHT0288579/1932, CHT0336968/2235/A,
LCTECH: LCZC16110542-E

Date first issued: 17/12/2020

Date of issue: 28/11/2024

Expiry date: 28/11/2029

Signed on behalf of SATRA:

Geoff Graham



EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: sales@rockfall.com
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Declares that the PPE described hereafter;

ROCK FALL TC1070 Denver

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2022**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777.** who performed the Eu type examination (Module B) and issued the EU type -examination certificate: **2777/15489-02/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777.

Signature:

Position: Director

Date: 28/11/2029

Certificate of Conformance (COC)

Certificate No. 2503036


Issued by CTC Dongguan Co., Ltd., to the following model of PPE footwear:

Company name: ROCK FALL UK LTD

Product Description: OUTSOLE: 2147#, TOECAP: PEP-COMPOSITE, MIDSOLE: PEP-COMPOSITE

Style name: TC1070

Gender: Unisex (Tested size US9)



This product meets the performance requirements of ASTM Specification F2413-24 as tested in accordance with ASTM Test Methods F2412-24 for the following safety hazards:

| Safety hazards | CTC testing report No. | Issued date of report |
|---|------------------------|-----------------------|
| 5.2 Impact Resistant (I) | D250304569_1 | 07 March, 2025 |
| 5.3 Compression Resistant (C) | D250304569_1 | 07 March, 2025 |
| 5.8 Puncture Resistant (PR) 5.8.7 Determination of puncture force 5.8.8 Determination of the flex resistance of puncture-resistant insert | D241236354_1 | 30 December, 2024 |

Note :

1. This declaration applies to the particular sample tested and to the specific tests carried out as dated and detailed in the report(s) referenced above.
2. This certificate is valid only for the applicant's selected test items and must not be used without the attached test report(s).

Issue date of certificate:
March 14, 2025

Issued in Dongguan by:
Kevin LEE
PPE Manager of CTC Greater China



CTC Dongguan Co., Ltd.

1 Floor, No.14 building, Small and Medium sized Enterprises Pioneer Park,
SSL Industry Park, Dongguan - P.R. CHINA
Tél. : +86 769 23 03 77 70 Fax : +86 769 23 03 77 71
E-mail : ctcdongguan@ctcgroupe.com