SAFETY DATA SHEET

Q-Connect PC & Laptop Screen Cleaning Wipes, Tub 100

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Q-Connect PC & Laptop Screen Cleaning Wipes, Tub 100
Product number	KF04501, ZP
1.2. Relevant identified uses	of the substance or mixture and uses advised against
Identified uses	Cleaning agent.
Uses advised against	No specific uses advised against are identified.
1.3. Details of the supplier of the safety data sheet	
Supplier	Interaction-Connect SA 296-298 Route De Longwy L-1940 Luxembourg +32 93 80 82 48 www.opinfo.net
1.4. Emergency telephone nu	umber
Emergency telephone	IN CASE OF EMERGENCY CALL: +44 1865 407333 (24hr, Provided by Carechem 24) +353 (0)1 809 2166 (Beaumont Hospital, Republic of Ireland only, 8am-10pm, 7 days a week)
SECTION 2: Hazards identifi	cation
2.1. Classification of the subs	stance or mixture
Classification (EC 1272/2008	·
Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified
2.2. Label elements	
Hazard statements	EUH208 Contains 1,2-Benzisothiazol-3(2H)-one, Reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.
Precautionary statements	P102 Keep out of reach of children.
countering outernents	
Detergent labelling	< 5% perfumes, Contains BENZISOTHIAZOLINONE, METHYLISOTHIAZOLINONE, METHYLCHLOROISOTHIAZOLINONE AND METHYLISOTHIAZOLINONE
-	< 5% perfumes, Contains BENZISOTHIAZOLINONE, METHYLISOTHIAZOLINONE,
Detergent labelling 2.3. Other hazards	< 5% perfumes, Contains BENZISOTHIAZOLINONE, METHYLISOTHIAZOLINONE,
Detergent labelling 2.3. Other hazards	< 5% perfumes, Contains BENZISOTHIAZOLINONE, METHYLISOTHIAZOLINONE, METHYLCHLOROISOTHIAZOLINONE AND METHYLISOTHIAZOLINONE n any substances classified as PBT or vPvB.
Detergent labelling 2.3. Other hazards This product does not contain	< 5% perfumes, Contains BENZISOTHIAZOLINONE, METHYLISOTHIAZOLINONE, METHYLCHLOROISOTHIAZOLINONE AND METHYLISOTHIAZOLINONE n any substances classified as PBT or vPvB.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical personnel.
Inhalation	No specific recommendations. If throat irritation or coughing persists, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if any discomfort continues.
Ingestion	No specific recommendations. If throat irritation or coughing persists, proceed as follows. Rinse mouth. Get medical attention if any discomfort continues.
Skin contact	No specific recommendations. Rinse with water. Get medical attention if any discomfort continues.
Eye contact	Rinse with water. Get medical attention if any discomfort continues.
Protection of first aiders	Use protective equipment appropriate for surrounding materials.
4.2. Most important symptoms	and effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known. Spray/mists may cause respiratory tract irritation.
Ingestion	No specific symptoms known. May cause discomfort if swallowed.
Skin contact	No specific symptoms known. May cause discomfort.
Eye contact	No specific symptoms known. May be slightly irritating to eyes.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
Specific treatments	No special treatment required.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising fro	om the substance or mixture
Specific hazards	The product is not believed to present a hazard due to its physical nature.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
5.3. Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.
SECTION 6: Accidental releas	e measures

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures		
Personal precautions	No specific recommendations. For personal protection, see Section 8.	
6.2. Environmental precaution	ns	
Environmental precautions	Avoid discharge to the aquatic environment.	
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	Reuse or recycle products wherever possible. Absorb spillage to prevent material damage. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national regulations.	
6.4. Reference to other sections		
Reference to other sections	For personal protection, see Section 8.	
SECTION 7: Handling and sto	prage	
7.1. Precautions for safe hand	dling	
Usage precautions	Keep out of the reach of children. Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Avoid discharge to the aquatic environment.	
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage precautions	No specific recommendations.	
Storage class	Unspecified storage.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure control	Is/Personal protection	
8.1. Control parameters		

Occupational exposure limits

2-Butoxyethanol

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m³ Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m³ Sk

1-Methoxy-2-propanol

Long-term exposure limit (8-hour TWA): WEL 100 ppm 375 mg/m³ Short-term exposure limit (15-minute): WEL 150 ppm 560 mg/m³ Sk

Ethanol

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

Diethyl phthalate

Long-term exposure limit (8-hour TWA): WEL 5 mg/m³ Short-term exposure limit (15-minute): WEL 10 mg/m³ WEL = Workplace Exposure Limit Sk = Can be absorbed through the skin.

8.2. Exposure controls

No specific ventilation requirements.
No specific eye protection required during normal use. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
No specific hand protection recommended.
Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.
No specific recommendations. Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.
Not regarded as dangerous for the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid-impregnated wipe.
Colour	Colourless.
Odour	Alcoholic.
Odour threshold	Not determined.
рН	pH (concentrated solution): 5-7
Melting point	Not determined.
Initial boiling point and range	Not determined.
Flash point	Not determined.
Evaporation rate	Not determined.
Evaporation factor	Not determined.
Flammability (solid, gas)	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Other flammability	Not determined.
Vapour pressure	2.35 kPa @ 20°C
Vapour density	Not determined.
Relative density	Not determined.
Bulk density	Not determined.
Solubility(ies)	Not determined.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.

Viscosity	Not determined.
Explosive properties	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.
9.2. Other information	
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	No potentially hazardous reactions known.
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decompositio	on products
Hazardous decomposition	Does not decompose when used and stored as recommended. Thermal decomposition or
products	combustion products may include the following substances: Harmful gases or vapours.
products SECTION 11: Toxicological in	
•	formation
SECTION 11: Toxicological in	formation
SECTION 11: Toxicological in 11.1. Information on toxicologi	formation
SECTION 11: Toxicological in 11.1. Information on toxicologi Toxicological effects Acute toxicity - oral	formation cal effects Not regarded as a health hazard under current legislation.
SECTION 11: Toxicological in 11.1. Information on toxicologi Toxicological effects Acute toxicity - oral Notes (oral LD ₅₀) Acute toxicity - dermal	formation <u>cal effects</u> Not regarded as a health hazard under current legislation. Based on available data the classification criteria are not met.
SECTION 11: Toxicological in 11.1. Information on toxicologi Toxicological effects <u>Acute toxicity - oral</u> Notes (oral LD ₅₀) <u>Acute toxicity - dermal</u> Notes (dermal LD ₅₀) <u>Acute toxicity - inhalation</u>	formation <u>cal effects</u> Not regarded as a health hazard under current legislation. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met.
SECTION 11: Toxicological in 11.1. Information on toxicologi Toxicological effects Acute toxicity - oral Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀) Acute toxicity - inhalation Notes (inhalation LC ₅₀) Skin corrosion/irritation	formation <u>cal effects</u> Not regarded as a health hazard under current legislation. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met.
SECTION 11: Toxicological in 11.1. Information on toxicologi Toxicological effects Acute toxicity - oral Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀) Acute toxicity - inhalation Notes (inhalation LC ₅₀) Skin corrosion/irritation Animal data Serious eye damage/irritation	formation cal effects Not regarded as a health hazard under current legislation. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met.
SECTION 11: Toxicological in 11.1. Information on toxicologi Toxicological effects Acute toxicity - oral Notes (oral LDso) Acute toxicity - dermal Notes (dermal LDso) Acute toxicity - inhalation Notes (inhalation LCso) Skin corrosion/irritation Animal data Serious eye damage/irritation Serious eye damage/irritation Respiratory sensitisation	formation <u>cal effects</u> Not regarded as a health hazard under current legislation. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met.

Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	Contains a substance/a group of substances which may cause cancer. IARC Group 1 Carcinogenic to humans.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicity - single exposure		
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicity -	repeated exposure	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
General information	No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	No specific symptoms known. Spray/mists may cause respiratory tract irritation.	
Ingestion	No specific symptoms known. May cause discomfort if swallowed.	
Skin contact	No specific symptoms known. May cause discomfort.	
Eye contact	No specific symptoms known. May be slightly irritating to eyes.	
Route of exposure	Ingestion Inhalation Skin and/or eye contact	
Target organs	No specific target organs known.	

Toxicological information on ingredients.

2-Butoxyethanol

Acute toxicity - oral	
Notes (oral LD∞)	Acute Tox. 4 - H302 Harmful if swallowed.
ATE oral (mg/kg)	500.0
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Acute Tox. 4 - H312 Harmful in contact with skin.
ATE dermal (mg/kg)	1,100.0
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	Acute Tox. 4 - H332 Harmful if inhaled.
ATE inhalation (vapours mg/l)	11.0
Skin corrosion/irritation	
Animal data	Irritating.

Serious eye damage/irritati	ion
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxici	ty - single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxici	ty - repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard	
Aspiration hazard	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Headache. Exhaustion and weakness.
Ingestion	May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.
Skin contact	Redness. Irritating to skin.
Eye contact	Irritating to eyes.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
	1-Methoxy-2-propanol
Acute toxicity - oral	
Notes (oral LD ₅₀)	Based on available data the classification criteria are not met.

Acute toxicity - dermal	
Notes (dermal LD ₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC50)	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritati	ion
Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxici	ty - single exposure
STOT - single exposure	STOT SE 3 - H336 May cause drowsiness or dizziness.
Target organs	Central nervous system
Specific target organ toxici	ty - repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard	
Aspiration hazard	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Headache. Nausea, vomiting. Central nervous system depression. Drowsiness, dizziness, disorientation, vertigo. Narcotic effect.
Ingestion	No specific symptoms known.

Skin contact	No specific symptoms known.	
Eye contact	No specific symptoms known.	
Route of exposure	Ingestion Inhalation Skin and/or eye contact	
Target organs	Central nervous system	
	2-Methoxypropanol	
Acute toxicity - oral		
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal		
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation		
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.	
Skin corrosion/irritation		
Skin corrosion/irritation	Irritating to skin.	
Animal data	Irritating.	
Serious eye damage/irritation		
Serious eye damage/irritation	Eye Dam. 1 - H318 Causes serious eye damage.	
Respiratory sensitisation		
Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation		
Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	None of the ingredients are listed or exempt.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	May damage the unborn child.	
Specific target organ toxicit	y - single exposure	
STOT - single exposure	STOT SE 3 - H335 May cause respiratory irritation.	
Target organs	Respiratory system, lungs	
Specific target organ toxicit	ty - repeated exposure	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		

Aspiration hazard	Based on available data the classification criteria are not met.
General information	Avoid contact during pregnancy/while nursing. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Irritation of nose, throat and airway. Difficulty in breathing. Coughing.
Ingestion	May cause irritation.
Skin contact	Redness. Irritating to skin.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	Respiratory system, lungs
	Ethanol
Tovicelegical effects	Net reported as a bacity becard under surrent legislation
Toxicological effects Acute toxicity - oral	Not regarded as a health hazard under current legislation.
Notes (oral LD ₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Notes (dermal LD ₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritati	ion
Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	

Reproductive toxicity - fertility	Based on available data the classification criteria are not met.		
Reproductive toxicity - development	Based on available data the classification criteria are not met.		
Specific target organ toxici	Specific target organ toxicity - single exposure		
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.		
Specific target organ toxici	ty - repeated exposure		
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.		
Aspiration hazard			
Aspiration hazard	Based on available data the classification criteria are not met.		
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.		
Inhalation	No specific symptoms known.		
Ingestion	No specific symptoms known.		
Skin contact	No specific symptoms known.		
Eye contact	No specific symptoms known.		
Route of exposure	Ingestion Inhalation Skin and/or eye contact		
Target organs	No specific target organs known.		
d-Limonene			
	d-Limonene		
Acute toxicity - oral	d-Limonene		
Acute toxicity - oral Notes (oral LD₅₀)	<u>d-Limonene</u> Based on available data the classification criteria are not met.		
Notes (oral LD ₅₀)			
Notes (oral LD ₅₀) Acute toxicity - dermal	Based on available data the classification criteria are not met.		
Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀)	Based on available data the classification criteria are not met.		
Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀) Acute toxicity - inhalation	Based on available data the classification criteria are not met. Based on available data the classification criteria are not met.		
Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀) Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met. Based on available data the classification criteria are not met.		
Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀) Acute toxicity - inhalation Notes (inhalation LC ₅₀) Skin corrosion/irritation	Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Irritating.		
Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀) Acute toxicity - inhalation Notes (inhalation LC ₅₀) Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Irritating.		
Notes (oral LD ₅₀) <u>Acute toxicity - dermal</u> Notes (dermal LD ₅₀) <u>Acute toxicity - inhalation</u> Notes (inhalation LC ₅₀) <u>Skin corrosion/irritation</u> Animal data <u>Serious eye damage/irritation</u> Serious eye	Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Irritating.		
Notes (oral LD ₅₀) <u>Acute toxicity - dermal</u> Notes (dermal LD ₅₀) <u>Acute toxicity - inhalation</u> Notes (inhalation LC ₅₀) <u>Skin corrosion/irritation</u> Animal data <u>Serious eye damage/irritation</u> Serious eye damage/irritation	Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Irritating.		
Notes (oral LD ₅₀) <u>Acute toxicity - dermal</u> Notes (dermal LD ₅₀) <u>Acute toxicity - inhalation</u> Notes (inhalation LC ₅₀) <u>Skin corrosion/irritation</u> Animal data <u>Serious eye damage/irritation</u> Serious eye damage/irritation <u>Respiratory sensitisation</u>	Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Irritating. ion Based on available data the classification criteria are not met.		
Notes (oral LD ₅₀) <u>Acute toxicity - dermal</u> Notes (dermal LD ₅₀) <u>Acute toxicity - inhalation</u> Notes (inhalation LC ₅₀) <u>Skin corrosion/irritation</u> Animal data <u>Serious eye damage/irritation</u> Serious eye damage/irritation <u>Respiratory sensitisation</u> Respiratory sensitisation	Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Irritating. ion Based on available data the classification criteria are not met.		
Notes (oral LD ₅₀) <u>Acute toxicity - dermal</u> Notes (dermal LD ₅₀) <u>Acute toxicity - inhalation</u> Notes (inhalation LC ₅₀) <u>Skin corrosion/irritation</u> Animal data <u>Serious eye damage/irritation</u> Serious eye damage/irritation <u>Respiratory sensitisation</u> <u>Respiratory sensitisation</u> <u>Skin sensitisation</u>	Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Irritating. based on available data the classification criteria are not met. Based on available data the classification criteria are not met.		
Notes (oral LD ₅₀) <u>Acute toxicity - dermal</u> Notes (dermal LD ₅₀) <u>Acute toxicity - inhalation</u> Notes (inhalation LC ₅₀) <u>Skin corrosion/irritation</u> Animal data <u>Serious eye damage/irritation</u> <u>Serious eye damage/irritation</u> <u>Respiratory sensitisation</u> <u>Respiratory sensitisation</u> <u>Skin sensitisation</u> <u>Skin sensitisation</u>	Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Irritating. based on available data the classification criteria are not met. Based on available data the classification criteria are not met.		

Genotoxicity - in vivo	DNA damage and/or repair: Negative. REACH dossier information. Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	None of the ingredients are listed or exempt.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicit	y - single exposure	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicit	y - repeated exposure	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	No specific symptoms known.	
Ingestion	May cause sensitisation or allergic reactions in sensitive individuals. May cause irritation.	
Skin contact	May cause skin sensitisation or allergic reactions in sensitive individuals. Redness. Irritating to skin.	
Eye contact	No specific symptoms known.	
Route of exposure	Ingestion Inhalation Skin and/or eye contact	
Target organs	No specific target organs known.	
Medical considerations	Skin disorders and allergies.	
Diethyl phthalate		
Toxicological effects	Not regarded as a health hazard under current legislation.	
Acute toxicity - oral		
Notes (oral LD ₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal		
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation		
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.	
Skin corrosion/irritation		

Animal data	Based on available data the classification criteria are not met.	
Serious eye damage/irritation		
Serious eye damage/irritation	Based on available data the classification criteria are not met.	
Respiratory sensitisation		
Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation		
Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	None of the ingredients are listed or exempt.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicit	y - single exposure	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicit	y - repeated exposure	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
General information	No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	No specific symptoms known. Spray/mists may cause respiratory tract irritation.	
Ingestion	No specific symptoms known. May cause discomfort if swallowed.	
Skin contact	No specific symptoms known. May cause discomfort.	
Eye contact	No specific symptoms known. May be slightly irritating to eyes.	
Route of exposure	Ingestion Inhalation Skin and/or eye contact	
Target organs	No specific target organs known.	
	Citral	
Acute toxicity - oral		

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Animal data	Irritating.
Serious eye damage/irritat	ion
Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	May cause skin sensitisation or allergic reactions in sensitive individuals.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxici	ty - single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxici	ty - repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard	
Aspiration hazard	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known.
Ingestion	May cause sensitisation or allergic reactions in sensitive individuals. May cause irritation.
Skin contact	May cause skin sensitisation or allergic reactions in sensitive individuals. Redness. Irritating to skin.
Eye contact	No specific symptoms known.

Route of exposure	Ingestion Inhalation Skin and/or eye contact	
Target organs	No specific target organs known.	
Medical considerations	Skin disorders and allergies.	
	Pin-2(3)-ene	
Acute toxicity - oral		
Notes (oral LD ₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal		
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation		
Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.	
Skin corrosion/irritation		
Animal data	Irritating.	
Human skin model test	Cell Viability 39.6% 15 minutes REACH dossier information. Irritating.	
Serious eye damage/irritati	on	
Serious eye damage/irritation	Based on available data the classification criteria are not met.	
Respiratory sensitisation		
Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation		
Skin sensitisation	May cause skin sensitisation or allergic reactions in sensitive individuals.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Genotoxicity - in vivo	Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	None of the ingredients are listed or exempt.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicit	y - single exposure	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicity - repeated exposure		
STOT - reneated exposure. Not classified as a specific target organ toxicant after reneated exposure		

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure. **Aspiration hazard**

Aspiration hazard	Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. Pneumonia may be the result if vomited material containing solvents reaches the lungs.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known.
Ingestion	May cause sensitisation or allergic reactions in sensitive individuals. May cause irritation. Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.
Skin contact	May cause skin sensitisation or allergic reactions in sensitive individuals. Redness. Irritating to skin.
Eye contact	No specific symptoms known.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
Medical considerations	Skin disorders and allergies.
	p-Cymene
Acute toxicity - oral	
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Notes (dermal LD50)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Skin corrosion/irritation	Irritating to skin. Defatting, drying and cracking of skin. REACH dossier information.
Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritati	on
Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	

	Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
	Reproductive toxicity - development	Based on available data the classification criteria are not met.
	Specific target organ toxic	ity - single exposure
	STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
	Target organs	Respiratory system, lungs
	Specific target organ toxic	ity - repeated exposure
	STOT - repeated exposure	e Not classified as a specific target organ toxicant after repeated exposure.
	Aspiration hazard	
	Aspiration hazard	Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. Pneumonia may be the result if vomited material containing solvents reaches the lungs.
	General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
	Inhalation	No specific symptoms known.
	Ingestion	Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.
	Skin contact	No specific symptoms known.
	Eye contact	No specific symptoms known.
	Route of exposure	Ingestion Inhalation Skin and/or eye contact
	Target organs	No specific target organs known.
ECTION 1	2: Ecological information	
Ecotoxicity	Not reg	arded as dangerous for the environment. However, large or frequent spills may have ous effects on the environment.
		2-Butoxyethanol
	Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
		1-Methoxy-2-propanol
	Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
		2-Methoxypropanol
	Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills

Ethanol

may have hazardous effects on the environment.

Q-Connect PC & Laptop Screen Cleaning Wipes, Tub 100

	Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
		Diethyl phthalate
	Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
		Citral
	Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
		Pin-2(3)-ene
	Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
12.1. Toxici	ty	
Toxicity	Based o	n available data the classification criteria are not met.
Ecological i	nformation on ingredients.	
		2-Butoxyethanol
	Toxicity	Based on available data the classification criteria are not met.
	Acute aquatic toxicity	
	Acute toxicity - fish	LC₅₀, 96 hours: 1474 mg/l, Oncorhynchus mykiss (Rainbow trout)
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 1550 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	EC₅₀, 72 hours: 911 mg/l, Pseudokirchneriella subcapitata
	Chronic aquatic toxicity	
	Chronic toxicity - fish early life stage	NOEL, 21 days: >100 mg/l, Brachydanio rerio (Zebra Fish)
	Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 100 mg/l, Daphnia magna
		1-Methoxy-2-propanol
	Toxicity	Based on available data the classification criteria are not met.
	Acute aquatic toxicity	
	Acute toxicity - fish	LC₅₀, 96 hours: 20800 mg/l, Pimephales promelas (Fat-head Minnow) REACH dossier information.
	Acute toxicity - aquatic invertebrates	LC₅₀, 48 hours: 21100 mg/l, Daphnia magna REACH dossier information.
	Acute toxicity - aquatic plants	EC₅₀, 7 days: >1000 mg/l, Selenastrum capricornutum REACH dossier information.

2-Methoxypropanol

Toxicity	Based on available data the classification criteria are not met.
Acute aquatic toxicity	
Acute toxicity - fish	LC₅₀, 96 hours: >1006 mg/l, Fish, Estimated value.
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: >13205 mg/l, Daphnia magna, Estimated value.

Ethanol

Toxicity	Based on available data the classification criteria are not met.
Acute aquatic toxicity	
Acute toxicity - fish	LC₅₀, 96 hours: 14200 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic invertebrates	LC₅₀, 48 hours: 5012 mg/l, Ceriodaphnia dubia
Acute toxicity - aquatic plants	EC₅₀, 72 hours: 11.5 mg/l, Chlorella vulgaris
Chronic aquatic toxicity	
Chronic toxicity - aquatic invertebrates	NOEC, 9 days: 9.6 mg/l, Daphnia magna
	d-Limonene
Toxicity	Aquatic Acute 1 - H400 Very toxic to aquatic life. Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects.
Acute aquatic toxicity	
LE(C)₅₀	$0.1 < L(E)C50 \le 1$
M factor (Acute)	1
Acute toxicity - fish	LC₅₀, 96 hours: 0.72 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 0.36 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC₅₀, 72 hours: 150 mg/l, Desmodesmus subspicatus
Acute toxicity - microorganisms	EC₅₀, 3 hours: 209 mg/l, Activated sludge
Chronic aquatic toxicity	
M factor (Chronic)	1
	Diethyl phthalate
Toxicity	Based on available data the classification criteria are not met.

Acute aquatic toxicity

Acute toxicity - fish	LC₅₀, 24 hours: 23 mg/l, Oncorhynchus mykiss (Rainbow trout) LC₅₀, 48 hours: 14 mg/l, Oncorhynchus mykiss (Rainbow trout) LC₅₀, 72 hours: 12 mg/l, Oncorhynchus mykiss (Rainbow trout) LC₅₀, 96 hours: 12 mg/l, Oncorhynchus mykiss (Rainbow trout) REACH dossier information.
Acute toxicity - aquatic invertebrates	LC₅₀, 48 hours: 90 mg/l, Daphnia magna REACH dossier information.
Acute toxicity - aquatic plants	EC₅₀, 72 hours: 23 mg/l, Scenedesmus subspicatus REACH dossier information.
Chronic aquatic toxicity	
Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 25 mg/l, Daphnia magna REACH dossier information.
	Citral
Toxicity	Based on available data the classification criteria are not met.
Acute aquatic toxicity	
Acute toxicity - fish	LC₅₀, 96 hours: 6.78 mg/l, Leuciscus idus (Golden orfe)
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 6.8 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC₅₀, 72 hours: 103.8 mg/l, Scenedesmus subspicatus
	Pin-2(3)-ene
Toxicity	Aquatic Acute 1 - H400 Very toxic to aquatic life. Aquatic Chronic 1 - H410 Very toxic to aquatic life with long lasting effects.
Acute aquatic toxicity	
LE(C)50	0.1 < L(E)C50 ≤ 1
M factor (Acute)	
	1
Chronic aquatic toxicity	1
Chronic aquatic toxicity M factor (Chronic)	1
M factor (Chronic)	1 <u>p-Cymene</u>
M factor (Chronic)	1
M factor (Chronic)	1 <u>p-Cymene</u>
M factor (Chronic) Toxicity Acute aquatic toxicity	1 <u>p-Cymene</u> Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.
M factor (Chronic) Toxicity <u>Acute aquatic toxicity</u> Acute toxicity - fish Acute toxicity - aquatic	1 <u>p-Cymene</u> Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects. LC₅₀, 96 hours: 44 mg/l, Lepomis macrochirus (Bluegill) LC₅₀, 96 hours: 4.4 mg/l, Americamysis bahia
M factor (Chronic) Toxicity <u>Acute aquatic toxicity</u> Acute toxicity - fish Acute toxicity - aquatic invertebrates Acute toxicity - aquatic	1 <u>p-Cymene</u> Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects. LC ₅₀ , 96 hours: 44 mg/l, Lepomis macrochirus (Bluegill) LC ₅₀ , 96 hours: 4.4 mg/l, Americamysis bahia LC ₅₀ , 48 hours: 6.5 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Ecological information on ingredients.

2-Butoxyethanol

Persistence and degradability	The degradability of the product is not known.
Biodegradation	Water - Degradation 90.4%: 28 days
	1-Methoxy-2-propanol
Persistence and degradability	The degradability of the product is not known.
Phototransformation	Water - DT₅₀ : 3.1 hours REACH dossier information.
Biodegradation	Water - Degradation 96%: 28 days REACH dossier information.
	2-Methoxypropanol
Persistence and degradability	The degradability of the product is not known.
Biodegradation	No data available.
	Ethanol
Persistence and degradability	The degradability of the product is not known.
Biodegradation	Water - Degradation 74%: 10 days
Chemical oxygen demand	1.99 g O₂/g substance
	d-Limonene
Persistence and degradability	The degradability of the product is not known.
Phototransformation	Water - Half-life : 0.365 hours Estimated value.
Biodegradation	Water - Degradation 80%: 28 days
	Diethyl phthalate
Persistence and degradability	The degradability of the product is not known.
Phototransformation	Water - DT₅₀ : 111.1 hours REACH dossier information.
Biodegradation	Water - Degradation >99%: 28 days REACH dossier information.

Citral

	Persistence and degradability	The degradability of the product is not known.
	Phototransformation	Water - DT₅₀ : 37.35 minutes
	Biodegradation	Water - Degradation 85-95%: 28 days
		Pin-2(3)-ene
	Persistence and degradability	The degradability of the product is not known.
	Phototransformation	Water - DT₅₀ : 0.44-1.41 hours
		p-Cymene
	Persistence and degradability	The degradability of the product is not known.
	Biodegradation	Water - Degradation 88%: 14 days
12.3. Bioac	cumulative potential	
Bioaccumu	lative potential No data	available on bioaccumulation.
Partition co	efficient Not dete	rmined.
Ecological i	nformation on ingredients.	
		2-Butoxyethanol
	Bioaccumulative potential	<u>2-Butoxyethanol</u> No data available on bioaccumulation.
	Bioaccumulative potential Partition coefficient	<u>_</u>
		No data available on bioaccumulation.
		No data available on bioaccumulation.
	Partition coefficient	No data available on bioaccumulation. log Kow: 0.81 <u>1-Methoxy-2-propanol</u>
	Partition coefficient Bioaccumulative potential	No data available on bioaccumulation. log Kow: 0.81 <u>1-Methoxy-2-propanol</u> No data available on bioaccumulation.
	Partition coefficient Bioaccumulative potential	No data available on bioaccumulation. log Kow: 0.81 <u>1-Methoxy-2-propanol</u> No data available on bioaccumulation. log Pow: <1 REACH dossier information.
	Partition coefficient Bioaccumulative potential Partition coefficient	No data available on bioaccumulation. log Kow: 0.81 <u>1-Methoxy-2-propanol</u> No data available on bioaccumulation. log Pow: <1 REACH dossier information. <u>2-Methoxypropanol</u>
	Partition coefficient Bioaccumulative potential Partition coefficient	No data available on bioaccumulation. log Kow: 0.81 <u>1-Methoxy-2-propanol</u> No data available on bioaccumulation. log Pow: <1 REACH dossier information. <u>2-Methoxypropanol</u> No data available on bioaccumulation.
	Partition coefficient Bioaccumulative potential Partition coefficient Bioaccumulative potential	No data available on bioaccumulation. log Kow: 0.81 <u>1-Methoxy-2-propanol</u> No data available on bioaccumulation. log Pow: <1 REACH dossier information. <u>2-Methoxypropanol</u> No data available on bioaccumulation. <u>Ethanol</u>
	Partition coefficient Bioaccumulative potential Partition coefficient Bioaccumulative potential Bioaccumulative potential	No data available on bioaccumulation. log Kow: 0.81 <u>1-Methoxy-2-propanol</u> No data available on bioaccumulation. log Pow: <1 REACH dossier information. <u>2-Methoxypropanol</u> No data available on bioaccumulation. <u>Ethanol</u> No data available on bioaccumulation.
	Partition coefficient Bioaccumulative potential Partition coefficient Bioaccumulative potential Bioaccumulative potential	No data available on bioaccumulation. log Kow: 0.81 <u>1-Methoxy-2-propanol</u> No data available on bioaccumulation. log Pow: <1 REACH dossier information. <u>2-Methoxypropanol</u> No data available on bioaccumulation. <u>Ethanol</u> No data available on bioaccumulation. log Pow: -0.35

Diethyl phthalate

	Bioaccumulative potential	No data available on bioaccumulation.
	Partition coefficient	log Pow: 2.2 REACH dossier information.
		Citral
	Bioaccumulative potential	No data available on bioaccumulation.
	Partition coefficient	log Pow: 2.76
		Pin-2(3)-ene
	Bioaccumulative potential	No data available on bioaccumulation.
	Partition coefficient	log Pow: 4.487
		p-Cymene
	Bioaccumulative potential	No data available on bioaccumulation.
12.4. Mobili	ty in soil	
Mobility	No data	available.
Ecological i	nformation on ingredients.	
		2-Butoxyethanol
	Mobility	No data available.
	Surface tension	29.53 mN/m @ 20°C
		1-Methoxy-2-propanol
	Mobility	No data available.
	Surface tension	70.7 mN/m @ 20°C
		2-Methoxypropanol
	Mobility	No data available.
	Adsorption/desorption coefficient	- log Kow: ~ (-0.45) - (-0.49) @ 25°C Calculation method Log Koc: ~ 0.0 - 1.13 @ 25°C Calculation method.
		Ethanol
	Mobility	No data available.
	Surface tension	24.5 mN/m @ 20°C/68°F
		d-Limonene
	Mobility	No data available.
	Adsorption/desorption coefficient	Water - Koc: 1984 @ 25°C

Diethyl phthalate

M	obility	No data available.
	dsorption/desorption pefficient	Water - Log Koc: 2.34 @ 21°C REACH dossier information.
He	enry's law constant	0.0399 Pa m³/mol @ °C Calculation method. REACH dossier information.
		Citral
M	obility	No data available.
	dsorption/desorption pefficient	Water - Log Koc: 2.169 @ 25°C Estimated value.
He	enry's law constant	0.000376 atm m³/mol @ 25°C
		Pin-2(3)-ene
M	obility	No data available.
	dsorption/desorption pefficient	Water - Koc: 2184 @ 25°C Estimated value.
		p-Cymene
M	obility	No data available.
	f PBT and vPvB assessme	ent
Ecological infor	mation on ingredients.	
		2-Butoxyethanol
	esults of PBT and vPvB seessment	This substance is not classified as PBT or vPvB according to current EU criteria.
		1-Methoxy-2-propanol
	esults of PBT and vPvB ssessment	This substance is not classified as PBT or vPvB according to current EU criteria.
		2-Methoxypropanol
	esults of PBT and vPvB ssessment	This substance is not classified as PBT or vPvB according to current EU criteria.
		Ethanol
	esults of PBT and vPvB ssessment	This substance is not classified as PBT or vPvB according to current EU criteria.
		d-Limonene
	esults of PBT and vPvB ssessment	This substance is not classified as PBT or vPvB according to current EU criteria. Estimated value.
		Diethyl phthalate

Diethyl phthalate

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current EU criteria. assessment

Citral

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current EU criteria. assessment

Pin-2(3)-ene

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current EU criteria. assessment

p-Cymene

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current EU criteria. assessment

2-Butoxyethanol

12.6. Other adverse effects

Other adverse effects None known.

Ecological information on ingredients.

		<u></u>
Other adverse effects	None known.	
		1-Methoxy-2-propanol
Other adverse effects	None known.	
		2-Methoxypropanol
Other adverse effects	None known.	
		Ethanol
Other adverse effects	None known.	
		d-Limonene
Other adverse effects	None known.	
		Diethyl phthalate
Other adverse effects	None known.	
		Citral
Other adverse effects	None known.	
		Pin-2(3)-ene
Other adverse effects	None known.	

p-Cymene

Other adverse eff	ects None known.		
SECTION 13: Disposal considerations			
13.1. Waste treatment methods	3		
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way.		
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.		
SECTION 14: Transport inform	ation		
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).		
14.1. UN number			
Not applicable.			
14.2. UN proper shipping name	3		
Not applicable.			
14.3. Transport hazard class(e	s <u>)</u>		
No transport warning sign requ	ired.		
14.4. Packing group			
Not applicable.			
14.5. Environmental hazards			
Environmentally hazardous sub	ostance/marine pollutant		
14.6. Special precautions for us	ser		
Not applicable.			
14.7. Transport in bulk accordin	ng to Annex II of MARPOL and the IBC Code		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.		
SECTION 15: Regulatory inform	nation		
15.1. Safety, health and enviro	nmental regulations/legislation specific for the substance or mixture		
National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].		

EH40/2005 Workplace exposure limits.

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
	Commission Regulation (EU) No 453/2010 of 20 May 2010.
	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
	December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
	Dangerous Preparations Directive 1999/45/EC.
	Dangerous Substances Directive 67/548/EEC.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information	
Training advice	Read and follow manufacturer's recommendations.
Issued by	Bethan Massey
Revision date	21/11/2018
Revision	2
SDS number	624
Hazard statements in full	EUH208 Contains 1,2-Benzisothiazol-3(2H)-one, Reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.