

# Model #: N318-03M

# 3M (10-ft.) Duplex MMF 62.5/125 Patch Cable (LC/ST)

### **Highlights**

- Manufactured from 62.5/125 duplex (zipcord) fiber
- Ideal for LAN applications
- Glass fiber composition



# Description

Tripp Lite's 3-meter multimode duplex fiber optic ST/LC patch cable is manufactured from 62.5/125 zipcord fiber. The cable has LC to ST connectors, a PVC jacket and is FDDI and OFNR rated. Duplex multimode fiber is most commonly used in LAN applications.

System Requirements

• Any fiber optic hardware or NIC card requiring multimode duplex cable with ST/LC connectors

Package Includes

• 3-meter duplex MMF LC/ST 62.5/125 fiber cable

#### **Features**

- Manufactured from 62.5/125 duplex (zipcord) fiber
- PVC jacket
- Length: 3-meter/Connectors: 2 ST/LC connectors on each end
- Insertion loss testing performed on every connector (0.2db typical) and provided with cable
- Beveled edge on ends of glass makes insertion of plug a breeze
- Fiber made from glass (not a polymer)
- Color coded shrouds identify transmit and receive
- Duplex multimode fiber is most commonly used in LAN applications where links are 10 feet or less
- Fiber optic distributed data interface (FDDI) rated
- OFNR (riser rated)

## **Specifications**

| OVERVIEW             |                                |
|----------------------|--------------------------------|
| Fiber Type           | 62.5/125 - OM1                 |
| Intended Application | Computer Networking (Fiber)    |
| Cable Type           | MULTIMODE 62.5/125 FIBER OPTIC |

| Network Speed                          | 1Gbps                     |  |  |  |
|--|---------------------------|--|--|--|
| INPUT                                  |                           |  |  |  |
| Cable Length (m)                       | 3                         |  |  |  |
| UPC ASSIGNMENT                         |                           |  |  |  |
| Unit Carton UPC#                       | 037332117922              |  |  |  |
| PHYSICAL                               |                           |  |  |  |
| Color                                  | Orange                    |  |  |  |
| Style                                  | Fiber Optic               |  |  |  |
| CONNECTIONS                            | CONNECTIONS               |  |  |  |
| Connector A                            | LC                        |  |  |  |
| Connector B                            | ST                        |  |  |  |
| Number of Connectors                   | 4                         |  |  |  |
| CERTIFICATIONS                         |                           |  |  |  |
| Certifications                         | ROHS                      |  |  |  |
| WARRANTY                               |                           |  |  |  |
| Product Warranty Period<br>(Worldwide) | Lifetime limited warranty |  |  |  |

## **Related Items**

#### **Optional Products**

| Related Model | Description   | Qty. |
|---------------|---|------|
| N318-01M      | 1M (3-ft.) Duplex MMF 62.5/125 Patch Cable (LC/ST)    | 1    |
| N318-02M      | 2M (6-ft.) Duplex MMF 62.5/125 Patch Cable (LC/ST)    | 1    |
| N318-05M      | 5M (16-ft.) Duplex MMF 62.5/125 Patch Cable (LC/ST)   | 1    |
| N318-08M      | 8M (26-ft.) Duplex MMF 62.5/125 Patch Cable (LC/ST)   | 1    |
| N318-09M      | 9M (30-ft.) Duplex MMF 62.5/125 Patch Cable (LC/ST)   | 1    |
| N318-15M      | 15M (50-ft.) Duplex MMF 62.5/125 Patch Cable (LC/ST)  | 1    |
| N318-20M      | 20M (65-ft.) Duplex MMF 62.5/125 Patch Cable (LC/ST)  | 1    |
| N318-30M      | 30M (100-ft.) Duplex MMF 62.5/125 Patch Cable (LC/ST) | 1    |

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?variables.txtModelID=2625.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.